

```
1 /**
2  * @license
3  * Video.js 7.3.0 <http://videojs.com/>
4  * Copyright Brightcove, Inc. <https://www.brightcove.com/>
5  * Available under Apache License Version 2.0
6  * <https://github.com/videojs/video.js/blob/master/LICENSE>
7  *
8  * Includes vtt.js <https://github.com/mozilla/vtt.js>
9  * Available under Apache License Version 2.0
10 * <https://github.com/mozilla/vtt.js/blob/master/LICENSE>
11 */
12 !function(t,e){"object"==typeof exports&&"undefined"!=typeof
... module?module.exports=e(require("global/window"),require("global/document"))
... :"function"==typeof
... define&&define.amd?define(["global/window","global/document"],e):t.videojs=e
... (t.window,t.document)}(this,function(v,d){v=v&&v.hasOwnProperty("default"?v
... .default:v,d=d&&d.hasOwnProperty("default"?d.default:d;var
... p="7.3.0";function
... f(t,e){t.prototype=Object.create(e.prototype),(t.prototype.constructor=t).
... __proto__=e}function
... a(t,e){return(a=Object.setPrototypeOf||function(t,e){return
... t.__proto__=e,t})(t,e)}function
... s(t,e,i){return(s=function(){if("undefined"==typeof
... Reflect||!Reflect.construct)return!1;if(Reflect.construct.sham)return!1;if("
... function"==typeof Proxy)return!0;try{return
... Date.prototype.toString.call(Reflect.construct(Date,[],function(){})),!0}
... catch(t){return!1}})?Reflect.construct:function(t,e,i){var
... n=[null];n.push.apply(n,e);var r=new(Function.bind.apply(t,n));return
... i&&a(r,i.prototype),r)}.apply(null,arguments)}function m(t){if(void
... 0===t)throw new ReferenceError("this hasn't been initialised - super()
... hasn't been called");return t}function e(t,e){return
... e||(e=t.slice(0)),t.raw=e,t}var u=[],t=function(s,o){return
... function(t,e,i){var n=o.levels[e],r=new
... RegExp("^(+n+)$");if("log"!==t&&i.unshift(t.toUpperCase()+":"),i.unshift(s
... +":"),u&&u.push([].concat(i)),v.console){var
... a=v.console[t];a||"debug"!==t||(a=v.console.info||v.console.log),a&&n&&r.
... test(t)&&a[Array.isArray(i)?"apply":"call"](v.console,i)}};var g=function
... e(i){var n,r="info",a=function(){for(var t=arguments.length,e=new
... Array(t),i=0;i<t;i++)e[i]=arguments[i];n("log",r,e)};return
... n=t(i,a),a.createLogger=function(t){return e(i+":
... "+t)},a.levels={all:"debug|log|warn|error",off:"",debug:"debug|log|warn|
... error",info:"log|warn|error",warn:"warn|error",error:"error",DEFAULT:r},a.
... level=function(t){if("string"==typeof
... t){if(!a.levels.hasOwnProperty(t))throw new Error('"' + t + '" in not a valid
... log level');r=t}return r},(a.history=function(){return
... u?[]].concat(u):[]}).filter=function(e){return(u||[]).filter(function(t){
... return new
... RegExp(".*"+e+".*").test(t[0])}}},a.history.clear=function(){u&&(u.length=0)
```

```
12... },a.history.disable=function(){null!==u&&(u.length=0,u=null)},a.history.
... enable=function(){null===u&&(u=[])},a.error=function(){for(var
... t=arguments.length,e=new Array(t),i=0;i<t;i++)e[i]=arguments[i];return
... n("error",r,e)},a.warn=function(){for(var t=arguments.length,e=new
... Array(t),i=0;i<t;i++)e[i]=arguments[i];return
... n("warn",r,e)},a.debug=function(){for(var t=arguments.length,e=new
... Array(t),i=0;i<t;i++)e[i]=arguments[i];return
... n("debug",r,e)},a}("VIDEOJS"),y=g.createLogger;var _=function(t){for(var
... e="",i=0;i<arguments.length;i++)e+=t[i].replace(/\n\r?\s*/g,"")+
... (arguments[i+1]||"");return e},i=Object.prototype.toString,r=function(t){return
... l(t)?Object.keys(t):[]};function o(e,i){r(e).forEach(function(t){return
... i(e[t],t)})}function b(i){for(var t=arguments.length,e=new
... Array(1<t?t-1:0),n=1;n<t;n++)e[n-1]=arguments[n];return
... Object.assign?Object.assign.apply(Object,[i].concat(e)):(e.forEach(function(
... t){t&&o(t,function(t,e){i[e]=t})}),i)}function
... l(t){return!!t&&"object"===typeof t}function c(t){return l(t)&&"[object
... Object]"===i.call(t)&&t.constructor===Object}function
... n(t,e){if(!t||!e)return"";if("function"!==typeof
... v.getComputedStyle)return"";var i=v.getComputedStyle(t);return
... i?i[e]:""}function h(){var t=e(["Setting attributes in the second argument
... of createElement()
... has been deprecated. Use the third argument
... instead.
... createElement(type, properties, attributes). Attempting
... to set ", " to ", "."]);return h=function(){return t},t}function
... T(t){return"string"===typeof t&&/\S/.test(t)}function
... S(t){if(/\s/.test(t))throw new Error("class has illegal whitespace
... characters")}function k(){return d===v.document}function w(t){return
... l(t)&&1===t.nodeType}function C(){try{return
... v.parent!==v.self}catch(t){return!0}}function E(n){return
... function(t,e){if(!T(t))return d[n](null);T(e)&&(e=d.querySelector(e));var
... i=w(e)?e:d;return i[n]&&i[n](t)}}function A(t,i,e,n){void
... 0===t&&(t="div"),void 0===i&&(i={}),void 0===e&&(e={});var
... r=d.createElement(t);return
... Object.getOwnPropertyNames(i).forEach(function(t){var
... e=i[t];-1!==t.indexOf("aria-")||"role"===t||"type"===t?(g.warn(_(h(),t,e)),r
... .setAttribute(t,e):"textContent"===t?L(r,e):r[t]=e)},Object.
... getOwnPropertyNames(e).forEach(function(t){r.setAttribute(t,e[t])}),n&&X(r,n
... ),r)}function L(t,e){return"undefined"===typeof
... t.textContent?t.innerHTML=e:t.textContent=e,t}function
... O(t,e){e.firstChild?e.insertBefore(t,e.firstChild):e.appendChild(t)}function
... P(t,e){return S(e),t.classList?t.classList.contains(e):(i=e,new
... RegExp("(^|\\s)"+i+"($|\\s)").test(t.className);var i)}function
... U(t,e){return
... t.classList?t.classList.add(e):P(t,e)||t.className=(t.className+"
... "+e).trim(),t}function x(t,e){return
... t.classList?t.classList.remove(e):(S(e),t.className=t.className.split(/\s+/)
... .filter(function(t){return t!==e}).join(" ")),t}function I(t,e,i){var
... n=P(t,e);if("function"===typeof i&&(i=i(t,e)),"boolean"!==typeof
... i&&(i=!n),i!==n)return i?U(t,e):x(t,e),t}function
```

```
12... D(i,n){Object.getOwnPropertyNames(n).forEach(function(t){var
... e=n[t];null===e||"undefined"===typeof
... e||!1===e?i.removeAttribute(t):i.setAttribute(t,!0===e?"":e)}}function
... R(t){var
... e={},i=",autoplay,controls,playsinline,loop,muted,default,defaultMuted,";if(
... t&&t.attributes&&0<t.attributes.length)for(var
... n=t.attributes,r=n.length-1;0<=r;r--){var
... a=n[r].name,s=n[r].value;"boolean"!==typeof
... t[a]&&-1===i.indexOf(", "+a+", ")||(s=null!==s),e[a]=s}return e}function
... M(t,e){return t.getAttribute(e)}function
... B(t,e,i){t.setAttribute(e,i)}function N(t,e){t.removeAttribute(e)}function
... j(){d.body.focus(),d.onselectstart=function(){return!1}}function
... F(){d.onselectstart=function(){return!0}}function
... V(t){if(t&&t.getBoundingClientRect&&t.parentNode){var
... e=t.getBoundingClientRect(),i={};return["bottom","height","left","right","
... top","width"].forEach(function(t){void
... 0!==e[t]&&(i[t]=e[t])),i.height||(i.height=parseFloat(n(t,"height"))),i.
... width||(i.width=parseFloat(n(t,"width"))),i}}function H(t){var
... e;if(t.getBoundingClientRect&&t.parentNode&&(e=t.getBoundingClientRect()),!e
... )return{left:0,top:0};var
... i=d.documentElement,n=d.body,r=i.clientLeft||n.clientLeft||0,a=v.pageXOffset
... ||n.scrollLeft,s=e.left+a-r,o=i.clientTop||n.clientTop||0,u=v.pageYOffset||n
... .scrollTop,l=e.top+u-o;return{left:Math.round(s),top:Math.round(l)}}function
... q(t,e){var
... i={},n=H(t),r=t.offsetWidth,a=t.offsetHeight,s=n.top,o=n.left,u=e.pageY,l=e.
... pageX;return
... e.changedTouches&&(l=e.changedTouches[0].pageX,u=e.changedTouches[0].pageY),
... i.y=Math.max(0,Math.min(1,(s-u+a)/a)),i.x=Math.max(0,Math.min(1,(l-o)/r)),i}
... function z(t){return l(t)&&3===t.nodeType}function
... W(t){for(;t.firstChild;)t.removeChild(t.firstChild);return t}function
... G(t){return"function"===typeof
... t&&(t=t()),(Array.isArray(t)?t:[t]).map(function(t){return"function"===typeof
... t&&(t=t()),w(t)||z(t)?t:"string"===typeof
... t&&/\S/.test(t)?d.createTextNode(t):void 0}).filter(function(t){return
... t})}function X(e,t){return G(t).forEach(function(t){return
... e.appendChild(t)}),e}function Y(t,e){return X(W(t),e)}function $(t){return
... void 0===t.button&&void 0===t.buttons||!(0===t.button&&void
... 0===t.buttons||0===t.button&&1===t.buttons)}var
... K=E("querySelector"),Q=E("querySelectorAll"),J=Object.freeze({isReal:k,isEl:
... w,isInFrame:C,createEl:A,textContent:L,prependTo:O,hasClass:P,addClass:U,
... removeClass:x,toggleClass:I,setAttribute:D,getAttributes:R,getAttribute:M,
... setAttribute:B,removeAttribute:N,blockTextSelection:j,unblockTextSelection:F
... ,getBoundingClientRect:V,findPosition:H,getPointerPosition:q,isTextNode:z,
... emptyEl:W,normalizeContent:G,appendContent:X,insertContent:Y,
... isSingleLeftClick:$,$:K,$$:Q}),Z=1;function tt(){return Z++}var
... et={},it="vdata"+(new Date).getTime();function nt(t){var e=t[it];return
... e||(e=t[it]=tt()),et[e]||(et[e]={}),et[e]}function rt(t){var
... e=t[it];return!!e&&!Object.getOwnPropertyNames(et[e]).length}function
```

```
12... at(e){var t=e[it];if(t){delete et[t];try{delete
... e[it]}catch(t){e.removeAttribute?e.removeAttribute(it):e[it]=null}}function
... st(t,e){var i=nt(t);0===i.handlers[e].length&&(delete
... i.handlers[e],t.removeEventListener?t.removeEventListener(e,i.dispatcher,!1)
... :t.detachEvent&&t.detachEvent("on"+e,i.dispatcher)),Object.
... getOwnPropertyNames(i.handlers).length<=0&&(delete i.handlers,delete
... i.dispatcher,delete
... i.disabled),0===Object.getOwnPropertyNames(i).length&&at(t)}function
... ot(e,i,t,n){t.forEach(function(t){e(i,t,n)})}function ut(t){function
... e(){return!0}function i(){return!1}if(!t||!t.isPropagationStopped){var
... n=t||v.event;for(var r in
... t={},n)"layerX"!==r&&"layerY"!==r&&"keyLocation"!==r&&"webkitMovementX"!==r&
... &"webkitMovementY"!==r&&("returnValue"===r&&n.preventDefault||(t[r]=n[r]));
... if(t.target||(t.target=t.srcElement||d),t.relatedTarget||(t.relatedTarget=t.
... fromElement===t.target?t.toElement:t.fromElement),t.preventDefault=function(
... ){n.preventDefault&&n.preventDefault(),t.returnValue=!1,n.returnValue=!1,t.
... defaultPrevented=!0},t.defaultPrevented=!1,t.stopPropagation=function(){n.
... stopPropagation&&n.stopPropagation(),t.cancelBubble=!0,n.cancelBubble=!0,t.
... isPropagationStopped=e},t.isPropagationStopped=i,t.stopImmediatePropagation=
... function(){n.stopImmediatePropagation&&n.stopImmediatePropagation(),t.
... isImmediatePropagationStopped=e,t.stopPropagation()},t.
... isImmediatePropagationStopped=i,null!==t.clientX&&void 0!==t.clientY){var
... a=d.documentElement,s=d.body;t.pageX=t.clientX+(a&&a.scrollLeft||s&&s.
... scrollLeft||0)-(a&&a.clientLeft||s&&s.clientLeft||0),t.pageY=t.clientY+(a&&a.
... scrollTop||s&&s.scrollTop||0)-(a&&a.clientTop||s&&s.clientTop||0)}t.which=t
... .charCodeAt|t.keyCode,null!==t.button&&void
... 0!==t.button&&(t.button=1&t.button?0:4&t.button?1:2&t.button?2:0)}return
... t}var lt=!1;!function(){try{var
... t=Object.defineProperty({}, "passive", {get: function() {lt=!0}});v.
... addEventListener("test", null, t), v.removeEventListener("test", null, t)}catch(t
... ){});var ct=["touchstart", "touchmove"];function
... ht(s,t,e){if(Array.isArray(t))return ot(ht,s,t,e);var
... o=nt(s);if(o.handlers||(o.handlers={}),o.handlers[t]||(o.handlers[t]=[]),e.
... guid||(e.guid=tt()),o.handlers[t].push(e),o.dispatcher||(o.disabled=!1,o.
... dispatcher=function(t,e){if(!o.disabled){t=ut(t);var
... i=o.handlers[t.type];if(i)for(var
... n=i.slice(0),r=0,a=n.length;r<a&&!t.isImmediatePropagationStopped();r++)try{
... n[r].call(s,t,e)}catch(t){g.error(t)}}},1===o.handlers[t].length)if(s.
... addEventListener){var
... i=!1;lt&&-1<ct.indexOf(t)&&(i={passive:!0}),s.addEventListener(t,o.
... dispatcher,i)}else
... s.attachEvent&&s.attachEvent("on"+t,o.dispatcher)}function
... dt(t,e,i){if(rt(t)){var n=nt(t);if(n.handlers){if(Array.isArray(e))return
... ot(dt,t,e,i);var r=function(t,e){n.handlers[e]=[],st(t,e)};if(void
... 0!==e){var a=n.handlers[e];if(a)if(i){if(i.guid)for(var
... s=0;s<a.length;s++)a[s].guid===i.guid&&a.splice(s--,1);st(t,e)}else
... r(t,e)}else for(var o in
... n.handlers)Object.prototype.hasOwnProperty.call(n.handlers||{},o)&&r(t,o)}}}
```

```
12... function pt(t,e,i){var
... n=rt(t)?nt(t):{},r=t.parentNode||t.ownerDocument;if("string"===typeof
... e?e={type:e,target:t}:e.target||(e.target=t),e=ut(e),n.dispatcher&&n.
... dispatcher.call(t,e,i),r&&!e.isPropagationStopped()&&!0===e.bubbles)pt.call(
... null,r,e,i);else if(!r&&!e.defaultPrevented){var
... a=nt(e.target);e.target[e.type]&&(a.disabled=!0,"function"===typeof
... e.target[e.type]&&e.target[e.type](),a.disabled=!1)}return!e.
... defaultPrevented}function ft(e,i,n){if(Array.isArray(i))return
... ot(ft,e,i,n);var t=function
... t(){dt(e,i,t),n.apply(this,arguments)};t.guid=n.guid=n.guid||tt(),ht(e,i,t)}
... var
... mt,gt=Object.freeze({fixEvent:ut,on:ht,off:dt,trigger:pt,one:ft}),yt=!1,vt=
... function(){if(k()&&!1!==mt.options.autoSetup){var
... t=Array.prototype.slice.call(d.getElementsByTagName("video")),e=Array.
... prototype.slice.call(d.getElementsByTagName("audio")),i=Array.prototype.
... slice.call(d.getElementsByTagName("video-js")),n=t.concat(e,i);if(n&&0<n.
... length)for(var r=0,a=n.length;r<a;r++){var
... s=n[r];if(!s||!s.getAttribute){_t(1);break}void
... 0===s.player&&null!==(s.getAttribute("data-setup")&&mt(s))else
... yt||_t(1)}};function
... _t(t,e){e&&(mt=e),v.setTimeout(vt,t)}k()&&"complete"===d.readyState?yt=!0:ft
... (v,"load",function(){yt=!0});var bt,Tt=function(t){var
... e=d.createElement("style");return
... e.className=t,e},St=function(t,e){t.styleSheet?t.styleSheet.cssText=e:t.
... textContent=e},kt=function(t,e,i){e.guid||(e.guid=tt());var
... n=function(){return e.apply(t,arguments)};return
... n.guid=i?i+"_"+e.guid:e.guid,n},wt=function(e,i){var n=Date.now();return
... function(){var t=Date.now();i<=t-n&&(e.apply(void
... 0,arguments),n=t)}};Ct=function(){};Ct.prototype.allowedEvents_={},Ct.
... prototype.addEventListener=Ct.prototype.on=function(t,e){var
... i=this.addEventListener;this.addEventListener=function(){};ht(this,t,e),this
... .addEventListener=i,Ct.prototype.removeEventListener=Ct.prototype.off=
... function(t,e){dt(this,t,e)},Ct.prototype.one=function(t,e){var
... i=this.addEventListener;this.addEventListener=function(){};ft(this,t,e),this
... .addEventListener=i,Ct.prototype.dispatchEvent=Ct.prototype.trigger=
... function(t){var e=t.type|t;"string"===typeof
... t&&(t={type:e}),t=ut(t),this.allowedEvents_[e]&&this["on"+e]&&this["on"+e](t
... ),pt(this,t)},Ct.prototype.queueTrigger=function(t){var e=this;bt||(bt=new
... Map);var i=t.type|t,n=bt.get(this);n||(n=new Map,bt.set(this,n));var
... r=n.get(i);n.delete(i),v.clearTimeout(r);var
... a=v.setTimeout(function(){0===n.size&&(n=null,bt.delete(e)),e.trigger(t)},0)
... ;n.set(i,a)};var Et=function(e){return e instanceof
... Ct||!!e.eventBusEl_&&["on","one","off","trigger"].every(function(t){return
... "function"===typeof e[t]})},At=function(t){return"string"===typeof
... t&&/\S/.test(t)||Array.isArray(t)&&!t.length},Lt=function(t){if(!t.nodeName
... &&!Et(t))throw new Error("Invalid target; must be a DOM node or evented
... object.")},Ot=function(t){if(!At(t))throw new Error("Invalid event type;
... must be a non-empty string or array.")},Pt=function(t){if("function"!==typeof
```

```
12... t)throw new Error("Invalid listener; must be a
... function."}),Ut=function(t,e){var
... i,n,r,a=e.length<3|e[0]==t|e[0]==t.eventBusEl_;return
... r=a?(i=t.eventBusEl_,3<=e.length&&e.shift(),n=e[0],e[1]):(i=e[0],n=e[1],e[2]
... ),Lt(i),Ot(n),Pt(r),{isTargetingSelf:a,target:i,type:n,listener:r=kt(t,r)},
... xt=function(t,e,i,n){Lt(t),t.nodeName?gt[e](t,i,n):t[e](i,n)},It={on:
... function(){for(var t=this,e=arguments.length,i=new
... Array(e),n=0;n<e;n++)i[n]=arguments[n];var
... r=Ut(this,i),a=r.isTargetingSelf,s=r.target,o=r.type,u=r.listener;if(xt(s,"
... on",o,u),!a){var l=function(){return t.off(s,o,u)};l.guid=u.guid;var
... c=function(){return
... t.off("dispose",l)};c.guid=u.guid,xt(this,"on","dispose",l),xt(s,"on",
... "dispose",c)}}},one:function(){for(var r=this,t=arguments.length,e=new
... Array(t),i=0;i<t;i++)e[i]=arguments[i];var
... n=Ut(this,e),a=n.isTargetingSelf,s=n.target,o=n.type,u=n.listener;if(a)xt(s,
... "one",o,u);else{var l=function t(){r.off(s,o,t)};for(var
... e=arguments.length,i=new
... Array(e),n=0;n<e;n++)i[n]=arguments[n];u.apply(null,i)};l.guid=u.guid,xt(s,
... "one",o,l)},off:function(t,e,i){if(!t||At(t))dt(this.eventBusEl_,t,e);else{
... var
... n=t,r=e;Lt(n),Ot(r),Pt(i),i=kt(this,i),this.off("dispose",i),n.nodeName?(dt(
... n,r,i),dt(n,"dispose",i)):Et(n)&&(n.off(r,i),n.off("dispose",i))}},trigger:
... function(t,e){return pt(this.eventBusEl_,t,e)};function Dt(t,e){void
... 0===e&&(e={});var i=e.eventBusKey;if(i){if(!t[i].nodeName)throw new
... Error('The eventBusKey "'+i+'" does not refer to an
... element.')}t.eventBusEl_=t[i]}else
... t.eventBusEl_=A("span",{className:"vjs-event-bus"});return
... b(t,It),t.on("dispose",function(){t.off(),v.setTimeout(function(){t.
... eventBusEl_=null},0)}),t}var Rt={state:{},setState:function(t){var
... i,n=this;return"function"==typeof
... t&&(t=t()),o(t,function(t,e){n.state[e]!=t&&((i=i||{})[e]={from:n.state[e],
... to:t}),n.state[e]=t}),i&&Et(this)&&this.trigger({changes:i,type:"
... statechanged"}),i}};function Mt(t,e){return
... b(t,Rt),t.state=b({},t.state,e),"function"==typeof
... t.handleStateChanged&&Et(t)&&t.on("statechanged",t.handleStateChanged),t}
... function Bt(t){return"string"!=typeof
... t?t:t.charAt(0).toUpperCase()+t.slice(1)}function Nt(){for(var
... i={},t=arguments.length,e=new Array(t),n=0;n<t;n++)e[n]=arguments[n];return
... e.forEach(function(t){t&&o(t,function(t,e){c(t)?(c(i[e])||(i[e]={})),i[e]=Nt(
... i[e],t):i[e]=t}}),i)}var jt=function(){function
... l(t,e,i){if(!t&&this.play?this.player_=t=this:this.options_=
... Nt({},this.options_),e=this.options_=Nt(this.options_,e),this.id_=e.id||e.el
... &&e.el.id,!this.id_){var
... n=t&&t.id&&t.id()||"no_player";this.id_=n+"_component_"+tt()}this.name_=e.
... name||null,e.el?this.el_=e.el:!1!==e.createEl&&(this.el_=this.createEl()),!1
... !==e.evented&&Dt(this,{eventBusKey:this.el_"el_":null}),Mt(this,this.
... constructor.defaultState),this.children_=[],this.childIndex_={},!(this.
... childNameIndex_={})!==e.initChildren&&this.initChildren(),this.ready(i),!1!==
```

```
12... =e.reportTouchActivity&&this.enableTouchActivity())var t=l.prototype;return
... t.dispose=function(){if(this.trigger({type:"dispose",bubbles:!1}),this.
... children_)for(var
... t=this.children_.length-1;0<=t;t--)this.children_[t].dispose&&this.children_
... [t].dispose();this.children_=null,this.childIndex_=null,this.childNameIndex_
... =null,this.el_&&(this.el_.parentNode&&this.el_.parentNode.removeChild(this.
... el_),at(this.el_),this.el_=null),this.player_=null},t.player=function(){
... return this.player_},t.options=function(t){return g.warn("this.options() has
... been deprecated and will be moved to the constructor in
... 6.0"),t&&(this.options_=Nt(this.options_,t)),this.options_},t.el=function(){
... return this.el_},t.createEl=function(t,e,i){return
... A(t,e,i)},t.localize=function(t,r,e){void 0===e&&(e=t);var
... i=this.player_.language&&this.player_.language(),n=this.player_.languages&&
... this.player_.languages(),a=n&&n[i],s=i&&i.split("-")[0],o=n&&n[s],u=e;return
... a&&a[t]?u=a[t]:o&&o[t]&&(u=o[t]),r&&(u=u.replace(/\{(\d+)\}/g,function(t,e){
... var i=r[e-1],n=i;return"undefined"==typeof
... i&&(n=t),n)),u},t.contentEl=function(){return
... this.contentEl_||this.el_},t.id=function(){return
... this.id_},t.name=function(){return this.name_},t.children=function(){return
... this.children_},t.getChildById=function(t){return
... this.childIndex_[t]},t.getChild=function(t){if(t)return
... t=Bt(t),this.childNameIndex_[t]},t.addChild=function(t,e,i){var n,r;if(void
... 0===e&&(e={}),void 0===i&&(i=this.children_.length),"string"==typeof
... t){r=Bt(t);var a=e.componentClass||r;e.name=r;var
... s=l.getComponent(a);if(!s)throw new Error("Component "+a+" does not
... exist");if("function"!=typeof s)return null;n=new
... s(this.player_||this,e)}else
... n=t;if(this.children_.splice(i,0,n),"function"==typeof
... n.id&&(this.childIndex_[n.id()]=n),(r=r||n.name&&Bt(n.name()))&&(this.
... childNameIndex_[r]=n),"function"==typeof n.el&&n.el()){var
... o=this.contentEl().children[i]||null;this.contentEl().insertBefore(n.el(),o)
... }return n},t.removeChild=function(t){if("string"==typeof
... t&&(t=this.getChild(t)),t&&this.children_){for(var
... e=!1,i=this.children_.length-1;0<=i;i--)if(this.children_[i]===t){e=!0,this.
... children_.splice(i,1);break}if(e){this.childIndex_[t.id()]=null,this.
... childNameIndex_[t.name()]=null;var
... n=t.el();n&&n.parentNode===this.contentEl()&&this.contentEl().removeChild(t.
... el())}}},t.initChildren=function(){var
... r=this,n=this.options_.children;if(n){var
... t,a=this.options_,i=l.getComponent("Tech");(t=Array.isArray(n)?n:Object.keys
... (n)).concat(Object.keys(this.options_).filter(function(e){return!t.some(
... function(t){return"string"==typeof
... t?e===t:e===t.name}))).map(function(t){var e,i;return i="string"==typeof
... t?n[e=t]||r.options_[e]||{}:(e=t.name,t),{name:e,opts:i}).filter(function(t
... ){var e=l.getComponent(t.opts.componentClass||Bt(t.name));return
... e&&!i.isTech(e)}).forEach(function(t){var e=t.name,i=t.opts;if(void
... 0!==a[e]&&(i=a[e]),!1!==i){!0===i&&(i={}),i.playerOptions=r.options_.
... playerOptions;var
```

```
12... n=r.addChild(e,i);n&&(r[e]=n)}})}},t.buildCSSClass=function(){return""},t.
... ready=function(t,e){if(void 0===e&&(e!=1),t)return
... this.isReady_?void(e?t.call(this):this.setTimeout(t,1)):(this.readyQueue_=
... this.readyQueue_|[],void
... this.readyQueue_.push(t))},t.triggerReady=function(){this.isReady_!=0,this.
... setTimeout(function(){var
... t=this.readyQueue_;this.readyQueue_=[],t&&0<t.length&&t.forEach(function(t){
... t.call(this)},this),this.trigger("ready"),1)},t.$=function(t,e){return
... K(t,e||this.contentEl())},t.$$=function(t,e){return
... Q(t,e||this.contentEl())},t.hasClass=function(t){return
... P(this.el_,t)},t.addClass=function(t){U(this.el_,t)},t.removeClass=function(
... t){x(this.el_,t)},t.toggleClass=function(t,e){I(this.el_,t,e)},t.show=
... function(){this.removeClass("vjs-hidden")},t.hide=function(){this.addClass("
... vjs-hidden")},t.lockShowing=function(){this.addClass("vjs-lock-showing")},t.
... unlockShowing=function(){this.removeClass("vjs-lock-showing")},t.
... getAttribute=function(t){return
... M(this.el_,t)},t.setAttribute=function(t,e){B(this.el_,t,e)},t.
... removeAttribute=function(t){N(this.el_,t)},t.width=function(t,e){return
... this.dimension("width",t,e)},t.height=function(t,e){return
... this.dimension("height",t,e)},t.dimensions=function(t,e){this.width(t,!0),
... this.height(e)},t.dimension=function(t,e,i){if(void 0!==e)return
... null!==e&&e===e||((e=0),-1!==( "+"+e).indexOf("%")||-1!==( "+"+e).indexOf("px")?
... this.el_.style[t]=e:this.el_.style[t]="auto"===e?"":e+"px",void(i||this.
... trigger("componentresize")));if(!this.el_)return 0;var
... n=this.el_.style[t],r=n.indexOf("px");return-1!==r?parseInt(n.slice(0,r),10)
... :parseInt(this.el_[ "offset"+Bt(t)],10)},t.currentDimension=function(t){var
... e=0;if("width"!==t&&"height"!==t)throw new Error("currentDimension only
... accepts width or height value");if("function"===typeof
... v.getComputedStyle){var
... i=v.getComputedStyle(this.el_);e=i.getPropertyValue(t)||i[t]}if(0===(e=
... parseFloat(e))){var n="offset"+Bt(t);e=this.el_[n]}return
... e},t.currentDimensions=function(){return{width:this.currentDimension("width"
... ),height:this.currentDimension("height")}},t.currentWidth=function(){return
... this.currentDimension("width")},t.currentHeight=function(){return
... this.currentDimension("height")},t.focus=function(){this.el_.focus()},t.blur
... =function(){this.el_.blur()},t.emitTapEvents=function(){var
... n,e=0,r=null;this.on("touchstart",function(t){1===t.touches.length&&(r={
... pageX:t.touches[0].pageX,pageY:t.touches[0].pageY},e=(new
... Date).getTime(),n!=0)},this.on("touchmove",function(t){if(1<t.touches.
... length)n=!1;else if(r){var
... e=t.touches[0].pageX-r.pageX,i=t.touches[0].pageY-r.pageY;10<Math.sqrt(e*e+i
... *i)&&(n=!1)}});var
... t=function(){n=!1};this.on("touchleave",t),this.on("touchcancel",t),this.on(
... "touchend",function(t){!(r=null)===n&&(new
... Date).getTime()-e<200&&(t.preventDefault(),this.trigger("tap")))}},t.
... enableTouchActivity=function(){if(this.player())&&this.player().
... reportUserActivity){var
... e,i=kt(this.player(),this.player().reportUserActivity);this.on("touchstart",
```



```
12... function(){i(),this.clearInterval(e),e=this.setInterval(i,250)};var
... t=function(t){i(),this.clearInterval(e)};this.on("touchmove",i),this.on("
... touchend",t),this.on("touchcancel",t)}},t.setTimeout=function(t,e){var
... i,n,r=this;return
... t=kt(this,t),i=v.setTimeout(function(){r.off("dispose",n),t()},e),(n=
... function(){return
... r.clearTimeout(i)}).guid="vjs-timeout-"+i,this.on("dispose",n),i},t.
... clearTimeout=function(t){v.clearTimeout(t);var e=function(){};return
... e.guid="vjs-timeout-"+t,this.off("dispose",e),t},t.setInterval=function(t,e)
... {var i=this;t=kt(this,t);var n=v.setInterval(t,e),r=function(){return
... i.clearInterval(n)};return
... r.guid="vjs-interval-"+n,this.on("dispose",r),n},t.clearInterval=function(t)
... {v.clearInterval(t);var e=function(){};return
... e.guid="vjs-interval-"+t,this.off("dispose",e),t},t.requestAnimationFrame=
... function(t){var e,i,n=this;return
... this.supportsRaf_(t=kt(this,t),e=v.requestAnimationFrame(function(){n.off("
... dispose",i),t()}),(i=function(){return
... n.cancelAnimationFrame(e)}).guid="vjs-raf-"+e,this.on("dispose",i),e):this.
... setTimeout(t,1e3/60)},t.cancelAnimationFrame=function(t){if(this.
... supportsRaf_){v.cancelAnimationFrame(t);var e=function(){};return
... e.guid="vjs-raf-"+t,this.off("dispose",e),t}return
... this.clearTimeout(t)},l.registerComponent=function(t,e){if("string"!==typeof
... t||!t)throw new Error('Illegal component name, "'+t+'"; must be a non-empty
... string. ');var
... i,n=l.getComponent("Tech"),r=n&&n.isTech(e),a=l===e||l.prototype.
... isPrototypeOf(e.prototype);if(r||!a)throw i=r?"techs must be registered
... using Tech.registerTech()":"must be a Component subclass",new Error('Illegal
... component, "'+t+'"; '+i+'.');t=Bt(t),l.components_||(l.components_={});var
... s=l.getComponent("Player");if("Player"===t&&s.players){var
... o=s.players,u=Object.keys(o);if(o&&0<u.length&&u.map(function(t){return
... o[t]}).every(Boolean))throw new Error("Can not register Player component
... after player has been created.")}return
... l.components_[t]=e,l.getComponent=function(t){if(t)return
... t=Bt(t),l.components_&&l.components_[t]?l.components_[t]:void
... 0},l}();jt.prototype.supportsRaf_"function"===typeof
... v.requestAnimationFrame&&"function"===typeof
... v.cancelAnimationFrame,jt.registerComponent("Component",jt);var
... Ft,Vt,Ht,qt,zt=v.navigator&&v.navigator.userAgent||"",Wt=/AppleWebKit\/([\d.
... ]+)/i.exec(zt),Gt=Wt?parseFloat(Wt.pop()):null,Xt=/iPad/i.test(zt),Yt=/
... iPhone/i.test(zt)&&!Xt,$t=/iPod/i.test(zt),Kt=Yt||Xt||$t,Qt=(Ft=zt.match(/OS
... (\d+)_/i))&&Ft[1]?Ft[1]:null,Jt=/Android/i.test(zt),Zt=function(){var
... t=zt.match(/Android (\d+)(?:\.(?:(\d+))?(?:\.(?:(\d+))*)/i);if(!t)return null;var
... e=t[1]&&parseFloat(t[1]),i=t[2]&&parseFloat(t[2]);return
... e&&i?parseFloat(t[1]+"."+t[2]):e||null}(),te=Jt&&Zt<5&&Gt<537,ee=/Firefox/i.
... test(zt),ie=/Edge/i.test(zt),ne=!ie&&(Chrome/i.test(zt)||CriOS/i.test(zt))
... ,re=(Vt=zt.match(/(Chrome|CriOS)\/([\d.]+)/i))&&Vt[2]?parseFloat(Vt[2]):null,ae=
... (Ht=/MSIE\s([\d.]+)/i.exec(zt),!(qt=Ht&&parseFloat(Ht[1]))&&Trident/7.0/i.
... test(zt)&&/rv:11.0/.test(zt)&&(qt=11),qt),se=/Safari/i.test(zt)&&!ne&&!Jt&&!
```

```
12... ie,oe=(se|Kt)&&!ne,ue=k()&&("ontouchstart"in
... v||v.navigator.maxTouchPoints||v.DocumentTouch&&v.document instanceof
... v.DocumentTouch),le=Object.freeze({IS_IPAD:Xt,IS_IPHONE:Yt,IS_IPOD:$t,IS_IOS
... :Kt,IOS_VERSION:Qt,IS_ANDROID:Jt,ANDROID_VERSION:Zt,IS_NATIVE_ANDROID:te,
... IS_FIREFOX:ee,IS_EDGE:ie,IS_CHROME:ne,CHROME_VERSION:re,IE_VERSION:ae,
... IS_SAFARI:se,IS_ANY_SAFARI:oe,TOUCH_ENABLED:ue});function ce(t,e,i,n){return
... function(t,e,i){if("number"!==typeof e||e<0||i<e)throw new Error("Failed to
... execute '"+t+"' on 'TimeRanges': The index provided ("'+e+"' is non-numeric
... or out of bounds (0-"+i+").")}(t,n,i.length-1),i[n][e]}function he(t){return
... void 0===t||0===t.length?{length:0,start:function(){throw new Error("This
... TimeRanges object is empty")},end:function(){throw new Error("This
... TimeRanges object is
... empty")}}:{length:t.length,start:ce.bind(null,"start",0,t),end:ce.bind(null,
... "end",1,t)}function de(t,e){return Array.isArray(t)?he(t):void 0===t||void
... 0===e?he():he([[t,e]])}function pe(t,e){var i,n,r=0;if(!e)return
... 0;t&&e.length||(t=de(0,0));for(var
... a=0;a<t.length;a++)i=t.start(a),e<(n=t.end(a))&&(n=e),r+=n-i;return
... r/e}for(var
... fe,me={},ge=[["requestFullscreen","exitFullscreen","fullscreenElement",
... fullscreenEnabled","fullscreenchange","fullscreenerror"],["
... webkitRequestFullscreen","webkitExitFullscreen","webkitFullscreenElement",
... webkitFullscreenEnabled","webkitfullscreenchange","webkitfullscreenerror"],[
... "webkitRequestFullScreen","webkitCancelFullScreen",
... webkitCurrentFullscreenElement","webkitCancelFullScreen",
... webkitfullscreenchange","webkitfullscreenerror"],["mozRequestFullScreen",
... mozCancelFullScreen","mozFullscreenElement","mozFullscreenEnabled",
... mozfullscreenchange","mozfullscreenerror"],["msRequestFullscreen",
... msExitFullscreen","msFullscreenElement","msFullscreenEnabled",
... MSFullscreenChange","MSFullscreenError"]],ye=ge[0],ve=0;ve<ge.length;ve++)if
... (ge[ve][1]in d){fe=ge[ve];break}if(fe)for(var
... _e=0;_e<fe.length;_e++)me[ye[_e]]=fe[_e];function be(t){if(t instanceof
... be)return t;"number"===typeof t?this.code=t:"string"===typeof
... t?this.message=t:l(t)&&("number"===typeof
... t.code&&(this.code=t.code),b(this,t)),this.message||(this.message=be.
... defaultMessage[this.code]||"")}be.prototype.code=0,be.prototype.message="",
... be.prototype.status=null,be.errorTypes=["MEDIA_ERR_CUSTOM",
... MEDIA_ERR_ABORTED,"MEDIA_ERR_NETWORK","MEDIA_ERR_DECODE",
... MEDIA_ERR_SRC_NOT_SUPPORTED,"MEDIA_ERR_ENCRYPTED"],be.defaultMessages={1:"
... You aborted the media playback",2:"A network error caused the media download
... to fail part-way.",3:"The media playback was aborted due to a corruption
... problem or because the media used features your browser did not
... support.",4:"The media could not be loaded, either because the server or
... network failed or because the format is not supported.",5:"The media is
... encrypted and we do not have the keys to decrypt it."};for(var
... Te=0;Te<be.errorTypes.length;Te++)be[be.errorTypes[Te]]=Te,be.prototype[be.
... errorTypes[Te]]=Te;var Se=function(t,e){var
... i,n=null;try{i=JSON.parse(t,e)}catch(t){n=t}return[n,i]}function
... ke(t){return null!==t&&"function"===typeof t.then}function
```

```
12... we(t){ke(t)&&t.then(null,function(t){})}var
... Ce=function(n){return["kind","label","language","id","
... inBandMetadataTrackDispatchType","mode","src"].reduce(function(t,e,i){return
... n[e]&&(t[e]=n[e]),t},{cues:n.cues&&Array.prototype.map.call(n.cues,function(
... t){return{startTime:t.startTime,endTime:t.endTime,text:t.text,id:t.id}})}),
... Ee=function(t){var
... e=t.$$("track"),i=Array.prototype.map.call(e,function(t){return
... t.track});return Array.prototype.map.call(e,function(t){var
... e=Ce(t.track);return
... t.src&&(e.src=t.src),e}).concat(Array.prototype.filter.call(t.textTracks(),
... function(t){return-1===i.indexOf(t)}).map(Ce)),Ae=function(t,i){return
... t.forEach(function(t){var
... e=i.addRemoteTextTrack(t).track;!t.src&&t.cues&&t.cues.forEach(function(t){
... return
... e.addCue(t)})),i.textTracks(),Le="vjs-modal-dialog",Oe=function(n){
... function t(t,e){var
... i;return(i=n.call(this,t,e)||this).opened_=i.hasBeenOpened_=i.hasBeenFilled_
... =!1,i.closeable(!i.options_.uncloseable),i.content(i.options_.content),i.
... contentEl_=A("div",{className:Le+"-content"},{role:"document"}),i.descEl_=A(
... "p",{className:Le+"-description
... vjs-control-text",id:i.el().getAttribute("aria-describedby"}),L(i.descEl_,i
... .description()),i.el_.appendChild(i.descEl_),i.el_.appendChild(i.contentEl_)
... ,i)f(t,n);var e=t.prototype;return e.createEl=function(){return
... n.prototype.createEl.call(this,"div",{className:this.buildCSSClass(),
... tabIndex:-1},{aria-describedby:this.id()+"_description","aria-hidden":
... true,"aria-label":this.label(),role:"dialog"}),e.dispose=function(){this.
... contentEl_=null,this.descEl_=null,this.previouslyActiveEl_=null,n.prototype.
... dispose.call(this)},e.buildCSSClass=function(){return Le+" vjs-hidden
... "+n.prototype.buildCSSClass.call(this)},e.handleKeyPress=function(t){27===t.
... which&&this.closeable()&&this.close()},e.label=function(){return
... this.localize(this.options_.label||"Modal
... Window"}),e.description=function(){var
... t=this.options_.description||this.localize("This is a modal window.");return
... this.closeable()&&(t+=" "+this.localize("This modal can be closed by
... pressing the Escape key or activating the close
... button.")),t},e.open=function(){if(!this.opened_){var
... t=this.player();this.trigger("beforemodalopen"),this.opened_=!0,(this.
... options_.fillAlways||!this.hasBeenOpened_&&!this.hasBeenFilled_)&&this.fill(
... ),this.wasPlaying_!=t.paused(),this.options_.pauseOnOpen&&this.wasPlaying_&&
... t.pause(),this.closeable()&&this.on(this.el_.ownerDocument,"keydown",kt(this
... ,this.handleKeyPress)),this.hadControls_=t.controls(),t.controls(!1),this.
... show(),this.conditionalFocus_(),this.el().setAttribute("aria-hidden","false"
... ),this.trigger("modalopen"),this.hasBeenOpened_=!0}},e.opened_=function(t){
... return"boolean"===typeof
... t&&this[t?"open":"close"](),this.opened_},e.close=function(){if(this.opened_
... ){var
... t=this.player();this.trigger("beforemodalclose"),this.opened_!=1,this.
... wasPlaying_&&this.options_.pauseOnOpen&&t.play(),this.closeable()&&this.off(
```

```
12... this.el_.ownerDocument, "keydown", kt(this, this.handleKeyPress)), this.
... hadControls_&&t.controls(!0), this.hide(), this.el().setAttribute("aria-hidden
... ", "true"), this.trigger("modalclose"), this.conditionalBlur_(), this.options_
... temporary&&this.dispose()}}), e.closeable=function(t){if("boolean"==typeof
... t){var e=this.closeable_!!t, i=this.getChild("closeButton"); if(e&&!i){var
... n=this.contentEl_; this.contentEl_=this.el_, i=this.addChild("closeButton", {
... controlText: "Close Modal
... Dialog"}), this.contentEl_=n, this.on(i, "close", this.close)}!e&&i&&(this.off(i
... , "close", this.close), this.removeChild(i), i.dispose())}return
... this.closeable_, e.fill=function(){this.fillWith(this.content())}, e.fillWith
... =function(t){var
... e=this.contentEl(), i=e.parentNode, n=e.nextSibling; this.trigger("
... beforemodalfill"), this.hasBeenFilled_!=0, i.removeChild(e), this.empty(), Y(e, t
... ), this.trigger("modalfill"), n?i.insertBefore(e, n):i.appendChild(e); var
... r=this.getChild("closeButton"); r&&i.appendChild(r.el_)}, e.empty=function(){
... this.trigger("beforemodalempty"), W(this.contentEl()), this.trigger("
... modalempty")}, e.content=function(t){return"undefined"!=typeof
... t&&(this.content_=t), this.content_}, e.conditionalFocus_=function(){var
... t=d.activeElement, e=this.player_.el_; this.previouslyActiveEl_=null, (e.
... contains(t)||e===t)&&(this.previouslyActiveEl_=t, this.focus(), this.on(d, "
... keydown", this.handleKeyDown)), e.conditionalBlur_=function(){this.
... previouslyActiveEl_&&(this.previouslyActiveEl_.focus(), this.
... previouslyActiveEl_=null), this.off(d, "keydown", this.handleKeyDown)}, e.
... handleKeyDown=function(t){if(9===t.which){for(var
... e, i=this.focusableEls_(), n=this.el_.querySelector(":focus"), r=0; r<i.length; r
... ++)if(n===i[r]){e=r; break}d.activeElement===this.el_&&(e=0), t.shiftKey&&0===
... e?(i[i.length-1].focus(), t.preventDefault()):t.shiftKey||e!==i.length-1||(i[
... 0].focus(), t.preventDefault())}}, e.focusableEls_=function(){var
... t=this.el_.querySelectorAll("*"); return
... Array.prototype.filter.call(t, function(t){return t instanceof
... v.HTMLAnchorElement||t instanceof
... v.HTMLAreaElement)&&t.hasAttribute("href")||(t instanceof
... v.HTMLInputElement||t instanceof v.HTMLSelectElement||t instanceof
... v.HTMLTextAreaElement||t instanceof
... v.HTMLButtonElement)&&!t.hasAttribute("disabled")||t instanceof
... v.HTMLIFrameElement||t instanceof v.HTMLObjectElement||t instanceof
... v.HTMLEmbedElement||t.hasAttribute("tabindex")&&-1!==t.getAttribute("
... tabindex")||t.hasAttribute("contenteditable")}}, t)(jt); 0e.prototype.
... options_={pauseOnOpen:!0, temporary:!0}, jt.registerComponent("ModalDialog", 0e
... ); var Pe=function(n){function t(t){var e; void
... 0===t&&(t=[]), (e=n.call(this)||this).tracks_=[], Object.defineProperty(m(m(e)
... ), "length", {get: function(){return this.tracks_.length}}); for(var
... i=0; i<t.length; i++)e.addTrack(t[i]); return e}f(t, n); var e=t.prototype; return
... e.addTrack=function(t){var e=this.tracks_.length; ""+e in
... this||Object.defineProperty(this, e, {get: function(){return
... this.tracks_[e]}}, -1===this.tracks_.indexOf(t)&&(this.tracks_.push(t), this.
... trigger({track:t, type:"addtrack"})), e.removeTrack=function(t){for(var
... e, i=0, n=this.length; i<n; i++)if(this[i]===t){(e=this[i]).off&&e.off(), this.
```

```
12... tracks_.splice(i,1);break}}e&&this.trigger({track:e,type:"removetrack"})),e.
... getTrackById=function(t){for(var e=null,i=0,n=this.length;i<n;i++){var
... r=this[i];if(r.id===t){e=r;break}}return e},t}(Ct);for(var Ue in
... Pe.prototype.allowedEvents_={change:"change",addtrack:"addtrack",removetrack
... : "removetrack"},Pe.prototype.allowedEvents_)Pe.prototype["on"+Ue]=null;var
... xe=function(t,e){for(var
... i=0;i<t.length;i++)Object.keys(t[i]).length&&e.id!==t[i].id&&(t[i].enabled=
... 1)},Ie=function(n){function t(t){var e;void 0===t&&(t=[]);for(var
... i=t.length-1;0<=i;i--)if(t[i].enabled){xe(t,t[i]);break}return(e=n.call(this
... ,t)||this).changing_!=1,e}return f(t,n),t.prototype.addTrack=function(t){var
... e=this;t.enabled&&xe(this,t),n.prototype.addTrack.call(this,t),t.
... addEventListener&&t.addEventListener("enabledchange",function(){e.changing_|
... |(e.changing_!=0,xe(e,t),e.changing_!=1,e.trigger("change"))}),t}(Pe),De=
... function(t,e){for(var
... i=0;i<t.length;i++)Object.keys(t[i]).length&&e.id!==t[i].id&&(t[i].selected=
... 1)},Re=function(n){function t(t){var e;void 0===t&&(t=[]);for(var
... i=t.length-1;0<=i;i--)if(t[i].selected){De(t,t[i]);break}return(e=n.call(
... this,t)||this).changing_!=1,Object.defineProperty(m(m(e)),"selectedIndex",{
... get:function(){for(var t=0;t<this.length;t++)if(this[t].selected)return
... t;return-1},set:function(){}}),e}return
... f(t,n),t.prototype.addTrack=function(t){var
... e=this;t.selected&&De(this,t),n.prototype.addTrack.call(this,t),t.
... addEventListener&&t.addEventListener("selectedchange",function(){e.changing_|
... |(e.changing_!=0,De(e,t),e.changing_!=1,e.trigger("change"))}),t}(Pe),Me=
... function(e){function t(){return e.apply(this,arguments)||this}return
... f(t,e),t.prototype.addTrack=function(t){e.prototype.addTrack.call(this,t),t.
... addEventListener("modechange",kt(this,function(){this.queueTrigger("change")
... }));-1===["metadata","chapters"].indexOf(t.kind)&&t.addEventListener("
... modechange",kt(this,function(){this.trigger("selectedlanguagechange")})),t}
... (Pe),Be=function(){function t(t){void
... 0===t&&(t=[]),this.trackElements_=[],Object.defineProperty(this,"length",{
... get:function(){return this.trackElements_.length}});for(var
... e=0,i=t.length;e<i;e++)this.addTrackElement_(t[e])}var e=t.prototype;return
... e.addTrackElement_=function(t){var e=this.trackElements_.length;""+e in
... this||Object.defineProperty(this,e,{get:function(){return
... this.trackElements_[e]}}),-1===this.trackElements_.indexOf(t)&&this.
... trackElements_.push(t)},e.getTrackElementByTrack_=function(t){for(var
... e,i=0,n=this.trackElements_.length;i<n;i++)if(t===this.trackElements_[i].
... track){e=this.trackElements_[i];break}return
... e},e.removeTrackElement_=function(t){for(var
... e=0,i=this.trackElements_.length;e<i;e++)if(t===this.trackElements_[e]){this
... .trackElements_.splice(e,1);break}},t}(),Ne=function(){function
... e(t){e.prototype.setCues_.call(this,t),Object.defineProperty(this,"length",{
... get:function(){return this.length_}})}var t=e.prototype;return
... t.setCues_=function(t){var
... e=this.length||0,i=0,n=t.length;this.cues_=t,this.length_=t.length;var
... r=function(t){""+t in
... this||Object.defineProperty(this,""+t,{get:function(){return
```

```
12... this.cues_[t]}}});if(e<n)for(i=e;i<n;i++)r.call(this,i),t.getCueById=
... function(t){for(var e=null,i=0,n=this.length;i<n;i++){var
... r=this[i];if(r.id===t){e=r;break}}return
... e},e),je={alternative:"alternative",captions:"captions",main:"main",sign:"
... sign",subtitles:"subtitles",commentary:"commentary"},Fe={alternative:"
... alternative",descriptions:"descriptions",main:"main","main-desc":"main-desc"
... ,translation:"translation",commentary:"commentary"},Ve={subtitles:"subtitles
... ",captions:"captions",descriptions:"descriptions",chapters:"chapters",
... metadata:"metadata"},He={disabled:"disabled",hidden:"hidden",showing:"
... showing"},qe=function(a){function t(t){var e;void
... 0===t&&(t={}),e=a.call(this)||this;var
... i={id:t.id||"vjs_track_"+tt(),kind:t.kind||"",label:t.label||"",language:t.
... language||""},n=function(t){Object.defineProperty(m(m(e)),t,{get:function(){
... return i[t]},set:function({})});for(var r in i)n(r);return e}return
... f(t,a),t}(Ct),ze=function(t){var
... e=["protocol","hostname","port","pathname","search","hash","host"],i=d.
... createElement("a");i.href=t;var
... n,r=""===i.host&&"file:"!==i.protocol;r&&((n=d.createElement("div")).
... innerHTML='<a
... href="'+t+'"></a>',i=n.firstChild,n.setAttribute("style","display:none;
... position:absolute;"),d.body.appendChild(n));for(var
... a={},s=0;s<e.length;s++)a[e[s]]=i[e[s]];return"http:"===a.protocol&&(a.host=
... a.host.replace(/:80$/,""),"https:"===a.protocol&&(a.host=a.host.replace(/:
... 443$/,""),a.protocol||(a.protocol=v.location.protocol),r&&d.body.
... removeChild(n),a},We=function(t){if(!t.match(/^https?:\/\//)){var
... e=d.createElement("div");e.innerHTML='<a
... href="'+t+'">x</a>',t=e.firstChild.href}return
... t},Ge=function(t){if("string"===typeof t){var
... e=/^(\/?)([\\s\\S]*?)(?:\\.([1,2]|[/\\]+)?(\\.([\\^\\.\\|\\?]+)))(?:[\\/]*|[/\\?].*)$/i.
... exec(t);if(e)return e.pop().toLowerCase()}return""},Xe=function(t){var
... e=v.location,i=ze(t);return(":"===i.protocol?e.protocol:i.protocol)+i.host!=
... =e.protocol+e.host},Ye=Object.freeze({parseUrl:ze,getAbsoluteURL:We,
... getFileExtension:Ge,isCrossOrigin:Xe}),$e=function(t){var
... e=Ke.call(t);return"[object Function]"===e||"function"===typeof t&&"[object
... RegExp]"!==e||"undefined"!==typeof
... window&&(t===window.setTimeout||t===window.alert||t===window.confirm||t===
... window.prompt)},Ke=Object.prototype.toString;"undefined"!==typeof
... window?window:"undefined"!==typeof global?global:"undefined"!==typeof
... self&&self;function Qe(t,e){return t(e={exports:{}},e.exports),e.exports}var
... Je=Qe(function(t,e){(e=t.exports=function(t){return
... t.replace(/^\\s*|\\s*$/g,"")).left=function(t){return
... t.replace(/^\\s*/,"")},e.right=function(t){return
... t.replace(/\\s*$/,"")}),Ze=(Je.left,Je.right,Function.prototype.toString),ti
... =/^\\s*class\\b/,ei=function(t){try{var e=Ze.call(t);return
... ti.test(e)}catch(t){return!1}},ii=Object.prototype.toString,ni="function"===
... typeof Symbol&&"symbol"===typeof
... Symbol.toStringTag,ri=function(t){if(!t)return!1;if("function"!==typeof
... t&&"object"!==typeof t)return!1;if("function"===typeof
```

```
12... t&&!t.prototype)return!0;if(ni)return
... function(t){try{return!ei(t)&&(Ze.call(t),!0)}catch(t){return!1}}(t);if(ei(t
... ))return!1;var e=ii.call(t);return"[object Function]"===e||"[object
... GeneratorFunction]"===e,ai=Object.prototype.toString,si=Object.prototype.
... hasOwnProperty,oi=function(t,e,i){if(!ri(e))throw new TypeError("iterator
... must be a function");var n;3<=arguments.length&&(n=i),"[object
... Array]"===ai.call(t)?function(t,e,i){for(var
... n=0,r=t.length;n<r;n++)si.call(t,n)&&(null==i?e(t[n],n,t):e.call(i,t[n],n,t)
... )}(t,e,n):"string"===typeof t?function(t,e,i){for(var
... n=0,r=t.length;n<r;n++)null==i?e(t.charAt(n),n,t):e.call(i,t.charAt(n),n,t)}
... (t,e,n):function(t,e,i){for(var n in
... t)si.call(t,n)&&(null==i?e(t[n],n,t):e.call(i,t[n],n,t))}(t,e,n)},ui=
... function(t){if(!t)return{};var a={};return
... oi(Je(t).split("\n"),function(t){var
... e,i=t.indexOf(":"),n=Je(t.slice(0,i)).toLowerCase(),r=Je(t.slice(i+1));"
... undefined"===typeof a[n]?a[n]=r:(e=a[n],"[object
... Array]"===Object.prototype.toString.call(e)?a[n].push(r):a[n]=[a[n],r]))},a)
... ,li=function(){for(var t={},e=0;e<arguments.length;e++){var
... i=arguments[e];for(var n in i)ci.call(i,n)&&(t[n]=i[n])}return
... t},ci=Object.prototype.hasOwnProperty;var hi=pi;function di(t,e,i){var
... n=t;return $e(e)?(i=e,"string"===typeof
... t&&(n={uri:t})):n=li(e,{uri:t}),n.callback=i,n}function pi(t,e,i){return
... fi(e=di(t,e,i))}function fi(n){if("undefined"===typeof n.callback)throw new
... Error("callback argument missing");var
... r=!1,a=function(t,e,i){r||!(r=!0,n.callback(t,e,i))};function e(t){return
... clearTimeout(u),t instanceof Error||!(t=new Error(""+(t||"Unknown
... XMLHttpRequest Error"))),t.statusCode=0,a(t,m)}function t(){if(!s){var
... t;clearTimeout(u),t=n.useXDR&&void
... 0===o.status?200:1223===o.status?204:o.status;var e=m,i=null;return
... 0!==t?(e={body:function(){var t=void
... 0;if(t=o.response?o.response:o.responseText||function(t){if("document"===t.
... responseType)return t.responseXML;var
... e=t.responseXML&&"parsererror"===t.responseXML.documentElement.nodeName;
... return""!==t.responseType||e?null:t.responseXML}(o),f)try{t=JSON.parse(t)}
... catch(t){}return
... t}(),statusCode:t,method:c,headers:{},url:l,rawRequest:o},o.
... getAllResponseHeaders&&(e.headers=ui(o.getAllResponseHeaders()))):i=new
... Error("Internal XMLHttpRequest Error"),a(i,e,e.body)}var
... i,s,o=n.xhr||null;o||(o=n.cors||n.useXDR?new pi.XDomainRequest:new
... pi.XMLHttpRequest);var
... u,l=o.url=n.uri||n.url,c=o.method=n.method||"GET",h=n.body||n.data,d=o.
... headers=n.headers||{},p=!n.sync,f=!1,m={body:void
... 0,headers:{},statusCode:0,method:c,url:l,rawRequest:o};if("json" in
... n&&!1!==n.json&&(f=!0,d.accept||d.Accept||!(d.Accept="application/json"),"GET
... "!==c&&"HEAD"!==c&&(d["content-type"]||d["Content-Type"]||!(d["Content-Type"]
... ="application/json"),h=JSON.stringify(!0===n.json?h:n.json)),o.
... onreadystatechange=function(){4===o.readyState&&setTimeout(t,0)},o.onload=t,
... o.onerror=e,o.onprogress=function(){},o.onabort=function(){s=!0},o.ontimeout
```

```
12... =e,o.open(c,l,!p,n.username,n.password),p||(o.withCredentials=!n.
... withCredentials),!p&&0<n.timeout&&(u=setTimeout(function(){if(!s){s=!0,o.
... abort("timeout");var t=new Error("XMLHttpRequest
... timeout");t.code="ETIMEDOUT",e(t)}},n.timeout)),o.setRequestHeader)for(i in
... d)d.hasOwnProperty(i)&&o.setRequestHeader(i,d[i]);else
... if(n.headers&&!function(t){for(var e in
... t)if(t.hasOwnProperty(e))return!1;return!0}(n.headers))throw new
... Error("Headers cannot be set on an XMLHttpRequest
... object");return"responseType"in
... n&&(o.responseType=n.responseType),"beforeSend"in n&&"function"==typeof
... n.beforeSend&&n.beforeSend(o),o.send(h||null),o}pi.XMLHttpRequest=v.
... XMLHttpRequest||function(){},pi.XMLHttpRequest="withCredentials"in new
... pi.XMLHttpRequest?pi.XMLHttpRequest:v.XMLHttpRequest,function(t,e){for(var
... i=0;i<t.length;i++)e(t[i])}(["get","put","post","patch","head","delete"],
... function(n){pi["delete"===n?"del":n]=function(t,e,i){return(e=di(t,e,i)).
... method=n.toUpperCase(),fi(e)});var mi=function(t,e){var i=new
... v.WebVTT.Parser(v,v.vttjs,v.WebVTT.StringDecoder()),n=[];i.onscue=function(t)
... {e.addCue(t)},i.onparsingerror=function(t){n.push(t)},i.onflush=function(){e
... .trigger({type:"loadeddata",target:e})},i.parse(t),0<n.length&&(v.console&&v
... .console.groupCollapsed&&v.console.groupCollapsed("Text Track parsing errors
... for "+e.src),n.forEach(function(t){return
... g.error(t)}),v.console&&v.console.groupEnd&&v.console.groupEnd()),i.flush())
... ,gi=function(l){function t(t){var e;if(void 0===t&&(t={}),!t.tech)throw new
... Error("A tech was not provided.");var
... i=Nt(t,{kind:Ve[t.kind]||"subtitles",language:t.language||t.srclang||""}),n=
... He[i.mode]||"disabled",r=i.default;"metadata"!==i.kind&&"chapters"!==i.kind
... |(n="hidden"),(e=l.call(this,i)||this).tech_=i.tech,e.cues_=[],e.activeCues_
... =[];var a=new Ne(e.cues_),s=new
... Ne(e.activeCues_),o=!1,u=kt(m(m(e)),function(){this.activeCues=this.
... activeCues,o&&(this.trigger("cuechange"),o=!1)});return"disabled"!==n&&e.
... tech_.ready(function(){e.tech_.on("timeupdate",u)},!0),Object.
... defineProperties(m(m(e)),{default:{get:function(){return
... r},set:function(){}},mode:{get:function(){return n},set:function(t){var
... e=this;He[t]&&("disabled"!==n)?this.tech_.ready(function(){e.tech_.on("
... timeupdate",u)},!0):this.tech_.off("timeupdate",u),this.trigger("modechange"
... )}}),cues:{get:function(){return
... this.loaded_?a:null},set:function(){}},activeCues:{get:function(){if(!this.
... loaded_)return null;if(0===this.cues.length)return s;for(var
... t=this.tech_.currentTime(),e=[],i=0,n=this.cues.length;i<n;i++){var
... r=this.cues[i];r.startTime<=t&&r.endTime>=t?e.push(r):r.startTime===r.
... endTime&&r.startTime<=t&&r.startTime+.5>=t&&e.push(r)}if(o=!1,e.length!==
... this.activeCues_.length)o=!0;else for(var
... a=0;a<e.length;a++)-1===this.activeCues_.indexOf(e[a])&&(o=!0);return
... this.activeCues_=e,s.setCues_(this.activeCues_),s},set:function(){})),i.src
... ?(e.src=i.src,function(t,r){var
... e={uri:t},i=Xe(t);i&&(e.cors=i),hi(e,kt(this,function(t,e,i){if(t)return
... g.error(t,e);if(r.loaded_!0,"function"!==typeof v.WebVTT){if(r.tech_){var
... n=function(){return
```



```
12... mi(i,r));r.tech_.on("vttjsloaded",n),r.tech_.on("vttjserror",function(){g.
... error("vttjs failed to load, stopping trying to process
... "+r.src),r.tech_.off("vttjsloaded",n)}})}else
... mi(i,r))}}(i.src,m(m(e))):e.loaded_=!0,e}f(t,l);var e=t.prototype;return
... e.addCue=function(t){var e=t;if(v.vttjs&&!(t instanceof
... v.vttjs.VTTCue)){for(var i in e=new
... v.vttjs.VTTCue(t.startTime,t.endTime,t.text),t)i in
... e||(e[i]=t[i]);e.id=t.id,e.originalCue_=t}for(var
... n=this.tech_.textTracks(),r=0;r<n.length;r++)n[r]!==this&&n[r].removeCue(e);
... this.cues_.push(e),this.cues.setCues_(this.cues_),e.removeCue=function(t){
... for(var e=this.cues_.length;e--){var
... i=this.cues_[e];if(i===t||i.originalCue_&&i.originalCue_===t){this.cues_.
... splice(e,1),this.cues.setCues_(this.cues_);break}}},t}(qe);gi.prototype.
... allowedEvents_={cuechange:"cuechange"};var yi=function(r){function t(t){var
... e;void 0===t&&(t={});var
... i=Nt(t,{kind:Fe[t.kind]||""});e=r.call(this,i)||this;var n=!1;return
... Object.defineProperty(m(m(e)),"enabled",{get:function(){return
... n},set:function(t){"boolean"===typeof
... t&&t!==n&&(n=t,this.trigger("enabledchange"))}},i.enabled&&(e.enabled=i.
... enabled),e.loaded_=!0,e}return f(t,r),t}(qe),vi=function(r){function
... t(t){var e;void 0===t&&(t={});var
... i=Nt(t,{kind:je[t.kind]||""});e=r.call(this,i)||this;var n=!1;return
... Object.defineProperty(m(m(e)),"selected",{get:function(){return
... n},set:function(t){"boolean"===typeof
... t&&t!==n&&(n=t,this.trigger("selectedchange"))}},i.selected&&(e.selected=i.
... selected),e}return f(t,r),t}(qe),_i=function(r){function t(t){var e,i;void
... 0===t&&(t={}),e=r.call(this)||this;var n=new gi(t);return
... e.kind=n.kind,e.src=n.src,e.srclang=n.language,e.label=n.label,e.default=n.
... default,Object.defineProperties(m(m(e)),{readyState:{get:function(){return
... i}},track:{get:function(){return
... n}}}),i=0,n.addEventListener("loadeddata",function(){i=2,e.trigger({type:"
... load",target:m(m(e))})),e}return
... f(t,r),t}(Ct);_i.prototype.allowedEvents_={load:"load"},_i.NONE=0,_i.LOADING
... =1,_i.LOADED=2,_i.ERROR=3;var
... bi={audio:{ListClass:Ie,TrackClass:yi,capitalName:"Audio"},video:{ListClass:
... Re,TrackClass:vi,capitalName:"Video"},text:{ListClass:Me,TrackClass:gi,
... capitalName:"Text"}};Object.keys(bi).forEach(function(t){bi[t].getterName=t+
... "Tracks",bi[t].privateName=t+"Tracks_"});var
... Ti={remoteText:{ListClass:Me,TrackClass:gi,capitalName:"RemoteText",
... getterName:"remoteTextTracks",privateName:"remoteTextTracks_"},remoteTextEl:
... {ListClass:Be,TrackClass:_i,capitalName:"RemoteTextTrackEls",getterName:"
... remoteTextTrackEls",privateName:"remoteTextTrackEls_"}},Si=Nt(bi,Ti);Ti.
... names=Object.keys(Ti),bi.names=Object.keys(bi),Si.names=[].concat(Ti.names).
... concat(bi.names);var ki=Object.create||function(){function e(){}return
... function(t){if(1!==arguments.length)throw new Error("Object.create shim only
... accepts one parameter.");return e.prototype=t,new e}}();function
... wi(t,e){this.name="ParsingError",this.code=t.code,this.message=e||t.message}
... function Ci(t){function e(t,e,i,n){return
```

```

12... 3600*(0|t)+60*(0|e)+(0|i)+(0|n)/1e3}var
... i=t.match(/^(\\d+):(\\d{2})(:\\d{2})?\\. (\\d{3})/);return
... i?i[3]?e(i[1],i[2],i[3].replace(":", ""),i[4]):59<i[1]?e(i[1],i[2],0,i[4]):e(
... 0,i[1],i[2],i[4]):null}function Ei(){this.values=ki(null)}function
... Ai(t,e,i,n){var r=n?t.split(n):[t];for(var a in r)if("string"==typeof
... r[a]){var s=r[a].split(i);if(2===s.length)e(s[0],s[1])}function
... Li(e,t,a){var i,n,s,r=e;function o(){var t=Ci(e);if(null===t)throw new
... wi(wi.Errors.BadTimeStamp, "Malformed timestamp: "+r);return
... e=e.replace(/^[\sa-zA-Z-]+/, ""),t}function
... u(){e=e.replace(/^\\s+/, "")}if(u(),t.startTime=o(),u(), "--\\x3e"!==e.substr(0,
... 3))throw new wi(wi.Errors.BadTimeStamp, "Malformed time stamp (time stamps
... must be separated by '--\\x3e')":
... "+r);e=e.substr(3),u(),t.endTime=o(),u(),i=e,n=t,s=new
... Ei,Ai(i,function(t,e){switch(t){case"region":for(var
... i=a.length-1;0<=i;i--)if(a[i].id===e){s.set(t,a[i].region);break}break;case"
... vertical":s.alt(t,e,["rl","lr"]);break;case"line":var
... n=e.split(","),r=n[0];s.integer(t,r),s.percent(t,r)&&s.set("snapToLines",!1)
... ,s.alt(t,r,["auto"]),2===n.length&&s.alt("lineAlign",n[1],["start","middle",
... "end"]);break;case"position":n=e.split(","),s.percent(t,n[0]),2===n.length&&
... s.alt("positionAlign",n[1],["start","middle","end"]);break;case"size":s.
... percent(t,e);break;case"align":s.alt(t,e,["start","middle","end","left",
... "right"])}},/:/,/\\s/),n.region=s.get("region",null),n.vertical=s.get("
... vertical",""),n.line=s.get("line","auto"),n.lineAlign=s.get("lineAlign",
... "start"),n.snapToLines=s.get("snapToLines",!0),n.size=s.get("size",100),n.
... align=s.get("align","middle"),n.position=s.get("position",{start:0,left:0,
... middle:50,end:100,right:100},n.align),n.positionAlign=s.get("positionAlign",
... {start:"start",left:"start",middle:"middle",end:"end",right:"end"},n.align)
... ((wi.prototype=ki(Error.prototype)).constructor=wi).Errors={BadSignature:{
... code:0,message:"Malformed WebVTT
... signature."},BadTimeStamp:{code:1,message:"Malformed time
... stamp."}},Ei.prototype={set:function(t,e){this.get(t)||""===e||(this.values[
... t]=e)},get:function(t,e,i){return
... i?this.has(t)?this.values[t]:e[i]:this.has(t)?this.values[t]:e},has:function
... (t){return t in this.values},alt:function(t,e,i){for(var
... n=0;n<i.length;++n)if(e===i[n]){this.set(t,e);break}},integer:function(t,e){
... /^-?\\d+$/ .test(e)&&this.set(t,parseInt(e,10))},percent:function(t,e){return!
... !(e.match(/^(\\d{1,3})(\\. \\d*)?%$/)&&0<=(e=parseFloat(e))&&e<=100)&&(this.
... set(t,e),!0)}};var
... Oi={"&";:"&","&lt;";:"<","&gt;";:">","&lrm;";:"", "&r1m;";:"", "&nbsp;";:" "},Pi
... ={c:"span",i:"i",b:"b",u:"u",ruby:"ruby",rt:"rt",v:"span",lang:"span"},Ui={v
... : "title",lang:"lang"},xi={rt:"ruby"};function Ii(a,i){function
... t(){if(!i)return null;var t,e=i.match(/^( [^<]* )(< [^>]*>)?/);return
... t=e[1]?e[1]:e[2],i=i.substr(t.length),t}function e(t){return Oi[t]}function
... n(t){for(;f=t.match(/&(amp|lt|gt|lrm|r1m|nbsp);/);)t=t.replace(f[0],e);
... return t}function r(t,e){var i=Pi[t];if(!i)return null;var
... n=a.document.createElement(i);n.localName=i;var r=Ui[t];return
... r&&e&&(n[r]=e.trim()),n}for(var
... s,o,u,l=a.document.createElement("div"),c=1,h=[];null!==(s=t());)if("<"!==s[

```

```
12... 0])c.appendChild(a.document.createTextNode(n(s)));else{if("/")===s[1]){h.
... length&&h[h.length-1]===s.substr(2).replace(">", "")&&(h.pop(),c=c.parentNode
... );continue}var
... d,p=Ci(s.substr(1,s.length-2));if(p){d=a.document.
... createProcessingInstruction("timestamp",p),c.appendChild(d);continue}var
... f=s.match(/^<([\^\s/0-9>]+)(\.[^\s\>]+)?([\^\>\>]+)?(\>?)>$/);if(!f)continue
... ;if(!(d=r(f[1],f[3])))continue;if(o=c,xi[(u=d).localName]&&xi[u.localName]!
... =o.localName)continue;f[2]&&(d.className=f[2].substr(1).replace(".", "
... ")),h.push(f[1]),c.appendChild(d),c=d}return l}var
... Di=[[1470,1470],[1472,1472],[1475,1475],[1478,1478],[1488,1514],[1520,1524],
... [1544,1544],[1547,1547],[1549,1549],[1563,1563],[1566,1610],[1645,1647],[
... 1649,1749],[1765,1766],[1774,1775],[1786,1805],[1807,1808],[1810,1839],[1869
... ,1957],[1969,1969],[1984,2026],[2036,2037],[2042,2042],[2048,2069],[2074,
... 2074],[2084,2084],[2088,2088],[2096,2110],[2112,2136],[2142,2142],[2208,2208
... ],[2210,2220],[8207,8207],[64285,64285],[64287,64296],[64298,64310],[64312,
... 64316],[64318,64318],[64320,64321],[64323,64324],[64326,64449],[64467,64829]
... ,[64848,64911],[64914,64967],[65008,65020],[65136,65140],[65142,65276],[
... 67584,67589],[67592,67592],[67594,67637],[67639,67640],[67644,67644],[67647,
... 67669],[67671,67679],[67840,67867],[67872,67897],[67903,67903],[67968,68023]
... ,[68030,68031],[68096,68096],[68112,68115],[68117,68119],[68121,68147],[
... 68160,68167],[68176,68184],[68192,68223],[68352,68405],[68416,68437],[68440,
... 68466],[68472,68479],[68608,68680],[126464,126467],[126469,126495],[126497,
... 126498],[126500,126500],[126503,126503],[126505,126514],[126516,126519],[
... 126521,126521],[126523,126523],[126530,126530],[126535,126535],[126537,
... 126537],[126539,126539],[126541,126543],[126545,126546],[126548,126548],[
... 126551,126551],[126553,126553],[126555,126555],[126557,126557],[126559,
... 126559],[126561,126562],[126564,126564],[126567,126570],[126572,126578],[
... 126580,126583],[126585,126588],[126590,126590],[126592,126601],[126603,
... 126619],[126625,126627],[126629,126633],[126635,126651],[1114109,1114109]];
... function Ri(t){for(var e=0;e<Di.length;e++){var
... i=Di[e];if(t>=i[0]&&t<=i[1])return!0}return!1}function Mi(){function
... Bi(t,e,i){Mi.call(this),this.cue=e,this.cueDiv=Ii(t,e.text);var
... n={color:"rgba(255, 255, 255, 1)",backgroundColor:"rgba(0, 0, 0,
... 0.8)",position:"relative",left:0,right:0,top:0,bottom:0,display:"inline",
... writingMode:""===e.vertical?"horizontal-tb":"lr"===e.vertical?"vertical-lr":
... "vertical-rl",unicodeBidi:"plaintext"};this.applyStyles(n,this.cueDiv),this.
... div=t.document.createElement("div"),n={direction:function(t){var
... e=[],i="";if(!t||!t.childNodes)return"ltr";function r(t,e){for(var
... i=e.childNodes.length-1;0<=i;i--)t.push(e.childNodes[i])}function
... a(t){if(!t||!t.length)return null;var
... e=t.pop(),i=e.textContent||e.innerText;if(i){var
... n=i.match(/^.*(\n|\r)/);return
... n?n[t.length=0]:i}return"ruby"===e.tagName?a(t):e.childNodes?(r(t,e),a(t)):
... void 0}for(r(e,t);i=a(e);)for(var
... n=0;n<i.length;n++)if(Ri(i.charCodeAt(n)))return"rtl";return"ltr"}(this.
... cueDiv),writingMode:""===e.vertical?"horizontal-tb":"lr"===e.vertical?"
... vertical-lr":"vertical-rl",unicodeBidi:"plaintext",textAlign:"middle"===e.
... align?"center":e.align,font:i.font,whiteSpace:"pre-line",position:"absolute"
```

```
12... },this.applyStyles(n),this.div.appendChild(this.cueDiv);var
... r=0;switch(e.positionAlign){case"start":r=e.position;break;case"middle":r=e.
... position-e.size/2;break;case"end":r=e.position-e.size}""===e.vertical?this.
... applyStyles({left:this.formatStyle(r,"%"),width:this.formatStyle(e.size,"%")
... }):this.applyStyles({top:this.formatStyle(r,"%"),height:this.formatStyle(e.
... size,"%"}),this.move=function(t){this.applyStyles({top:this.formatStyle(t.
... top,"px"),bottom:this.formatStyle(t.bottom,"px"),left:this.formatStyle(t.
... left,"px"),right:this.formatStyle(t.right,"px"),height:this.formatStyle(t.
... height,"px"),width:this.formatStyle(t.width,"px")})}}function Ni(t){var
... e,i,n,r;if(t.div){i=t.div.offsetHeight,n=t.div.offsetWidth,r=t.div.offsetTop
... ;var
... a=(a=t.div.childNodes)&&(a=a[0])&&a.getClientRects&&a.getClientRects();t=t.
... div.getBoundingClientRect(),e=a?Math.max(a[0]&&a[0].height||0,t.height/a.
... length):0}this.left=t.left,this.right=t.right,this.top=t.top||r,this.height=
... t.height||i,this.bottom=t.bottom||r+(t.height||i),this.width=t.width||n,this
... .lineHeight=void 0!==e?e:t.lineHeight}function ji(t,e,o,u){var i=new
... Ni(e),n=e.cue,r=function(t){if("number"===typeof
... t.line&&(t.snapToLines||0<=t.line&&t.line<=100))return
... t.line;if(!t.track||!t.track.textTrackList||!t.track.textTrackList.
... mediaElement)return-1;for(var
... e=t.track,i=e.textTrackList,n=0,r=0;r<i.length&&i[r]!==e;r++)"showing"===i[r
... ].mode&&n++;return-1*++n}(n),a=[];if(n.snapToLines){var
... s;switch(n.vertical){case"":a=["+y","-y"],s="height";break;case"rl":a=["+x",
... "-x"],s="width";break;case"lr":a=["-x","+x"],s="width"}var
... l=i.lineHeight,c=l*Math.round(r),h=o[s]+l,d=a[0];Math.abs(c)>h&&(c=c<0?-1:1,
... c*=Math.ceil(h/l)*1),r<0&&(c+=" "===n.vertical?o.height:o.width,a=a.reverse()
... ),i.move(d,c)}else{var
... p=i.lineHeight/o.height*100;switch(n.lineAlign){case"middle":r-=p/2;break;
... case"end":r-=p}switch(n.vertical){case"":e.applyStyles({top:e.formatStyle(r,
... "%"});break;case"rl":e.applyStyles({left:e.formatStyle(r,"%"});break;case"
... lr":e.applyStyles({right:e.formatStyle(r,"%"});a=["+y","-x","+x","-y"],i=
... new Ni(e)}var f=function(t,e){for(var i,n=new
... Ni(t),r=1,a=0;a<e.length;a++){for(;t.overlapsOppositeAxis(o,e[a])||t.within(
... o)&&t.overlapsAny(u);)t.move(e[a]);if(t.within(o))return t;var
... s=t.intersectPercentage(o);s<r&&(i=new Ni(t),r=s),t=new Ni(n)}return
... i||n}(i,a);e.move(f.toCSSCompatValues(o))}function
... Fi(){Mi.prototype.applyStyles=function(t,e){for(var i in
... e=e||this.div,t)t.hasOwnProperty(i)&&(e.style[i]=t[i])},Mi.prototype.
... formatStyle=function(t,e){return
... 0===t?0:t+e},(Bi.prototype=ki(Mi.prototype)).constructor=Bi,Ni.prototype.
... move=function(t,e){switch(e=void
... 0!==e?e:this.lineHeight,t){case"+x":this.left+=e,this.right+=e;break;case"-x
... ":this.left-=e,this.right-=e;break;case"+y":this.top+=e,this.bottom+=e;break
... ;case"-y":this.top-=e,this.bottom-=e}},Ni.prototype.overlaps=function(t){
... return
... this.left<t.right&&this.right>t.left&&this.top<t.bottom&&this.bottom>t.top},
... Ni.prototype.overlapsAny=function(t){for(var
... e=0;e<t.length;e++)if(this.overlaps(t[e]))return!0;return!1},Ni.prototype.
```

```
12... within=function(t){return
... this.top>=t.top&&this.bottom<=t.bottom&&this.left>=t.left&&this.right<=t.
... right},Ni.prototype.overlapsOppositeAxis=function(t,e){switch(e){case"+x":
... return this.left<t.left;case"-x":return this.right>t.right;case"+y":return
... this.top<t.top;case"-y":return
... this.bottom>t.bottom}},Ni.prototype.intersectPercentage=function(t){return
... Math.max(0,Math.min(this.right,t.right)-Math.max(this.left,t.left))*Math.max
... (0,Math.min(this.bottom,t.bottom)-Math.max(this.top,t.top))/(this.height*
... this.width)},Ni.prototype.toCSSCompatValues=function(t){return{top:this.top-
... t.top,bottom:t.bottom-this.bottom,left:this.left-t.left,right:t.right-this.
... right,height:this.height,width:this.width}},Ni.getSimpleBoxPosition=function
... (t){var
... e=t.div?t.div.offsetHeight:t.tagName?t.offsetHeight:0,i=t.div?t.div.
... offsetWidth:t.tagName?t.offsetWidth:0,n=t.div?t.div.offsetTop:t.tagName?t.
... offsetTop:0;return{left:(t=t.div?t.div.getBoundingClientRect():t.tagName?t.
... getBoundingClientRect():t).left,right:t.right,top:t.top||n,height:t.height||
... e,bottom:t.bottom||n+(t.height||e),width:t.width||i}},Fi.StringDecoder=
... function(){return{decode:function(t){if(!t)return"";if("string"!==typeof
... t)throw new Error("Error - expected string data.");return
... decodeURIComponent(encodeURIComponent(t))}},Fi.convertCueToDOMTree=function
... (t,e){return
... t&&e?Ii(t,e):null};Fi.processCues=function(n,r,t){if(!n||!r||!t)return
... null;for(;t.firstChild;)t.removeChild(t.firstChild);var
... a=n.document.createElement("div");if(a.style.position="absolute",a.style.
... left="0",a.style.right="0",a.style.top="0",a.style.bottom="0",a.style.margin
... ="1.5%",t.appendChild(a),function(t){for(var
... e=0;e<t.length;e++)if(t[e].hasBeenReset||!t[e].displayState)return!0;return!
... 1}(r)){var
... s=[],o=Ni.getSimpleBoxPosition(a),u={font:Math.round(.05*o.height*100)/100+"
... px sans-serif"};!function(){for(var t,e,i=0;i<r.length;i++)e=r[i],t=new
... Bi(n,e,u),a.appendChild(t.div),ji(0,t,o,s),e.displayState=t.div,s.push(Ni.
... getSimpleBoxPosition(t))}()}else for(var
... e=0;e<r.length;e++)a.appendChild(r[e].displayState)},(Fi.Parser=function(t,e
... ,i){i||i={e:e,e={}},e||e={},this.window=t,this.vttjs=e,this.state="INITIAL",
... this.buffer="",this.decoder=i||new
... TextDecoder("utf8"),this.regionList=[]}).prototype={reportOrThrowError:
... function(t){if(!(t instanceof wi))throw
... t;this.onparsingerror&&this.onparsingerror(t)},parse:function(t){var
... a=this;function e(){for(var
... t=a.buffer,e=0;e<t.length&&"\r"!==t[e]&&"\n"!==t[e];)++e;var
... i=t.substr(0,e);return"\r"===t[e]&&++e,"\n"===t[e]&&++e,a.buffer=t.substr(e)
... ,i}function
... i(t){t.match(/X-TIMESTAMP-MAP/)?Ai(t,function(t,e){switch(t){case"X-
... TIMESTAMP-MAP":i=e,n=new
... Ei,Ai(i,function(t,e){switch(t){case"MPEGTS":n.integer(t+"S",e);break;case"
... LOCA":n.set(t+"L",Ci(e))},/[^\d]:/,/,/),a.ontimestampmap&&a.ontimestampmap(
... {MPEGTS:n.get("MPEGTS"),LOCAL:n.get("LOCAL")})}var
... i,n,/=/:Ai(t,function(t,e){switch(t){case"Region":!function(t){var r=new
```

```
12... Ei;if(Ai(t,function(t,e){switch(t){case"width":r.set(t,e);break;case"lines":r.
... percent(t,e);break;case"regionanchor":case"
... viewportanchor":var i=e.split(",");if(2!==i.length)break;var n=new
... Ei;if(n.percent("x",i[0]),n.percent("y",i[1]),!n.has("x")||!n.has("y"))break
... ;r.set(t+"X",n.get("x")),r.set(t+"Y",n.get("y"));break;case"scroll":r.alt(t,
... e,["up"])}},/=/,/\s/),r.has("id")){var
... e=new(a.vttjs.VTTRegion|a.window.VTTRegion);e.width=r.get("width",100),e.
... lines=r.get("lines",3),e.regionAnchorX=r.get("regionanchorX",0),e.
... regionAnchorY=r.get("regionanchorY",100),e.viewportAnchorX=r.get("
... viewportanchorX",0),e.viewportAnchorY=r.get("viewportanchorY",100),e.scroll=
... r.get("scroll",""),a.onregion&&a.onregion(e),a.regionList.push({id:r.get("id
... "),region:e}}}(e)}},/://)}t&&(a.buffer+=a.decoder.decode(t,{stream:!0}));try
... {var n;if("INITIAL"===a.state){if(!/\r\n|\n/.test(a.buffer))return this;var
... r=(n=e()).match(/^WEBVTT([\t].*)?$/);if(!r||!r[0])throw new
... wi(wi.Errors.BadSignature);a.state="HEADER"}for(var
... s=!1;a.buffer;){if(!/\r\n|\n/.test(a.buffer))return
... this;switch(s?s=!1:n=e(),a.state){case"HEADER":/://.test(n)?i(n):n||(a.state=
... "ID");continue;case"NOTE":n||(a.state="ID");continue;case"ID":if(/^NOTE($|[
... \t])/\.test(n)){a.state="NOTE";break}if(!n)continue;if(a.cue=new(a.vttjs.
... VTTcue|a.window.VTTcue)(0,0,""),a.state="CUE",-1===n.indexOf("--\x3e")){a.
... cue.id=n;continue}case"CUE":try{Li(n,a.cue,a.regionList)}catch(t){a.
... reportOrThrowError(t),a.cue=null,a.state="BADCUE";continue}a.state="CUETEXT"
... ;continue;case"CUETEXT":var
... o=-1!==n.indexOf("--\x3e");if(!n|o&&(s=!0)){a.uncue&&a.uncue(a.cue),a.cue=
... null,a.state="ID";continue}a.cue.text&&(a.cue.text+="\n"),a.cue.text+=n;
... continue;case"BADCUE":n||(a.state="ID");continue}}catch(t){a.
... reportOrThrowError(t),"CUETEXT"===a.state&&a.cue&&a.uncue&&a.uncue(a.cue),a.
... cue=null,a.state="INITIAL"===a.state?"BADWEBVTT":"BADCUE"}return
... this},flush:function(){var
... e=this;try{if(e.buffer+=e.decoder.decode(),(e.cue|"HEADER"===e.state)&&(e.
... buffer+="\n\n",e.parse()),"INITIAL"===e.state)throw new
... wi(wi.Errors.BadSignature)}catch(t){e.reportOrThrowError(t)}return
... e.onflush&&e.onflush(),this}};var
... Vi=Fi,Hi={"":1,lr:1,rl:1},qi={start:1,middle:1,end:1,left:1,right:1};
... function zi(t){return"string"===typeof
... t&&(!!qi[t.toLowerCase()]&&t.toLowerCase())}function
... Wi(t,e,i){this.hasBeenReset=!1;var
... n="",r=!1,a=t,s=e,o=i,u=null,l="",c=!0,h="auto",d="start",p=50,f="middle",m=
... 50,g="middle";Object.defineProperties(this,{id:{enumerable:!0,get:function()
... {return
... n},set:function(t){n=""+t}},pauseOnExit:{enumerable:!0,get:function(){return
... r},set:function(t){r=!t}},startTime:{enumerable:!0,get:function(){return
... a},set:function(t){if("number"!==typeof t)throw new TypeError("Start time
... must be set to a
... number.");a=t,this.hasBeenReset=!0}},endTime:{enumerable:!0,get:function(){
... return s},set:function(t){if("number"!==typeof t)throw new TypeError("End
... time must be set to a
... number.");s=t,this.hasBeenReset=!0}},text:{enumerable:!0,get:function(){
```

```
12... return
... o},set:function(t){o=""+t,this.hasBeenReset=!0}},region:{enumerable:!0,get:
... function(){return
... u},set:function(t){u=t,this.hasBeenReset=!0}},vertical:{enumerable:!0,get:
... function(){return l},set:function(t){var
... e,i="string"===typeof(e=t)&&!Hi[e.toLowerCase()]&&e.toLowerCase();if(!1===i)
... throw new SyntaxError("An invalid or illegal string was
... specified.");l=i,this.hasBeenReset=!0}},snapToLines:{enumerable:!0,get:
... function(){return
... c},set:function(t){c=!t,this.hasBeenReset=!0}},line:{enumerable:!0,get:
... function(){return h},set:function(t){if("number"!==typeof t&&"auto"!==t)throw
... new SyntaxError("An invalid number or illegal string was
... specified.");h=t,this.hasBeenReset=!0}},lineAlign:{enumerable:!0,get:
... function(){return d},set:function(t){var e=zi(t);if(!e)throw new
... SyntaxError("An invalid or illegal string was
... specified.");d=e,this.hasBeenReset=!0}},position:{enumerable:!0,get:function
... (){return p},set:function(t){if(t<0||100<t)throw new Error("Position must be
... between 0 and
... 100.");p=t,this.hasBeenReset=!0}},positionAlign:{enumerable:!0,get:function(
... ){return f},set:function(t){var e=zi(t);if(!e)throw new SyntaxError("An
... invalid or illegal string was
... specified.");f=e,this.hasBeenReset=!0}},size:{enumerable:!0,get:function(){
... return m},set:function(t){if(t<0||100<t)throw new Error("Size must be
... between 0 and
... 100.");m=t,this.hasBeenReset=!0}},align:{enumerable:!0,get:function(){return
... g},set:function(t){var e=zi(t);if(!e)throw new SyntaxError("An invalid or
... illegal string was
... specified.");g=e,this.hasBeenReset=!0}}}),this.displayState=void
... 0}Wi.prototype.getCueAsHTML=function(){return
... WebVTT.convertCueToDOMTree(window,this.text)};var
... Gi=Wi,Xi={"":!0,up:!0};function Yi(t){return"number"===typeof
... t&&0<=t&&t<=100}var $i=function(){var
... e=100,i=3,n=0,r=100,a=0,s=100,o="";Object.defineProperties(this,{width:{
... enumerable:!0,get:function(){return e},set:function(t){if(!Yi(t))throw new
... Error("Width must be between 0 and
... 100.");e=t}},lines:{enumerable:!0,get:function(){return
... i},set:function(t){if("number"!==typeof t)throw new TypeError("Lines must be
... set to a number.");i=t}},regionAnchorY:{enumerable:!0,get:function(){return
... r},set:function(t){if(!Yi(t))throw new Error("RegionAnchorX must be between
... 0 and 100.");r=t}},regionAnchorX:{enumerable:!0,get:function(){return
... n},set:function(t){if(!Yi(t))throw new Error("RegionAnchorY must be between
... 0 and 100.");n=t}},viewportAnchorY:{enumerable:!0,get:function(){return
... s},set:function(t){if(!Yi(t))throw new Error("ViewportAnchorY must be
... between 0 and
... 100.");s=t}},viewportAnchorX:{enumerable:!0,get:function(){return
... a},set:function(t){if(!Yi(t))throw new Error("ViewportAnchorX must be
... between 0 and 100.");a=t}},scroll:{enumerable:!0,get:function(){return
... o},set:function(t){var
```

```
12... e,i="string"==typeof(e=t)&&!Xi[e.toLowerCase()]&&e.toLowerCase();if(!1===i)
... throw new SyntaxError("An invalid or illegal string was
... specified.");o=i}})),Ki=Qe(function(t){var
... e=t.exports={WebVTT:Vi,VTT Cue:Gi,VTTRegion:$i};v.vttjs=e,v.WebVTT=e.WebVTT;
... var
... i=e.VTT Cue,n=e.VTTRegion,r=v.VTT Cue,a=v.VTTRegion;e.shim=function(){v.VTT Cue
... =i,v.VTTRegion=n},e.restore=function(){v.VTT Cue=r,v.VTTRegion=a},v.VTT Cue|e
... .shim());Ki.WebVTT,Ki.VTT Cue,Ki.VTTRegion;var Qi=function(e){function
... i(i,t){var n;return void 0===i&&(i={}),void
... 0===t&&(t=function(){}),i.reportTouchActivity=!1,(n=e.call(this,null,i,t)|
... this).hasStarted_=!1,n.on("playing",function(){this.hasStarted_=!0}),n.on("
... loadstart",function(){this.hasStarted_=!1}),Si.names.forEach(function(t){var
... e=Si[t];i&&i[e.getterName]&&(n[e.privateName]=i[e.getterName])),n.
... featuresProgressEvents||n.manualProgressOn(),n.featuresTimeupdateEvents||n.
... manualTimeUpdatesOn(),["Text","Audio","Video"].forEach(function(t){!1===i["
... native"+t+"Tracks"]&&(n["featuresNative"+t+"Tracks"]=!1)}),!1===i.
... nativeCaptions||!1===i.nativeTextTracks?n.featuresNativeTextTracks=!1:!0!==i
... .nativeCaptions&&!0!==i.nativeTextTracks||(n.featuresNativeTextTracks=!0),n.
... featuresNativeTextTracks||n.emulateTextTracks(),n.autoRemoteTextTracks_=new
... Si.text.ListClass,n.initTrackListeners(),i.nativeControlsForTouch||n.
... emitTapEvents(),n.constructor&&(n.name_=n.constructor.name||"Unknown
... Tech"),n}f(i,e);var t=i.prototype;return t.triggerSourceset=function(t){var
... e=this;this.isReady_||this.one("ready",function(){return
... e.setTimeout(function(){return
... e.triggerSourceset(t)},1)}),this.trigger({src:t,type:"sourceset"}),t.
... manualProgressOn=function(){this.on("durationchange",this.onDurationChange),
... this.manualProgress=!0,this.one("ready",this.trackProgress)},t.
... manualProgressOff=function(){this.manualProgress=!1,this.
... stopTrackingProgress(),this.off("durationchange",this.onDurationChange)},t.
... trackProgress=function(t){this.stopTrackingProgress(),this.progressInterval=
... this.setInterval(kt(this,function(){var
... t=this.bufferedPercent();this.bufferedPercent_!==t&&this.trigger("progress")
... ,1===(this.bufferedPercent_=t)&&this.stopTrackingProgress()}),500)},t.
... onDurationChange=function(t){this.duration_=this.duration(),t.buffered=
... function(){return de(0,0)},t.bufferedPercent=function(){return
... pe(this.buffered(),this.duration_)},t.stopTrackingProgress=function(){this.
... clearInterval(this.progressInterval)},t.manualTimeUpdatesOn=function(){this.
... manualTimeUpdates=!0,this.on("play",this.trackCurrentTime),this.on("pause",
... this.stopTrackingCurrentTime)},t.manualTimeUpdatesOff=function(){this.
... manualTimeUpdates=!1,this.stopTrackingCurrentTime(),this.off("play",this.
... trackCurrentTime),this.off("pause",this.stopTrackingCurrentTime)},t.
... trackCurrentTime=function(){this.currentTimeInterval&&this.
... stopTrackingCurrentTime(),this.currentTimeInterval=this.setInterval(function
... (){this.trigger({type:"timeupdate",target:this,manuallyTriggered:!0})},250)
... ,t.stopTrackingCurrentTime=function(){this.clearInterval(this.
... currentTimeInterval),this.trigger({type:"timeupdate",target:this,
... manuallyTriggered:!0})},t.dispose=function(){this.clearTracks(bi.names),this
... .manualProgress&&this.manualProgressOff(),this.manualTimeUpdates&&this.
```



```
12... manualTimeUpdatesOff(),e.prototype.dispose.call(this)},t.clearTracks=
... function(t){var r=this;(t=[]).concat(t)).forEach(function(t){for(var
... e=r[t+"Tracks"]()||[],i=e.length;i--){var
... n=e[i];"text"===t&&r.removeRemoteTextTrack(n),e.removeTrack(n)}}),t.
... cleanupAutoTextTracks=function(){for(var
... t=this.autoRemoteTextTracks_||[],e=t.length;e--){var
... i=t[e];this.removeRemoteTextTrack(i)},t.reset=function(){},t.error=function
... (t){return void 0!==t&&(this.error_=new
... be(t),this.trigger("error")),this.error_},t.played=function(){return
... this.hasStarted_?de(0,0):de()},t.setCurrentTime=function(){this.
... manualTimeUpdates&&this.trigger({type:"timeupdate",target:this,
... manuallyTriggered:!0})},t.initTrackListeners=function(){var
... r=this;bi.names.forEach(function(t){var
... e=bi[t],i=function(){r.trigger(t+"trackchange")},n=r[e.getterName]();n.
... addEventListener("removetrack",i),n.addEventListener("addtrack",i),r.on("
... dispose",function(){n.removeEventListener("removetrack",i),n.
... removeEventListener("addtrack",i)}}),t.addWebVttScript_=function(){var
... t=this;if(!v.WebVTT)if(d.body.contains(this.el())){if(!this.options_["vtt.js
... "]&&c(Ki)&&0<Object.keys(Ki).length)return void
... this.trigger("vttjsloaded");var
... e=d.createElement("script");e.src=this.options_["vtt.js"]||"https://vjs.
... zencdn.net/vttjs/0.14.1/vtt.min.js",e.onload=function(){t.trigger("
... vttjsloaded")},e.onerror=function(){t.trigger("vttjserror")},this.on("
... dispose",function(){e.onload=null,e.onerror=null}),v.WebVTT=!0,this.el().
... parentNode.appendChild(e)}else
... this.ready(this.addWebVttScript_),t.emulateTextTracks=function(){var
... t=this,i=this.textTracks(),e=this.remoteTextTracks(),n=function(t){return
... i.addTrack(t.track)},r=function(t){return
... i.removeTrack(t.track)};e.on("addtrack",n),e.on("removetrack",r),this.
... addWebVttScript_();var a=function(){return
... t.trigger("texttrackchange")},s=function(){a();for(var
... t=0;t<i.length;t++){var
... e=i[t];e.removeEventListener("cuechange",a),"showing"===e.mode&&e.
... addEventListener("cuechange",a)}};s(),i.addEventListener("change",s),i.
... addEventListener("addtrack",s),i.addEventListener("removetrack",s),this.on("
... dispose",function(){e.off("addtrack",n),e.off("removetrack",r),i.
... removeEventListener("change",s),i.removeEventListener("addtrack",s),i.
... removeEventListener("removetrack",s)};for(var
... t=0;t<i.length;t++){i[t].removeEventListener("cuechange",a)}}),t.
... addTextTrack=function(t,e,i){if(!t)throw new Error("TextTrack kind is
... required but was not provided");return function(t,e,i,n,r){void
... 0===r&&(r={});var
... a=t.textTracks();r.kind=e,i&&(r.label=i),n&&(r.language=n),r.tech=t;var
... s=new Si.text.TrackClass(r);return
... a.addTrack(s),s}(this,t,e,i)},t.createRemoteTextTrack=function(t){var
... e=Nt(t,{tech:this});return new
... Ti.remoteTextEl.TrackClass(e)},t.addRemoteTextTrack=function(t,e){var
... i=this;void 0===t&&(t={});var
```

```
12... n=this.createRemoteTextTrack(t);return!0!==e&&!1!==e&&(g.warn('Calling
... addRemoteTextTrack without explicitly setting the "manualCleanup" parameter
... to `true` is deprecated and default to `false` in future version of
... video.js'),e=!0),this.remoteTextTrackEls().addTrackElement_(n),this.
... remoteTextTracks().addTrack(n.track),!0!==e&&this.ready(function(){return
... i.autoRemoteTextTracks_.addTrack(n.track)}),n},t.removeRemoteTextTrack=
... function(t){var
... e=this.remoteTextTrackEls().getTrackElementByTrack_(t);this.
... remoteTextTrackEls().removeTrackElement_(e),this.remoteTextTracks().
... removeTrack(t),this.autoRemoteTextTracks_.removeTrack(t)},t.
... getVideoPlaybackQuality=function(){return{}},t.setPoster=function(){},t.
... playsinline=function(){},t.setPlaysinline=function(){},t.
... overrideNativeAudioTracks=function(){},t.overrideNativeVideoTracks=function(
... ){},t.canPlayType=function(){return""},i.canPlayType=function(){return""},i.
... canPlaySource=function(t,e){return
... i.canPlayType(t.type)},i.isTech=function(t){return t.prototype instanceof
... i||t instanceof
... i||t===i},i.registerTech=function(t,e){if(i.techs_||(i.techs_={}),!i.isTech(
... e))throw new Error("Tech "+t+" must be a Tech");if(!i.canPlayType)throw new
... Error("Techs must have a static canPlayType method on
... them");if(!i.canPlaySource)throw new Error("Techs must have a static
... canPlaySource method on them");return
... t=Bt(t),i.techs_[t]=e,"Tech"!==t&&i.defaultTechOrder_.push(t),e},i.getTech=
... function(t){if(t)return
... t=Bt(t),i.techs_&&i.techs_[t]?i.techs_[t]:v&&v.videojs&&v.videojs[t]?(g.warn
... ("The "+t+" tech was added to the videojs object when it should be
... registered using videojs.registerTech(name, tech)",v.videojs[t]):void
... 0},i}(jt);Si.names.forEach(function(t){var
... e=Si[t];Qi.prototype[e.getterName]=function(){return
... this[e.privateName]=this[e.privateName]||new
... e.ListClass,this[e.privateName]}}),Qi.prototype.featuresVolumeControl=!0,Qi.
... prototype.featuresMuteControl=!0,Qi.prototype.featuresFullscreenResize=!1,Qi.
... prototype.featuresPlaybackRate=!1,Qi.prototype.featuresProgressEvents=!1,Qi.
... prototype.featuresSourceset=!1,Qi.prototype.featuresTimeupdateEvents=!1,Qi.
... prototype.featuresNativeTextTracks=!1,Qi.withSourceHandlers=function(r){r.
... registerSourceHandler=function(t,e){var
... i=r.sourceHandlers;i||(i=r.sourceHandlers=[]),void
... 0===e&&(e=i.length),i.splice(e,0,t)},r.canPlayType=function(t){for(var
... e,i=r.sourceHandlers||[],n=0;n<i.length;n++)if(e=i[n].canPlayType(t))return
... e;return""},r.selectSourceHandler=function(t,e){for(var
... i=r.sourceHandlers||[],n=0;n<i.length;n++)if(i[n].canHandleSource(t,e))
... return i[n];return null},r.canPlaySource=function(t,e){var
... i=r.selectSourceHandler(t,e);return
... i?i.canHandleSource(t,e):""};["seekable","seeking","duration"].forEach(
... function(t){var e=this[t];"function"===typeof e&&(this[t]=function(){return
... this.sourceHandler_&&this.sourceHandler_[t]?this.sourceHandler_[t].apply(
... this.sourceHandler_,arguments):e.apply(this,arguments)}}),r.prototype),r.
... prototype.setSource=function(t){var
```

```
12... e=r.selectSourceHandler(t,this.options_);e||(r.nativeSourceHandler?e=r.
... nativeSourceHandler:g.error("No source handler found for the current
... source.")),this.disposeSourceHandler(),this.off("dispose",this.
... disposeSourceHandler),e!==r.nativeSourceHandler&&(this.currentSource_=t),
... this.sourceHandler_=e.handleSource(t,this,this.options_),this.on("dispose",
... this.disposeSourceHandler)},r.prototype.disposeSourceHandler=function(){this
... .currentSource_&&(this.clearTracks(["audio","video"]),this.currentSource_=
... null),this.cleanupAutoTextTracks(),this.sourceHandler_&&(this.sourceHandler
... .dispose&&this.sourceHandler_.dispose(),this.sourceHandler_=null)}}},jt.
... registerComponent("Tech",Qi),Qi.registerTech("Tech",Qi),Qi.defaultTechOrder
... =[];var Ji={},Zi={},tn={};function en(t,e,i){t.setTimeout(function(){return
... function i(n,t,r,a,s,o){void 0===n&&(n={});void 0===t&&(t=[]);void
... 0===s&&(s=[]);void 0===o&&(o=!1);var
... e=t,u=e[0],l=e.slice(1);if("string"===typeof u)i(n,Ji[u],r,a,s,o);else
... if(u){var c=un(a,u);if(!c.setSource)return
... s.push(c),i(n,l,r,a,s,o);c.setSource(b({},n),function(t,e){if(t)return
... i(n,l,r,a,s,o);s.push(c),i(e,n.type===e.type?l:Ji[e.type],r,a,s,o)}})else
... l.length?i(n,l,r,a,s,o):o?r(n,s):i(n,Ji["*"],r,a,s,!0)}(e,Ji[e.type],i,t)},1
... )}function nn(t,e,i,n){void 0===n&&(n=null);var
... r="call"+Bt(i),a=t.reduce(on(r),n),s=a===tn,o=s?null:e[i](a);return
... function(t,e,i,n){for(var r=t.length-1;0<=r;r--){var
... a=t[r];a[e]&&a[e](n,i)}(t,i,o,s),o}var
... rn={buffered:1,currentTime:1,duration:1,seekable:1,played:1,pause:1},an={
... setCurrentTime:1},sn={play:1,pause:1};function on(i){return
... function(t,e){return t===tn?tn:e[i]?e[i](t):t}}function un(t,e){var
... i=Zi[t.id()],n=null;if(null===i)return n=e(t),Zi[t.id()]=[[e,n]],n;for(var
... r=0;r<i.length;r++){var a=i[r],s=a[0],o=a[1];s===e&&(n=o)}return
... null===n&&(n=e(t),i.push([e,n])),n}var
... ln={opus:"video/ogg",ogv:"video/ogg",mp4:"video/mp4",mov:"video/mp4",m4v:"
... video/mp4",mkv:"video/x-matroska",mp3:"audio/mpeg",aac:"audio/aac",oga:"
... audio/ogg",m3u8:"application/x-mpegURL"},cn=function(t){void
... 0===t&&(t="");var e=Ge(t);return ln[e.toLowerCase()]||""};function hn(t){var
... e=cn(t.src);return!t.type&&&&(t.type=e),t}var dn=function(l){function
... t(t,e,i){var
... n,r=Nt({createEl:!1},e);if(n=1.call(this,t,r,i)||this,e.playerOptions.
... sources&&0!==e.playerOptions.sources.length)t.src(e.playerOptions.sources);
... else for(var a=0,s=e.playerOptions.techOrder;a<s.length;a++){var
... o=Bt(s[a]),u=Qi.getTech(o);if(o||(u=jt.getComponent(o)),u&&u.isSupported()){
... t.loadTech_(o);break}}return n}return
... f(t,l),t}(jt);jt.registerComponent("MediaLoader",dn);var
... pn=function(r){function t(t,e){var
... i;return(i=r.call(this,t,e)||this).emitTapEvents(),i.enable(),i}f(t,r);var
... e=t.prototype;return e.createEl=function(t,e,i){void 0===t&&(t="div"),void
... 0===e&&(e={}),void 0===i&&(i={}),e=b({innerHTML:'<span aria-hidden="true"
... class="vjs-icon-placeholder"></span>',className:this.buildCSSClass(),
... tabIndex:0},e),"button"===t&&g.error("Creating a ClickableComponent with an
... HTML element of "+t+" is not supported; use a Button
... instead."),i=b({role:"button"},i),this.tabIndex_=e.tabIndex;var
```

```
12... n=r.prototype.createEl.call(this,t,e,i);return
... this.createControlTextEl(n),n},e.dispose=function(){this.controlTextEl_=null
... ,r.prototype.dispose.call(this)},e.createControlTextEl=function(t){return
... this.controlTextEl_=A("span",{className:"vjs-control-text"},{"aria-live":"
... polite"}),t&&t.appendChild(this.controlTextEl_),this.controlText(this.
... controlText_,t),this.controlTextEl_,e.controlText=function(t,e){if(void
... 0===e&&(e=this.el()),void 0===t)return this.controlText_||"Need Text";var
... i=this.localize(t);this.controlText_=t,L(this.controlTextEl_,i),this.
... nonIconControl||e.setAttribute("title",i)},e.buildCSSClass=function(){return
... "vjs-control vjs-button
... "+r.prototype.buildCSSClass.call(this)},e.enable=function(){this.enabled_||
... this.enabled_!=0,this.removeClass("vjs-disabled"),this.el_.setAttribute("
... aria-disabled","false"),"undefined"!=typeof
... this.tabIndex_&&this.el_.setAttribute("tabIndex",this.tabIndex_),this.on(["
... tap","click"],this.handleClick),this.on("focus",this.handleFocus),this.on("
... blur",this.handleBlur)},e.disable=function(){this.enabled_!=1,this.addClass
... ("vjs-disabled"),this.el_.setAttribute("aria-disabled","true"),"undefined"!=
... typeof
... this.tabIndex_&&this.el_.removeAttribute("tabIndex"),this.off(["tap","click"
... ],this.handleClick),this.off("focus",this.handleFocus),this.off("blur",this.
... handleBlur)},e.handleClick=function(t){},e.handleFocus=function(t){ht(d,"
... keydown",kt(this,this.handleKeyPress))},e.handleKeyPress=function(t){32===t.
... which||13===t.which?(t.preventDefault(),this.trigger("click")):r.prototype.
... handleKeyPress&&r.prototype.handleKeyPress.call(this,t)},e.handleBlur=
... function(t){dt(d,"keydown",kt(this,this.handleKeyPress)),t}(jt);jt.
... registerComponent("ClickableComponent",pn);var fn=function(n){function
... t(t,e){var
... i;return i=n.call(this,t,e)||this).update(),t.on("posterchange",kt(m(m(i)),i
... .update)),i}f(t,n);var e=t.prototype;return
... e.dispose=function(){this.player().off("posterchange",this.update),n.
... prototype.dispose.call(this)},e.createEl=function(){return
... A("div",{className:"vjs-poster",tabIndex:-1}),e.update=function(t){var
... e=this.player().poster();this.setSrc(e),e?this.show():this.hide()},e.setSrc=
... function(t){var
... e="";t&&(e='url('+t+')'),this.el_.style.backgroundImage=e},e.handleClick=
... function(t){this.player_.controls()&&(this.player_.paused()?we(this.player_.
... play()):this.player_.pause())},t}(pn);jt.registerComponent("PosterImage",fn)
... ;var
... mn="#222",gn={monospace:"monospace",sansSerif:"sans-serif",serif:"serif",
... monospaceSansSerif:"Andale Mono", "Lucida Console",
... monospace',monospaceSerif:"Courier New",
... monospace',proportionalSansSerif:"sans-serif",proportionalSerif:"serif",
... casual:"Comic Sans MS", Impact, fantasy',script:"Monotype Corsiva",
... cursive',smallcaps:"Andale Mono", "Lucida Console", monospace,
... sans-serif'};function yn(t,e){var
... i;if(4===t.length)i=t[1]+t[1]+t[2]+t[2]+t[3]+t[3];else{if(7!==t.length)throw
... new Error("Invalid color code provided, "+t+"; must be formatted as e.g.
... #f0e or
```

```
12... #f604e2.");i=t.slice(1)}return"rgba("+parseInt(i.slice(0,2),16)+","+parseInt
... (i.slice(2,4),16)+","+parseInt(i.slice(4,6),16)+","+e+")"}function
... vn(t,e,i){try{t.style[e]=i}catch(t){return}}var _n=function(a){function
... t(i,t,e){var n;n=a.call(this,i,t,e)||this;var
... r=kt(m(m(n)),n.updateDisplay);return
... i.on("loadstart",kt(m(m(n)),n.toggleDisplay)),i.on("texttrackchange",r),i.on
... ("loadstart",kt(m(m(n)),n.preselectTrack)),i.ready(kt(m(m(n)),function(){if(
... i.tech_&&i.tech_.featuresNativeTextTracks)this.hide();else{i.on("
... fullscreenchange",r),i.on("playerresize",r),v.addEventListener("
... orientationchange",r),i.on("dispose",function(){return
... v.removeEventListener("orientationchange",r))});for(var
... t=this.options_.playerOptions.tracks||[],e=0;e<t.length;e++)this.player_.
... addRemoteTextTrack(t[e],!0);this.preselectTrack()}}),n)f(t,a);var
... e=t.prototype;return e.preselectTrack=function(){for(var
... t,e,i,n={captions:1,subtitles:1},r=this.player_.textTracks(),a=this.player_.
... cache_.selectedLanguage,s=0;s<r.length;s++){var
... o=r[s];a&&a.enabled&&a.language===o.language?o.kind===a.kind?i=o:i||(i=o):a&
... &!a.enabled?e=t=i=null:o.default&&("descriptions"!==o.kind|t?o.kind in
... n&&!e&&(e=o):t=o)}i?i.mode="showing":e?e.mode="showing":t&&(t.mode="showing"
... )},e.toggleDisplay=function(){this.player_.tech_&&this.player_.tech_.
... featuresNativeTextTracks?this.hide():this.show()},e.createEl=function(){
... return
... a.prototype.createEl.call(this,"div",{className:"vjs-text-track-display"},{
... "aria-live":"off","aria-atomic":"true"}),e.clearDisplay=function(){function
... "===typeof
... v.WebVTT&&v.WebVTT.processCues(v,[],this.el_)},e.updateDisplay=function(){
... var t=this.player_.textTracks();this.clearDisplay();for(var
... e=null,i=null,n=t.length;n--;){var
... r=t[n];"showing"===r.mode&&("descriptions"===r.kind?e=r:i=r)}i?("off"!==this
... .getAttribute("aria-live")&&this.setAttribute("aria-live","off"),this.
... updateForTrack(i):e&&("assertive"!==this.getAttribute("aria-live")&&this.
... setAttribute("aria-live","assertive"),this.updateForTrack(e))},e.
... updateForTrack=function(t){if("function"===typeof
... v.WebVTT&&t.activeCues){for(var
... e=[],i=0;i<t.activeCues.length;i++)e.push(t.activeCues[i]);if(v.WebVTT.
... processCues(v,e,this.el_),this.player_.textTrackSettings)for(var
... n=this.player_.textTrackSettings.getValues(),r=e.length;r--;){var
... a=e[r];if(a){var
... s=a.displayState;if(n.color&&(s.firstChild.style.color=n.color),n.
... textOpacity&&vn(s.firstChild,"color",yn(n.color||"#fff",n.textOpacity)),n.
... backgroundColor&&(s.firstChild.style.backgroundColor=n.backgroundColor),n.
... backgroundOpacity&&vn(s.firstChild,"backgroundColor",yn(n.backgroundColor||
... "#000",n.backgroundOpacity)),n.windowColor&&(n.windowOpacity?vn(s,"
... backgroundColor",yn(n.windowColor,n.windowOpacity)):s.style.backgroundColor=
... n.windowColor),n.edgeStyle&&("dropshadow"===n.edgeStyle?s.firstChild.style.
... textShadow="2px 2px 3px #222, 2px 2px 4px #222, 2px 2px 5px
... "+mn:"raised"===n.edgeStyle?s.firstChild.style.textShadow="1px 1px #222, 2px
... 2px #222, 3px 3px
```

```
12... "+mn:"depressed"===n.edgeStyle?s.firstChild.style.textShadow="1px 1px #ccc,
... 0 1px #ccc, -1px -1px #222, 0 -1px
... "+mn:"uniform"===n.edgeStyle&&(s.firstChild.style.textShadow="0 0 4px #222,
... 0 0 4px #222, 0 0 4px #222, 0 0 4px
... "+mn)),n.fontPercent&&1!==n.fontPercent){var
... o=v.parseFloat(s.style.fontSize);s.style.fontSize=o*n.fontPercent+"px",s.
... style.height="auto",s.style.top="auto",s.style.bottom="2px"}n.fontFamily&&"
... default"!==n.fontFamily&&("small-caps"===n.fontFamily?s.firstChild.style.
... fontVariant="small-caps":s.firstChild.style.fontFamily=gn[n.fontFamily])}}}}
... ,t}(jt);jt.registerComponent("TextTrackDisplay",_n);var
... bn=function(r){function t(){return r.apply(this,arguments)||this}return
... f(t,r),t.prototype.createEl=function(){var
... t=this.player_.isAudio(),e=this.localize(t?"Audio Player":"Video
... Player"),i=A("span",{className:"vjs-control-text",innerHTML:this.localize("
... 1} is
... loading.",[e]))},n=r.prototype.createEl.call(this,"div",{className:"vjs-
... loading-spinner",dir:"ltr"});return
... n.appendChild(i),n},t}(jt);jt.registerComponent("LoadingSpinner",bn);var
... Tn=function(e){function t(){return e.apply(this,arguments)||this}f(t,e);var
... i=t.prototype;return i.createEl=function(t,e,i){void 0===e&&(e={}),void
... 0===i&&(i={}),e=b({innerHTML:'<span aria-hidden="true"
... class="vjs-icon-placeholder"></span>',className:this.buildCSSClass()}),e,i=b
... ({type:"button"},i);var
... n=jt.prototype.createEl.call(this,"button",e,i);return
... this.createControlTextEl(n),n},i.addChild=function(t,e){void
... 0===e&&(e={});var i=this.constructor.name;return g.warn("Adding an
... actionable (user controllable) child to a Button ("+i+") is not supported;
... use a ClickableComponent
... instead."),jt.prototype.addChild.call(this,t,e),i.enable=function(){e.
... prototype.enable.call(this),this.el_.removeAttribute("disabled")},i.disable=
... function(){e.prototype.disable.call(this),this.el_.setAttribute("disabled",
... "disabled")},i.handleKeyPress=function(t){32!==t.which&&13!==t.which&&e.
... prototype.handleKeyPress.call(this,t)},t}(pn);jt.registerComponent("Button",
... Tn);var Sn=function(n){function t(t,e){var
... i;return(i=n.call(this,t,e)||this).mouseused_=!1,i.on("mousedown",i.
... handleMouseDown),i}f(t,n);var e=t.prototype;return
... e.buildCSSClass=function(){return"vjs-big-play-button"},e.handleClick=
... function(t){var
... e=this.player_.play();if(this.mouseused_&&t.clientX&&t.clientY)we(e);else{
... var
... i=this.player_.getChild("controlBar"),n=i&&i.getChild("playToggle");if(n){
... var r=function(){return
... n.focus()};ke(e)?e.then(r,function(){}):this.setTimeout(r,1)}else
... this.player_.focus()}}},e.handleKeyPress=function(t){this.mouseused_=!1,n.
... prototype.handleKeyPress.call(this,t)},e.handleMouseDown=function(t){this.
... mouseused_=!0},t}(Tn);Sn.prototype.controlText_="Play
... Video",jt.registerComponent("BigPlayButton",Sn);var kn=function(n){function
... t(t,e){var
```

```
12... i;return(i=n.call(this,t,e)||this).controlText(e&&e.controlText||i.localize(
... "Close")),i}f(t,n);var e=t.prototype;return
... e.buildCSSClass=function(){return"vjs-close-button
... "+n.prototype.buildCSSClass.call(this)},e.handleClick=function(t){this.
... trigger({type:"close",bubbles:!1}),t}(Tn);jt.registerComponent("CloseButton
... ",kn);var wn=function(n){function t(t,e){var
... i;return(i=n.call(this,t,e)||this).on(t,"play",i.handlePlay),i.on(t,"pause",
... i.handlePause),i.on(t,"ended",i.handleEnded),i}f(t,n);var
... e=t.prototype;return e.buildCSSClass=function(){return"vjs-play-control
... "+n.prototype.buildCSSClass.call(this)},e.handleClick=function(t){this.
... player_.paused()?this.player_.play():this.player_.pause()},e.handleSeeked=
... function(t){this.removeClass("vjs-ended"),this.player_.paused()?this.
... handlePause(t):this.handlePlay(t)},e.handlePlay=function(t){this.removeClass
... ("vjs-ended"),this.removeClass("vjs-paused"),this.addClass("vjs-playing"),
... this.controlText("Pause")},e.handlePause=function(t){this.removeClass("vjs-
... playing"),this.addClass("vjs-paused"),this.controlText("Play")},e.
... handleEnded=function(t){this.removeClass("vjs-playing"),this.addClass("vjs-
... ended"),this.controlText("Replay"),this.one(this.player_,"seeked",this.
... handleSeeked)},t}(Tn);wn.prototype.controlText_="Play",jt.registerComponent(
... "PlayToggle",wn);var Cn=function(t,e){t=t<0?0:t;var
... i=Math.floor(t%60),n=Math.floor(t/60%60),r=Math.floor(t/3600),a=Math.floor(e
... /60%60),s=Math.floor(e/3600);return(isNaN(t)||t===1/0)&&(r=n=i="-"),(r=0<r||
... 0<s?r+": ":"")+n=((r||10<=a)&&n<10?"0"+n:n)+":"+i=(i<10?"0"+i:i)},En=Cn;
... function An(t,e){return void 0===e&&(e=t),En(t,e)}var
... Ln=function(n){function t(t,e){var
... i;return(i=n.call(this,t,e)||this).throttledUpdateContent=wt(kt(m(m(i)),i.
... updateContent),25),i.on(t,"timeupdate",i.throttledUpdateContent),i}f(t,n);
... var e=t.prototype;return e.createEl=function(t){var
... e=this.buildCSSClass(),i=n.prototype.createEl.call(this,"div",{className:e+"
... vjs-time-control vjs-control",innerHTML:'<span
... class="vjs-control-text">'+this.localize(this.labelText_)+</span>});
... return
... this.contentEl_=A("span",{className:e+"-display"},{"aria-live":"off"}),this.
... updateTextNode_(),i.appendChild(this.contentEl_),i,e.dispose=function(){
... this.contentEl_=null,this.textNode_=null,n.prototype.dispose.call(this)},e.
... updateTextNode_=function(){if(this.contentEl_){for(;this.contentEl_.
... firstChild;)this.contentEl_.removeChild(this.contentEl_.firstChild);this.
... textNode_=d.createTextNode(this.formattedTime_||this.formatTime_(0)),this.
... contentEl_.appendChild(this.textNode_)},e.formatTime_=function(t){return
... An(t)},e.updateFormattedTime_=function(t){var
... e=this.formatTime_(t);e!==this.formattedTime_&&(this.formattedTime_=e,this.
... requestAnimationFrame(this.updateTextNode_)),e.updateContent=function(t){},
... t}(jt);Ln.prototype.labelText_="Time",Ln.prototype.controlText_="Time",jt.
... registerComponent("TimeDisplay",Ln);var On=function(n){function t(t,e){var
... i;return(i=n.call(this,t,e)||this).on(t,"ended",i.handleEnded),i}f(t,n);var
... e=t.prototype;return
... e.buildCSSClass=function(){return"vjs-current-time"},e.updateContent=
... function(t){var
```

```
12... e=this.player_.scrubbing()?this.player_.getCache().currentTime:this.player_.
... currentTime();this.updateFormattedTime_(e)},e.handleEnded=function(t){this.
... player_.duration()&&this.updateFormattedTime_(this.player_.duration())},t}(
... Ln);On.prototype.labelText_="Current
... Time",On.prototype.controlText_="Current
... Time",jt.registerComponent("CurrentTimeDisplay",On);var
... Pn=function(n){function t(t,e){var
... i;return(i=n.call(this,t,e)||this).on(t,"durationchange",i.updateContent),i.
... on(t,"loadedmetadata",i.throttledUpdateContent),i}f(t,n);var
... e=t.prototype;return
... e.buildCSSClass=function(){return"vjs-duration"},e.updateContent=function(t)
... {var
... e=this.player_.duration();e&&this.duration_!==e&&(this.duration_=e,this.
... updateFormattedTime_(e))},t}(Ln);Pn.prototype.labelText_="Duration",Pn.
... prototype.controlText_="Duration",jt.registerComponent("DurationDisplay",Pn)
... ;var Un=function(t){function e(){return t.apply(this,arguments)||this}return
... f(e,t),e.prototype.createEl=function(){return
... t.prototype.createEl.call(this,"div",{className:"vjs-time-control
... vjs-time-divider",innerHTML:"<div><span></span></div>"}}),e}(jt);jt.
... registerComponent("TimeDivider",Un);var xn=function(n){function t(t,e){var
... i;return(i=n.call(this,t,e)||this).on(t,"durationchange",i.
... throttledUpdateContent),i.on(t,"ended",i.handleEnded),i}f(t,n);var
... e=t.prototype;return
... e.buildCSSClass=function(){return"vjs-remaining-time"},e.formatTime_=
... function(t){return"-"+n.prototype.formatTime_.call(this,t)},e.updateContent=
... function(t){this.player_.duration()&&(this.player_.remainingTimeDisplay?this
... .updateFormattedTime_(this.player_.remainingTimeDisplay()):this.
... updateFormattedTime_(this.player_.remainingTime()))},e.handleEnded=function(
... t){this.player_.duration()&&this.updateFormattedTime_(0)},t}(Ln);xn.
... prototype.labelText_="Remaining Time",xn.prototype.controlText_="Remaining
... Time",jt.registerComponent("RemainingTimeDisplay",xn);var
... In=function(n){function t(t,e){var
... i;return(i=n.call(this,t,e)||this).updateShowing(),i.on(i.player(),"
... durationchange",i.updateShowing),i}f(t,n);var e=t.prototype;return
... e.createEl=function(){var
... t=n.prototype.createEl.call(this,"div",{className:"vjs-live-control
... vjs-control"});return
... this.contentEl_=A("div",{className:"vjs-live-display",innerHTML:'<span
... class="vjs-control-text">'+this.localize("Stream
... Type")+</span>'+this.localize("LIVE")},{aria-live:"off"}),t.appendChild(
... this.contentEl_),t,e.dispose=function(){this.contentEl_=null,n.prototype.
... dispose.call(this)},e.updateShowing=function(t){this.player().duration()===1
... /0?this.show():this.hide()},t}(jt);jt.registerComponent("LiveDisplay",In);
... var Dn=function(n){function t(t,e){var
... i;return(i=n.call(this,t,e)||this).bar=i.getChild(i.options_.barName),i.
... vertical(!i.options_.vertical),i.enable(),i}f(t,n);var e=t.prototype;return
... e.enabled=function(){return
... this.enabled_},e.enable=function(){this.enabled()||(this.on("mousedown",this
```



```
12... .handleMouseDown),this.on("touchstart",this.handleMouseDown),this.on("focus"
... ,this.handleFocus),this.on("blur",this.handleBlur),this.on("click",this.
... handleClick),this.on(this.player_,"controlsvisible",this.update),this.
... playerEvent&&this.on(this.player_,this.playerEvent,this.update),this.
... removeClass("disabled"),this.setAttribute("tabindex",0),this.enabled_!=0}},e
... .disable=function(){if(this.enabled()){var
... t=this.bar.el_.ownerDocument;this.off("mousedown",this.handleMouseDown),this
... .off("touchstart",this.handleMouseDown),this.off("focus",this.handleFocus),
... this.off("blur",this.handleBlur),this.off("click",this.handleClick),this.off
... (this.player_,"controlsvisible",this.update),this.off(t,"mousemove",this.
... handleMouseMove),this.off(t,"mouseup",this.handleMouseUp),this.off(t,"
... touchmove",this.handleMouseMove),this.off(t,"touchend",this.handleMouseUp),
... this.removeAttribute("tabindex"),this.addClass("disabled"),this.playerEvent&
... &this.off(this.player_,this.playerEvent,this.update),this.enabled_!=1}},e.
... createEl=function(t,e,i){return void 0===e&&(e={}),void
... 0===i&&(i={}),e.className=e.className+
... vjs-slider",e=b({tabIndex:0},e),i=b({role:"slider","aria-valuenow":0,"aria-
... valuemin":0,"aria-valuemax":100,tabIndex:0},i),n.prototype.createEl.call(
... this,t,e,i)},e.handleMouseDown=function(t){var
... e=this.bar.el_.ownerDocument;"mousedown"===t.type&&t.preventDefault(),"
... touchstart"!==t.type||ne||t.preventDefault(),j(),this.addClass("vjs-sliding"
... ),this.trigger("slideractive"),this.on(e,"mousemove",this.handleMouseMove),
... this.on(e,"mouseup",this.handleMouseUp),this.on(e,"touchmove",this.
... handleMouseMove),this.on(e,"touchend",this.handleMouseUp),this.
... handleMouseMove(t)},e.handleMouseMove=function(t){},e.handleMouseUp=function
... (){var
... t=this.bar.el_.ownerDocument;F(),this.removeClass("vjs-sliding"),this.
... trigger("sliderinactive"),this.off(t,"mousemove",this.handleMouseMove),this.
... off(t,"mouseup",this.handleMouseUp),this.off(t,"touchmove",this.
... handleMouseMove),this.off(t,"touchend",this.handleMouseUp),this.update()},e.
... update=function(){if(this.el_){var
... t=this.getPercent(),e=this.bar;if(e){("number"!==typeof
... t||t!=t||t<0||t===1/0)&&(t=0);var
... i=(100*t).toFixed(2)+"%",n=e.el().style;return
... this.vertical()?n.height=i:n.width=i,t}},e.calculateDistance=function(t){
... var e=q(this.el_,t);return
... this.vertical()?e.y:e.x},e.handleFocus=function(){this.on(this.bar.el_.
... ownerDocument,"keydown",this.handleKeyPress)},e.handleKeyPress=function(t){
... 37===t.which||40===t.which?(t.preventDefault(),this.stepBack()):38===t.which
... &&39===t.which||(t.preventDefault(),this.stepForward())},e.handleBlur=
... function(){this.off(this.bar.el_.ownerDocument,"keydown",this.handleKeyPress
... )},e.handleClick=function(t){t.stopImmediatePropagation(),t.preventDefault()
... },e.vertical=function(t){if(void 0===t)return
... this.vertical_||!1;this.vertical_=!t,this.vertical_?this.addClass("vjs-
... slider-vertical"):this.addClass("vjs-slider-horizontal")},t}(jt);jt.
... registerComponent("Slider",Dn);var Rn=function(n){function t(t,e){var
... i;return(i=n.call(this,t,e)||this).partEls_=[],i.on(t,"progress",i.update),i
... }f(t,n);var e=t.prototype;return e.createEl=function(){return
```

```
12... n.prototype.createEl.call(this,"div",{className:"vjs-load-progress",
... innerHTML:'<span
... class="vjs-control-text"><span>'+this.localize("Loaded")+</span>:
... 0%</span>"})),e.dispose=function(){this.partEls_=null,n.prototype.dispose.
... call(this)},e.update=function(t){var
... e=this.player_.buffered(),i=this.player_.duration(),n=this.player_.
... bufferedEnd(),r=this.partEls_,a=function(t,e){var i=t/e||0;return
... 100*(1<=i?1:i)+"%"};this.el_.style.width=a(n,i);for(var
... s=0;s<e.length;s++){var
... o=e.start(s),u=e.end(s),l=r[s];l||(l=this.el_.appendChild(A()),r[s]=l),l.
... style.left=a(o,n),l.style.width=a(u-o,n)}for(var
... c=r.length;c>e.length;c--)this.el_.removeChild(r[c-1]);r.length=e.length},t
... (jt);jt.registerComponent("LoadProgressBar",Rn);var Mn=function(t){function
... e(){return t.apply(this,arguments)||this}f(e,t);var i=e.prototype;return
... i.createEl=function(){return
... t.prototype.createEl.call(this,"div",{className:"vjs-time-tooltip"})),i.
... update=function(t,e,i){var
... n=V(this.el_),r=V(this.player_.el()),a=t.width*e;if(r&&n){var
... s=t.left-r.left+a,o=t.width-a+(r.right-t.right),u=n.width/2;s<u?u+=u-s:o<u&&
... (u=o),u<0?u=0:u>n.width&&(u=n.width),this.el_.style.right="- "+u+"px",L(this.
... el_,i)}}},e}(jt);jt.registerComponent("TimeTooltip",Mn);var
... Bn=function(t){function e(){return t.apply(this,arguments)||this}f(e,t);var
... i=e.prototype;return i.createEl=function(){return
... t.prototype.createEl.call(this,"div",{className:"vjs-play-progress
... vjs-slider-bar",innerHTML:'<span
... class="vjs-control-text"><span>'+this.localize("Progress")+</span>:
... 0%</span>"})),i.update=function(i,n){var
... r=this;this.rafId_&&this.cancelAnimationFrame(this.rafId_),this.rafId_=this.
... requestAnimationFrame(function(){var
... t=An(r.player_.scrubbing()?r.player_.getCache().currentTime:r.player_.
... currentTime(),r.player_.duration()),e=r.getChild("timeTooltip");e&&e.update(
... i,n,t)}}},e}(jt);Bn.prototype.options_={children:[]},Kt||Jt||Bn.prototype.
... options_.children.push("timeTooltip"),jt.registerComponent("PlayProgressBar"
... ,Bn);var Nn=function(n){function t(t,e){var
... i;return(i=n.call(this,t,e)||this).update=wt(kt(m(m(i)),i.update),25),i}f(t,
... n);var e=t.prototype;return e.createEl=function(){return
... n.prototype.createEl.call(this,"div",{className:"vjs-mouse-display"})),e.
... update=function(i,n){var
... r=this;this.rafId_&&this.cancelAnimationFrame(this.rafId_),this.rafId_=this.
... requestAnimationFrame(function(){var
... t=r.player_.duration(),e=An(n*t,t);r.el_.style.left=i.width*n+"px",r.
... getChild("timeTooltip").update(i,n,e)}}},t}(jt);Nn.prototype.options_={
... children:["timeTooltip"]},jt.registerComponent("MouseTimeDisplay",Nn);var
... jn=function(n){function t(t,e){var
... i;return(i=n.call(this,t,e)||this).setEventHandlers_(),i}f(t,n);var
... e=t.prototype;return e.setEventHandlers_=function(){var
... t=this;this.update=wt(kt(this,this.update),30),this.on(this.player_, "
... timeupdate",this.update),this.on(this.player_, "ended",this.handleEnded),this
```

```
12... .updateInterval=null,this.on(this.player_,["playing"],function(){t.
... clearInterval(t.updateInterval),t.updateInterval=t.setInterval(function(){t.
... requestAnimationFrame(function(){t.update()}),30)),this.on(this.player_,["
... ended","pause","waiting"],function(){t.clearInterval(t.updateInterval)}),
... this.on(this.player_,["timeupdate","ended"],this.update)},e.createEl=
... function(){return
... n.prototype.createEl.call(this,"div",{className:"vjs-progress-holder"},{"
... aria-label":this.localize("Progress Bar")}),e.update_=function(t,e){var
... i=this.player_.duration();this.el_.setAttribute("aria-valuenow",(100*e).
... toFixed(2)),this.el_.setAttribute("aria-valuetext",this.localize("progress
... bar timing: currentTime={1} duration={2}"),[An(t,i),An(i,i)],"{1} of
... {2}")),this.bar.update(V(this.el_),e)},e.update=function(t){var
... e=n.prototype.update.call(this);return
... this.update_(this.getCurrentTime_(t),e),e},e.getCurrentTime_=function(){
... return
... this.player_.scrubbing()?this.player_.getCache().currentTime:this.player_.
... currentTime()},e.handleEnded=function(t){this.update_(this.player_.duration(
... ),1)},e.getPercent=function(){var
... t=this.getCurrentTime_/this.player_.duration();return
... 1<=t?1:t|0},e.handleMouseDown=function(t){$(t)&&(t.stopPropagation(),this.
... player_.scrubbing(!0),this.videoWasPlaying=!this.player_.paused(),this.
... player_.pause(),n.prototype.handleMouseDown.call(this,t)),e.handleMouseMove
... =function(t){if($(t)){var
... e=this.calculateDistance(t)*this.player_.duration();e===this.player_.
... duration()&&(e-=.1),this.player_.currentTime(e)},e.enable=function(){n.
... prototype.enable.call(this);var
... t=this.getChild("mouseTimeDisplay");t&&t.show()},e.disable=function(){n.
... prototype.disable.call(this);var
... t=this.getChild("mouseTimeDisplay");t&&t.hide()},e.handleMouseUp=function(t)
... {n.prototype.handleMouseUp.call(this,t),t&&t.stopPropagation(),this.player_.
... scrubbing(!1),this.player_.trigger({type:"timeupdate",target:this,
... manuallyTriggered:!0}),this.videoWasPlaying&&we(this.player_.play())},e.
... stepForward=function(){this.player_.currentTime(this.player_.currentTime()+5
... )},e.stepBack=function(){this.player_.currentTime(this.player_.currentTime()
... -5)},e.handleAction=function(t){this.player_.paused()?this.player_.play():
... this.player_.pause()},e.handleKeyPress=function(t){32===t.which||13===t.
... which?(t.preventDefault(),this.handleAction(t)):n.prototype.handleKeyPress&&
... n.prototype.handleKeyPress.call(this,t)},t}(Dn);jn.prototype.options_={
... children:["loadProgressBar","playProgressBar"],barName:"playProgressBar"},Kt
... ||Jt||jn.prototype.options_.children.splice(1,0,"mouseTimeDisplay"),jn.
... prototype.playerEvent="timeupdate",jt.registerComponent("SeekBar",jn);var
... Fn=function(n){function t(t,e){var
... i;return(i=n.call(this,t,e)||this).handleMouseMove=wt(kt(m(m(i)),i.
... handleMouseMove),25),i.throttledHandleMouseSeek=wt(kt(m(m(i)),i.
... handleMouseMove),25),i.enable(),i}f(t,n);var e=t.prototype;return
... e.createEl=function(){return
... n.prototype.createEl.call(this,"div",{className:"vjs-progress-control
... vjs-control"}),e.handleMouseMove=function(t){var
```

```
12... e=this.getChild("seekBar");if(e){var
... i=e.getChild("mouseTimeDisplay"),n=e.el(),r=V(n),a=q(n,t).x;1<a?a=1:a<0&&(a=
... 0),i&&i.update(r,a)}}},e.handleMouseSeek=function(t){var
... e=this.getChild("seekBar");e&&e.handleMouseMove(t)},e.enabled=function(){
... return
... this.enabled_,e.disable=function(){this.children().forEach(function(t){
... return
... t.disable&&t.disable()}),this.enabled()&&(this.off(["mousedown","touchstart"
... ],this.handleMouseDown),this.off(this.el_,"mousemove",this.handleMouseMove),
... this.handleMouseUp(),this.addClass("disabled"),this.enabled_=!1)},e.enable=
... function(){this.children().forEach(function(t){return
... t.enable&&t.enable()}),this.enabled()||(this.on(["mousedown","touchstart"],
... this.handleMouseDown),this.on(this.el_,"mousemove",this.handleMouseMove),
... this.removeClass("disabled"),this.enabled_=!0)},e.handleMouseDown=function(t
... ){var
... e=this.el_.ownerDocument,i=this.getChild("seekBar");i&&i.handleMouseDown(t),
... this.on(e,"mousemove",this.throttledHandleMouseSeek),this.on(e,"touchmove",
... this.throttledHandleMouseSeek),this.on(e,"mouseup",this.handleMouseUp),this.
... on(e,"touchend",this.handleMouseUp)},e.handleMouseUp=function(t){var
... e=this.el_.ownerDocument,i=this.getChild("seekBar");i&&i.handleMouseUp(t),
... this.off(e,"mousemove",this.throttledHandleMouseSeek),this.off(e,"touchmove"
... ,this.throttledHandleMouseSeek),this.off(e,"mouseup",this.handleMouseUp),
... this.off(e,"touchend",this.handleMouseUp)},t}(jt);Fn.prototype.options_={
... children:["seekBar"]},jt.registerComponent("ProgressControl",Fn);var
... Vn=function(n){function t(t,e){var
... i;return(i=n.call(this,t,e)||this).on(t,"fullscreenchange",i.
... handleFullscreenChange),!1===d[me.fullscreenEnabled]&&i.disable(),i}f(t,n);
... var e=t.prototype;return
... e.buildCSSClass=function(){return"vjs-fullscreen-control
... "+n.prototype.buildCSSClass.call(this)},e.handleFullscreenChange=function(t)
... {this.player_.isFullscreen()?this.controlText("Non-Fullscreen"):this.
... controlText("Fullscreen")},e.handleClick=function(t){this.player_.
... isFullscreen()?this.player_.exitFullscreen():this.player_.requestFullscreen(
... )},t}(Tn);Vn.prototype.controlText_="Fullscreen",jt.registerComponent("
... FullscreenToggle",Vn);var Hn=function(t){function e(){return
... t.apply(this,arguments)||this}return
... f(e,t),e.prototype.createEl=function(){return
... t.prototype.createEl.call(this,"div",{className:"vjs-volume-level",innerHTML
... : '<span
... class="vjs-control-text"></span>'}}),e}(jt);jt.registerComponent("
... VolumeLevel",Hn);var qn=function(n){function t(t,e){var
... i;return(i=n.call(this,t,e)||this).on("slideractive",i.updateLastVolume_),i.
... on(t,"volumechange",i.updateARIAAttributes),t.ready(function(){return
... i.updateARIAAttributes()}),i}f(t,n);var e=t.prototype;return
... e.createEl=function(){return
... n.prototype.createEl.call(this,"div",{className:"vjs-volume-bar
... vjs-slider-bar"},{"aria-label":this.localize("Volume
... Level"),"aria-live":"polite"})},e.handleMouseDown=function(t){$(t)&&n.
```

```
12... prototype.handleMouseDown.call(this,t)},e.handleMouseMove=function(t){$(t)&&
... (this.checkMuted(),this.player_.volume(this.calculateDistance(t))),e.
... checkMuted=function(){this.player_.muted()&&this.player_.muted(!1)},e.
... getPercent=function(){return
... this.player_.muted()?0:this.player_.volume()},e.stepForward=function(){this.
... checkMuted(),this.player_.volume(this.player_.volume()+.1)},e.stepBack=
... function(){this.checkMuted(),this.player_.volume(this.player_.volume()-.1)},
... e.updateARIAAttributes=function(t){var
... e=this.player_.muted()?0:this.volumeAsPercentage_();this.el_.setAttribute("
... aria-valuenow",e),this.el_.setAttribute("aria-valuetext",e+"%")},e.
... volumeAsPercentage_=function(){return
... Math.round(100*this.player_.volume())},e.updateLastVolume_=function(){var
... t=this,e=this.player_.volume();this.one("sliderinactive",function(){0===t.
... player_.volume()&&t.player_.lastVolume_(e)}),t}(Dn);qn.prototype.options_={
... children:["volumeLevel"],barName:"volumeLevel"},qn.prototype.playerEvent="
... volumechange",jt.registerComponent("VolumeBar",qn);var
... zn=function(a){function t(t,e){var i,n,r;return void
... 0===e&&(e={}),e.vertical=e.vertical||!1,("undefined"===typeof
... e.volumeBar||c(e.volumeBar))&&(e.volumeBar=e.volumeBar||{}),e.volumeBar.
... vertical=e.vertical),i=a.call(this,t,e)||this,n=m(m(i)),(r=t).tech_&&!r.
... tech_.featuresVolumeControl&&n.addClass("vjs-hidden"),n.on(r,"loadstart",
... function(){r.tech_.featuresVolumeControl?n.removeClass("vjs-hidden"):n.
... addClass("vjs-hidden")}),i.throttledHandleMouseMove=wt(kt(m(m(i)),i.
... handleMouseMove),25),i.on("mousedown",i.handleMouseDown),i.on("touchstart",i
... .handleMouseDown),i.on(i.volumeBar,["focus","slideractive"],function(){i.
... volumeBar.addClass("vjs-slider-active"),i.addClass("vjs-slider-active"),i.
... trigger("slideractive")}),i.on(i.volumeBar,["blur","sliderinactive"],
... function(){i.volumeBar.removeClass("vjs-slider-active"),i.removeClass("vjs-
... slider-active"),i.trigger("sliderinactive")}),i}f(t,a);var
... e=t.prototype;return e.createEl=function(){var
... t="vjs-volume-horizontal";return
... this.options_.vertical&&(t="vjs-volume-vertical"),a.prototype.createEl.call(
... this,"div",{className:"vjs-volume-control vjs-control
... "+t})},e.handleMouseDown=function(t){var
... e=this.el_.ownerDocument;this.on(e,"mousemove",this.throttledHandleMouseMove
... ),this.on(e,"touchmove",this.throttledHandleMouseMove),this.on(e,"mouseup",
... this.handleMouseUp),this.on(e,"touchend",this.handleMouseUp)},e.
... handleMouseUp=function(t){var
... e=this.el_.ownerDocument;this.off(e,"mousemove",this.
... throttledHandleMouseMove),this.off(e,"touchmove",this.
... throttledHandleMouseMove),this.off(e,"mouseup",this.handleMouseUp),this.off(
... e,"touchend",this.handleMouseUp)},e.handleMouseMove=function(t){this.
... volumeBar.handleMouseMove(t)},t}(jt);zn.prototype.options_={children:["
... volumeBar"]},jt.registerComponent("VolumeControl",zn);var
... Wn=function(a){function t(t,e){var i,n,r;return
... i=a.call(this,t,e)||this,n=m(m(i)),(r=t).tech_&&!r.tech_.featuresMuteControl
... &&n.addClass("vjs-hidden"),n.on(r,"loadstart",function(){r.tech_
... featuresMuteControl?n.removeClass("vjs-hidden"):n.addClass("vjs-hidden")}),i
```

```
12... .on(t,["loadstart","volumechange"],i.update),i}f(t,a);var
... e=t.prototype;return e.buildCSSClass=function(){return"vjs-mute-control
... "+a.prototype.buildCSSClass.call(this)},e.handleClick=function(t){var
... e=this.player_.volume(),i=this.player_.lastVolume_();if(0===e){var
... n=i<.1?.1:i;this.player_.volume(n),this.player_.muted(!1)}else
... this.player_.muted(!this.player_.muted())},e.update=function(t){this.
... updateIcon_(),this.updateControlText_()},e.updateIcon_=function(){var
... t=this.player_.volume(),e=3;Kt&&this.player_.muted(this.player_.tech_.el_.
... muted),0===t||this.player_.muted()?e=0:t<.33?e=1:t<.67&&(e=2);for(var
... i=0;i<4;i++)x(this.el_,"vjs-vol-"+i);U(this.el_,"vjs-vol-"+e)},e.
... updateControlText_=function(){var
... t=this.player_.muted()||0===this.player_.volume()?"Unmute":"Mute";this.
... controlText_()!==t&&this.controlText_(t)},t}(Tn);Wn.prototype.controlText_="
... Mute",jt.registerComponent("MuteToggle",Wn);var Gn=function(n){function
... t(t,e){var i;return void 0===e&&(e={}),"undefined"!==typeof
... e.inline?e.inline=e.inline:e.inline=!0,("undefined"===typeof
... e.volumeControl||c(e.volumeControl))&&(e.volumeControl=e.volumeControl||{}),e
... .volumeControl.vertical=!e.inline),(i=n.call(this,t,e)||this).on(t,["
... loadstart"],i.volumePanelState_),i.on(i.volumeControl,["slideractive"],i.
... sliderActive_),i.on(i.volumeControl,["sliderinactive"],i.sliderInactive_),i}
... f(t,n);var e=t.prototype;return
... e.sliderActive_=function(){this.addClass("vjs-slider-active")},e.
... sliderInactive_=function(){this.removeClass("vjs-slider-active")},e.
... volumePanelState_=function(){this.volumeControl.hasClass("vjs-hidden")&&this
... .muteToggle.hasClass("vjs-hidden")&&this.addClass("vjs-hidden"),this.
... volumeControl.hasClass("vjs-hidden")&&!this.muteToggle.hasClass("vjs-hidden"
... )&&this.addClass("vjs-mute-toggle-only")},e.createEl=function(){var
... t="vjs-volume-panel-horizontal";return
... this.options_.inline||(t="vjs-volume-panel-vertical"),n.prototype.createEl.
... call(this,"div",{className:"vjs-volume-panel vjs-control
... "+t}}),t}(jt);Gn.prototype.options_={children:["muteToggle","volumeControl"]
... },jt.registerComponent("VolumePanel",Gn);var Xn=function(n){function
... t(t,e){var i;return
... i=n.call(this,t,e)||this,e&&(i.menuButton_=e.menuButton),i.focusedChild_=-1,
... i.on("keydown",i.handleKeyPress),i}f(t,n);var e=t.prototype;return
... e.addItem=function(e){this.addChild(e),e.on("click",kt(this,function(t){this
... .menuButton_&&(this.menuButton_.unpressButton(),"CaptionSettingsMenuItem"!==
... e.name())&&this.menuButton_.focus()}))},e.createEl=function(){var
... t=this.options_.contentType||"ul";this.contentEl_=A(t,{className:"vjs-menu
... -content"}),this.contentEl_.setAttribute("role","menu");var
... e=n.prototype.createEl.call(this,"div",{append:this.contentEl_,className:"
... vjs-menu"});return
... e.appendChild(this.contentEl_),ht(e,"click",function(t){t.preventDefault(),t
... .stopImmediatePropagation()}),e},e.dispose=function(){this.contentEl_=null,n
... .prototype.dispose.call(this)},e.handleKeyPress=function(t){37===t.which||40
... ===t.which?(t.preventDefault(),this.stepForward()):38!==t.which&&39!==t.
... which||(t.preventDefault(),this.stepBack())},e.stepForward=function(){var
... t=0;void
```

```
12... 0!==this.focusedChild_&&(t=this.focusedChild_+1),this.focus(t)},e.stepBack=
... function(){var t=0;void
... 0!==this.focusedChild_&&(t=this.focusedChild_-1),this.focus(t)},e.focus=
... function(t){void 0===t&&(t=0);var
... e=this.children().slice();e.length&&e[0].className&&/vjs-menu-title/.test(e[
... 0].className)&&e.shift(),0<e.length&&(t<0?t=0:t=e.length&&(t=e.length-1),e[
... this.focusedChild_=t].el_.focus())},t}(jt);jt.registerComponent("Menu",Xn);
... var Yn=function(r){function t(t,e){var i;void
... 0===e&&(e={}),i=r.call(this,t,e)||this).menuItem_=new
... Tn(t,e),i.menuButton_.controlText(i.controlText_),i.menuButton_.el_.
... setAttribute("aria-haspopup","true");var
... n=Tn.prototype.buildCSSClass();return
... i.menuButton_.el_.className=i.buildCSSClass()+
... "+n,i.menuButton_.removeClass("vjs-control"),i.addChild(i.menuButton_),i.
... update(),i.enabled_=!0,i.on(i.menuButton_,"tap",i.handleClick),i.on(i.
... menuItem_,"click",i.handleClick),i.on(i.menuButton_,"focus",i.handleFocus)
... ,i.on(i.menuButton_,"blur",i.handleBlur),i.on("keydown",i.
... handleSubMenuKeyPress),i}f(t,r);var e=t.prototype;return
... e.update=function(){var
... t=this.createMenu();this.menu&&(this.menu.dispose(),this.removeChild(this.
... menu)),this.menu=t,this.addChild(t),this.buttonPressed_=!1,this.menuButton_.
... el_.setAttribute("aria-expanded","false"),this.items&&this.items.length<=
... this.hideThreshold_?this.hide():this.show()},e.createMenu=function(){var
... t=new
... Xn(this.player_,{menuItem:this});if(this.hideThreshold_=0,this.options_.
... title){var
... e=A("li",{className:"vjs-menu-title",innerHTML:Bt(this.options_.title),
... tabIndex:-1});this.hideThreshold_+=1,t.children_.unshift(e),0(e,t.contentEl(
... ))}if(this.items=this.createItems(),this.items)for(var
... i=0;i<this.items.length;i++)t.addItem(this.items[i]);return
... t},e.createItems=function(){},e.createEl=function(){return
... r.prototype.createEl.call(this,"div",{className:this.buildWrapperCSSClass()
... ,{}}),e.buildWrapperCSSClass=function(){var
... t="vjs-menu-button";return!0===this.options_.inline?t+="-inline":t+="-popup"
... ,"vjs-menu-button "+t+" "+Tn.prototype.buildCSSClass()+
... "+r.prototype.buildCSSClass.call(this)},e.buildCSSClass=function(){var
... t="vjs-menu-button";return!0===this.options_.inline?t+="-inline":t+="-popup"
... ,"vjs-menu-button "+t+"
... "+r.prototype.buildCSSClass.call(this)},e.controlText=function(t,e){return
... void
... 0===e&&(e=this.menuButton_.el()),this.menuButton_.controlText(t,e)},e.
... handleClick=function(t){this.one(this.menu.contentEl(),"mouseleave",kt(this,
... function(t){this.unpressButton(),this.el_.blur()})),this.buttonPressed_?this
... .unpressButton():this.pressButton()},e.focus=function(){this.menuButton_.
... focus()},e.blur=function(){this.menuButton_.blur()},e.handleFocus=function()
... {ht(d,"keydown",kt(this,this.handleKeyPress))},e.handleBlur=function(){dt(d,
... "keydown",kt(this,this.handleKeyPress))},e.handleKeyPress=function(t){27===t
... .which||9===t.which?(this.buttonPressed_&&this.unpressButton(),9!==t.which&&
```

```
12... (t.preventDefault(),this.menuButton_.el_.focus())):38!==t.which&&40!==t.
... which||this.buttonPressed_||(this.pressButton(),t.preventDefault())},e.
... handleSubmenuKeyPress=function(t){27!==t.which&&9!==t.which||(this.
... buttonPressed_&&this.unpressButton(),9!==t.which&&(t.preventDefault(),this.
... menuButton_.el_.focus()))},e.pressButton=function(){if(this.enabled_){if(
... this.buttonPressed_!=0,this.menu.lockShowing(),this.menuButton_.el_.
... setAttribute("aria-expanded","true"),Kt&&C())return;this.menu.focus()}}},e.
... unpressButton=function(){this.enabled_&&(this.buttonPressed_!=1,this.menu.
... unlockShowing(),this.menuButton_.el_.setAttribute("aria-expanded","false"))}
... ,e.disable=function(){this.unpressButton(),this.enabled_!=1,this.addClass("
... vjs-disabled"),this.menuButton_.disable()},e.enable=function(){this.enabled
... !=0,this.removeClass("vjs-disabled"),this.menuButton_.enable()},t}(jt);jt.
... registerComponent("MenuButton",Yn);var $n=function(a){function t(t,e){var
... i,n=e.tracks;if((i=a.call(this,t,e)||this).items.length<=1&&i.hide(),!n)
... return m(i);var r=kt(m(m(i)),i.update);return
... n.addEventListener("removetrack",r),n.addEventListener("addtrack",r),i.
... player_.on("ready",r),i.player_.on("dispose",function(){n.
... removeEventListener("removetrack",r),n.removeEventListener("addtrack",r)}),i
... }return f(t,a),t}(Yn);jt.registerComponent("TrackButton",$n);var
... Kn=function(n){function t(t,e){var
... i;return(i=n.call(this,t,e)||this).selectable=e.selectable,i.isSelected_=e.
... selected||!1,i.multiSelectable=e.multiSelectable,i.selected(i.isSelected_),i
... .selectable?i.multiSelectable?i.el_.setAttribute("role","menuitemcheckbox"):
... i.el_.setAttribute("role","menuitemradio"):i.el_.setAttribute("role","
... menuitem"),i}f(t,n);var e=t.prototype;return
... e.createEl=function(t,e,i){return
... this.nonIconControl!=0,n.prototype.createEl.call(this,"li",b({className:"vjs
... -menu-item",innerHTML:'<span
... class="vjs-menu-item-text">'+this.localize(this.options_.label)+"</span>",
... tabIndex:-1},e),i)},e.handleClick=function(t){this.selected(!0)},e.selected=
... function(t){this.selectable&&(this.isSelected_=t?(this.addClass("vjs-
... selected"),this.el_.setAttribute("aria-checked","true"),this.controlText(",
... selected"),!0):(this.removeClass("vjs-selected"),this.el_.setAttribute("aria
... -checked","false"),this.controlText(""),!1))},t}(pn);jt.registerComponent("
... MenuItem",Kn);var Qn=function(u){function t(t,e){var
... n,i=e.track,r=t.textTracks();e.label=i.label||i.language||"Unknown",e.
... selected="showing"===i.mode,(n=u.call(this,t,e)||this).track=i;var
... a,s=function(){for(var t=arguments.length,e=new
... Array(t),i=0;i<t;i++)e[i]=arguments[i];n.handleTracksChange.apply(m(m(n)),e)
... },o=function(){for(var t=arguments.length,e=new
... Array(t),i=0;i<t;i++)e[i]=arguments[i];n.handleSelectedLanguageChange.apply(
... m(m(n)),e)};(t.on(["loadstart","texttrackchange"],s),r.addEventListener("
... change",s),r.addEventListener("selectedlanguagechange",o),n.on("dispose",
... function(){t.off(["loadstart","texttrackchange"],s),r.removeEventListener("
... change",s),r.removeEventListener("selectedlanguagechange",o)}),void
... 0===r.onchange)&&n.on(["tap","click"],function(){if("object"!==typeof
... v.Event)try{a=new
... v.Event("change")}catch(t){}a||(a=d.createEvent("Event")).initEvent("change"
```



```
12... ,!0,!0),r.dispatchEvent(a));return n.handleTracksChange(),n}f(t,u);var
... e=t.prototype;return e.handleClick=function(t){var
... e=this.track.kind,i=this.track.kinds,n=this.player_.textTracks();if(i||(i=[e
... ]),u.prototype.handleClick.call(this,t),n)for(var r=0;r<n.length;r++){var
... a=n[r];a===this.track&&-1<i.indexOf(a.kind)?"showing"!==a.mode&&(a.mode="
... showing"):"disabled"!==a.mode&&(a.mode="disabled")}},e.handleTracksChange=
... function(t){var
... e="showing"===this.track.mode;e!==this.isSelected_&&this.selected(e)},e.
... handleSelectedLanguageChange=function(t){if("showing"===this.track.mode){var
... e=this.player_.cache_.selectedLanguage;if(e&&e.enabled&&e.language===this.
... track.language&&e.kind!==this.track.kind)return;this.player_.cache_.
... selectedLanguage={enabled:!0,language:this.track.language,kind:this.track.
... kind}}},e.dispose=function(){this.track=null,u.prototype.dispose.call(this)
... },t}(Kn);jt.registerComponent("TextTrackMenuItem",Qn);var
... Jn=function(i){function t(t,e){return
... e.track={player:t,kind:e.kind,kinds:e.kinds,default:!1,mode:"disabled"},e.
... kinds||(e.kinds=[e.kind]),e.label?e.track.label=e.label:e.track.label=e.
... kinds.join(" and ")+
... off",e.selectable=!0,e.multiSelectable=!1,i.call(this,t,e)||this}f(t,i);var
... e=t.prototype;return e.handleTracksChange=function(t){for(var
... e=this.player().textTracks(),i=!0,n=0,r=e.length;n<r;n++){var
... a=e[n];if(-1<this.options_.kinds.indexOf(a.kind)&&"showing"===a.mode){i=!1;
... break}}i!==this.isSelected_&&this.selected(i)},e.
... handleSelectedLanguageChange=function(t){for(var
... e=this.player().textTracks(),i=!0,n=0,r=e.length;n<r;n++){var
... a=e[n];if(-1<["captions","descriptions","subtitles"].indexOf(a.kind)&&
... "showing"===a.mode){i=!1;break}}i&&(this.player_.cache_.selectedLanguage={
... enabled:!1}),t}(Qn);jt.registerComponent("OffTextTrackMenuItem",Jn);var
... Zn=function(i){function t(t,e){return void
... 0===e&&(e={}),e.tracks=t.textTracks(),i.call(this,t,e)||this}return
... f(t,i),t.prototype.createItems=function(t,e){var i;void 0===t&&(t=[]),void
... 0===e&&(e=Qn),this.label_&&(i=this.label_+" off"),t.push(new
... Jn(this.player_,{kinds:this.kinds_,kind:this.kind_,label:i})),this.
... hideThreshold_+=1;var
... n=this.player_.textTracks();Array.isArray(this.kinds_)||((this.kinds_=[this.
... kind_]);for(var r=0;r<n.length;r++){var
... a=n[r];if(-1<this.kinds_.indexOf(a.kind)){var s=new
... e(this.player_,{track:a,selectable:!0,multiSelectable:!1});s.addClass("vjs-"
... +a.kind+"-menu-item"),t.push(s)}}return
... t},t}($n);jt.registerComponent("TextTrackButton",Zn);var
... tr=function(s){function t(t,e){var
... i,n=e.track,r=e.cue,a=t.currentTime();return
... e.selectable=!0,e.multiSelectable=!1,e.label=r.text,e.selected=r.startTime<=
... a&&a<r.endTime,(i=s.call(this,t,e)||this).track=n,i.cue=r,n.addEventListener
... ("cuechange",kt(m(m(i)),i.update)),i}f(t,s);var e=t.prototype;return
... e.handleClick=function(t){s.prototype.handleClick.call(this),this.player_.
... currentTime(this.cue.startTime),this.update(this.cue.startTime)},e.update=
... function(t){var
```

```
12... e=this.cue,i=this.player_.currentTime();this.selected(e.startTime<=i&&i<e.
... endTime)},t}(Kn);jt.registerComponent("ChaptersTrackMenuItem",tr);var
... er=function(n){function t(t,e,i){return n.call(this,t,e,i)||this}f(t,n);var
... e=t.prototype;return e.buildCSSClass=function(){return"vjs-chapters-button
... "+n.prototype.buildCSSClass.call(this)},e.buildWrapperCSSClass=function(){
... return"vjs-chapters-button
... "+n.prototype.buildWrapperCSSClass.call(this)},e.update=function(t){this.
... track_&&(t||"addtrack"!==t.type&&"removetrack"!==t.type)||this.setTrack(
... this.findChaptersTrack()),n.prototype.update.call(this)},e.setTrack=function
... (t){if(this.track_!==t){if(this.updateHandler_||(this.updateHandler_=this.
... update.bind(this)),this.track_){var
... e=this.player_.remoteTextTrackEls().getTrackElementByTrack_(this.track_);e&&
... e.removeEventListener("load",this.updateHandler_),this.track_=null}if(this.
... track_=t,this.track_){this.track_.mode="hidden";var
... i=this.player_.remoteTextTrackEls().getTrackElementByTrack_(this.track_);i&&
... i.addEventListener("load",this.updateHandler_)}}},e.findChaptersTrack=
... function(){for(var
... t=this.player_.textTracks()||[],e=t.length-1;0<=e;e--){var
... i=t[e];if(i.kind===this.kind_)return i}},e.getMenuCaption=function(){return
... this.track_&&this.track_.label?this.track_.label:this.localize(Bt(this.kind_
... ))},e.createMenu=function(){return
... this.options_.title=this.getMenuCaption(),n.prototype.createMenu.call(this)}
... ,e.createItems=function(){var t=[];if(!this.track_)return t;var
... e=this.track_.cues;if(!e)return t;for(var i=0,n=e.length;i<n;i++){var
... r=e[i],a=new tr(this.player_,{track:this.track_,cue:r});t.push(a)}return
... t},t}(Zn);er.prototype.kind_="chapters",er.prototype.controlText_="Chapters"
... ,jt.registerComponent("ChaptersButton",er);var ir=function(s){function
... t(t,e,i){var n;n=s.call(this,t,e,i)||this;var
... r=t.textTracks(),a=kt(m(m(n)),n.handleTracksChange);return
... r.addEventListener("change",a),n.on("dispose",function(){r.
... removeEventListener("change",a)}),n}f(t,s);var e=t.prototype;return
... e.handleTracksChange=function(t){for(var
... e=this.player().textTracks(),i=!1,n=0,r=e.length;n<r;n++){var
... a=e[n];if(a.kind!==this.kind_&&"showing"===a.mode){i=!0;break}}i?this.
... disable():this.enable()},e.buildCSSClass=function(){return"vjs-descriptions-
... button
... "+s.prototype.buildCSSClass.call(this)},e.buildWrapperCSSClass=function(){
... return"vjs-descriptions-button
... "+s.prototype.buildWrapperCSSClass.call(this)},t}(Zn);ir.prototype.kind_="
... descriptions",ir.prototype.controlText_="Descriptions",jt.registerComponent(
... "DescriptionsButton",ir);var nr=function(n){function t(t,e,i){return
... n.call(this,t,e,i)||this}f(t,n);var e=t.prototype;return
... e.buildCSSClass=function(){return"vjs-subtitles-button
... "+n.prototype.buildCSSClass.call(this)},e.buildWrapperCSSClass=function(){
... return"vjs-subtitles-button
... "+n.prototype.buildWrapperCSSClass.call(this)},t}(Zn);nr.prototype.kind_="
... subtitles",nr.prototype.controlText_="Subtitles",jt.registerComponent("
... SubtitlesButton",nr);var rr=function(n){function t(t,e){var i;return
```

```
12... e.track={player:t,kind:e.kind,label:e.kind+"
... settings",selectable:!1,default:!1,mode:"disabled"},e.selectable=!1,e.name="
... CaptionSettingsMenuItem",(i=n.call(this,t,e)||this).addClass("vjs-texttrack-
... settings"),i.controlText(", opens "+e.kind+" settings dialog"),i}return
... f(t,n),t.prototype.handleClick=function(t){this.player().getChild("
... textTrackSettings").open()},t}(Qn);jt.registerComponent("
... CaptionSettingsMenuItem",rr);var ar=function(n){function t(t,e,i){return
... n.call(this,t,e,i)||this}f(t,n);var e=t.prototype;return
... e.buildCSSClass=function(){return"vjs-captions-button
... "+n.prototype.buildCSSClass.call(this)},e.buildWrapperCSSClass=function(){
... return"vjs-captions-button
... "+n.prototype.buildWrapperCSSClass.call(this)},e.createItems=function(){var
... t=[];return
... this.player().tech_&&this.player().tech_.featuresNativeTextTracks||!this.
... player().getChild("textTrackSettings")||(t.push(new
... rr(this.player_,{kind:this.kind_})),this.hideThreshold_+=1),n.prototype.
... createItems.call(this,t)},t}(Zn);ar.prototype.kind_="captions",ar.prototype.
... controlText_="Captions",jt.registerComponent("CaptionsButton",ar);var
... sr=function(r){function t(){return r.apply(this,arguments)||this}return
... f(t,r),t.prototype.createEl=function(t,e,i){var n='<span
... class="vjs-menu-item-text">'+this.localize(this.options_.label);return"
... captions"===this.options_.track.kind&&(n+='\n
... <span
... aria-hidden="true" class="vjs-icon-placeholder"></span>\n
... <span
... class="vjs-control-text"> '+this.localize("Captions")+</span>\n
... '),n+="</span>",r.prototype.createEl.call(this,t,b({innerHTML:n},e),i)},t}(
... Qn);jt.registerComponent("SubsCapsMenuItem",sr);var or=function(n){function
... t(t,e){var i;return void
... 0===e&&(e={}),i=n.call(this,t,e)||this).label_="subtitles",-1<["en","en-us"
... ,"en-ca","fr-ca"].indexOf(i.player_.language_)&&(i.label_="captions"),i.
... menuButton_.controlText(Bt(i.label_)),i}f(t,n);var e=t.prototype;return
... e.buildCSSClass=function(){return"vjs-sub-caps-button
... "+n.prototype.buildCSSClass.call(this)},e.buildWrapperCSSClass=function(){
... return"vjs-sub-caps-button
... "+n.prototype.buildWrapperCSSClass.call(this)},e.createItems=function(){var
... t=[];return
... this.player().tech_&&this.player().tech_.featuresNativeTextTracks||!this.
... player().getChild("textTrackSettings")||(t.push(new
... rr(this.player_,{kind:this.label_})),this.hideThreshold_+=1),t=n.prototype.
... createItems.call(this,t,sr)},t}(Zn);or.prototype.kinds_=["captions","
... subtitles"],or.prototype.controlText_="Subtitles",jt.registerComponent("
... SubsCapsButton",or);var ur=function(s){function t(t,e){var
... n,i=e.track,r=t.audioTracks();e.label=i.label||i.language||"Unknown",e.
... selected=i.enabled,(n=s.call(this,t,e)||this).track=i,n.addClass("vjs-"+i.
... kind+"-menu-item");var a=function(){for(var t=arguments.length,e=new
... Array(t),i=0;i<t;i++)e[i]=arguments[i];n.handleTracksChange.apply(m(m(n)),e)
... };return
... r.addEventListener("change",a),n.on("dispose",function(){r.
... removeEventListener("change",a)}),n}f(t,s);var e=t.prototype;return
```

```
12... e.createEl=function(t,e,i){var n='<span
... class="vjs-menu-item-text">'+this.localize(this.options_.label);return"main-
... desc"===this.options_.track.kind&&(n+='<span aria-hidden="true"
... class="vjs-icon-placeholder"></span>\n
... class="vjs-control-text"> '+this.localize("Descriptions")+</span>\n
... "),n+="</span>",s.prototype.createEl.call(this,t,b({innerHTML:n},e),i)},e.
... handleClick=function(t){var
... e=this.player_.audioTracks();s.prototype.handleClick.call(this,t);for(var
... i=0;i<e.length;i++){var
... n=e[i];n.enabled=n===this.track}},e.handleTracksChange=function(t){this.
... selected(this.track.enabled)},t}(Kn);jt.registerComponent("
... AudioTrackMenuItem",ur);var lr=function(i){function t(t,e){return void
... 0===e&&(e={}),e.tracks=t.audioTracks(),i.call(this,t,e)||this}f(t,i);var
... e=t.prototype;return e.buildCSSClass=function(){return"vjs-audio-button
... "+i.prototype.buildCSSClass.call(this)},e.buildWrapperCSSClass=function(){
... return"vjs-audio-button
... "+i.prototype.buildWrapperCSSClass.call(this)},e.createItems=function(t){
... void 0===t&&(t=[]),this.hideThreshold_=1;for(var
... e=this.player_.audioTracks(),i=0;i<e.length;i++){var n=e[i];t.push(new
... ur(this.player_,{track:n,selectable:!0,multiSelectable:!1}))}return
... t},t}($n);lr.prototype.controlText_"Audio
... Track",jt.registerComponent("AudioTrackButton",lr);var
... cr=function(a){function t(t,e){var i,n=e.rate,r=parseFloat(n,10);return
... e.label=n,e.selected=1===r,e.selectable=!0,e.multiSelectable=!1,(i=a.call(
... this,t,e)||this).label=n,i.rate=r,i.on(t,"ratechange",i.update),i}f(t,a);var
... e=t.prototype;return
... e.handleClick=function(t){a.prototype.handleClick.call(this),this.player().
... playbackRate(this.rate)},e.update=function(t){this.selected(this.player().
... playbackRate()===this.rate)},t}(Kn);cr.prototype.contentType="button",jt.
... registerComponent("PlaybackRateMenuItem",cr);var hr=function(n){function
... t(t,e){var
... i;return(i=n.call(this,t,e)||this).updateVisibility(),i.updateLabel(),i.on(t
... ,"loadstart",i.updateVisibility),i.on(t,"ratechange",i.updateLabel),i}f(t,n)
... ;var e=t.prototype;return e.createEl=function(){var
... t=n.prototype.createEl.call(this);return
... this.labelEl_=A("div",{className:"vjs-playback-rate-value",innerHTML:"1x"}),
... t.appendChild(this.labelEl_),t,e.dispose=function(){this.labelEl_=null,n.
... prototype.dispose.call(this)},e.buildCSSClass=function(){return"vjs-playback
... -rate
... "+n.prototype.buildCSSClass.call(this)},e.buildWrapperCSSClass=function(){
... return"vjs-playback-rate
... "+n.prototype.buildWrapperCSSClass.call(this)},e.createMenu=function(){var
... t=new Xn(this.player()),e=this.playbackRates();if(e)for(var
... i=e.length-1;0<=i;i--)t.addChild(new
... cr(this.player(),{rate:e[i]+"x"}));return
... t},e.updateARIAAttributes=function(){this.el().setAttribute("aria-valuenow",
... this.player().playbackRate())},e.handleClick=function(t){for(var
... e=this.player().playbackRate(),i=this.playbackRates(),n=i[0],r=0;r<i.length;
```

```
12... r++)if(i[r]>e){n=i[r];break}this.player().playbackRate(n)},e.playbackRates=
... function(){return
... this.options_.playbackRates||this.options_.playerOptions&&this.options_.
... playerOptions.playbackRates},e.playbackRateSupported=function(){return
... this.player().tech_&&this.player().tech_.featuresPlaybackRate&&this.
... playbackRates()&&0<this.playbackRates().length},e.updateVisibility=function(
... t){this.playbackRateSupported()?this.removeClass("vjs-hidden"):this.addClass
... ("vjs-hidden")},e.updateLabel=function(t){this.playbackRateSupported()&&(
... this.labelEl_.innerHTML=this.player().playbackRate()+"x")},t}(Yn);hr.
... prototype.controlText_="Playback
... Rate",jt.registerComponent("PlaybackRateMenuButton",hr);var
... dr=function(t){function e(){return t.apply(this,arguments)||this}f(e,t);var
... i=e.prototype;return i.buildCSSClass=function(){return"vjs-spacer
... "+t.prototype.buildCSSClass.call(this)},i.createEl=function(){return
... t.prototype.createEl.call(this,"div",{className:this.buildCSSClass()})},e}(
... jt);jt.registerComponent("Spacer",dr);var pr=function(e){function t(){return
... e.apply(this,arguments)||this}f(t,e);var i=t.prototype;return
... i.buildCSSClass=function(){return"vjs-custom-control-spacer
... "+e.prototype.buildCSSClass.call(this)},i.createEl=function(){var
... t=e.prototype.createEl.call(this,{className:this.buildCSSClass()});return
... t.innerHTML=" ",t},t}(dr);jt.registerComponent("CustomControlSpacer",pr);var
... fr=function(t){function e(){return t.apply(this,arguments)||this}return
... f(e,t),e.prototype.createEl=function(){return
... t.prototype.createEl.call(this,"div",{className:"vjs-control-bar",dir:"ltr"
... })},e}(jt);fr.prototype.options_={children:["playToggle","volumePanel","
... currentTimeDisplay","timeDivider","durationDisplay","progressControl","
... liveDisplay","remainingTimeDisplay","customControlSpacer","
... playbackRateMenuButton","chaptersButton","descriptionsButton","
... subsCapsButton","audioTrackButton","fullscreenToggle"]},jt.registerComponent
... ("ControlBar",fr);var mr=function(n){function t(t,e){var
... i;return(i=n.call(this,t,e)||this).on(t,"error",i.open),i}f(t,n);var
... e=t.prototype;return e.buildCSSClass=function(){return"vjs-error-display
... "+n.prototype.buildCSSClass.call(this)},e.content=function(){var
... t=this.player().error();return
... t?this.localize(t.message):""},t}(Oe);mr.prototype.options_=Nt(Oe.prototype.
... options_,{pauseOnOpen:!1,fillAlways:!0,temporary:!1,uncloseable:!0}),jt.
... registerComponent("ErrorDisplay",mr);var
... gr="vjs-text-track-settings",yr=["#000","Black"],vr=["#00F","Blue"],_r=["#
... 0FF","Cyan"],br=["#0F0","Green"],Tr=["#F0F","Magenta"],Sr=["#F00","Red"],kr=
... ["#FFF","White"],wr=["#FF0","Yellow"],Cr=["1","Opaque"],Er=["0.5","Semi-
... Transparent"],Ar=["0","Transparent"],Lr={backgroundColor:{selector:".vjs-bg-
... color >
... select",id:"captions-background-color-%s",label:"Color",options:[yr,kr,Sr,br
... ,vr,wr,Tr,_r]},backgroundOpacity:{selector:".vjs-bg-opacity >
... select",id:"captions-background-opacity-%s",label:"Transparency",options:[Cr
... ,Er,Ar]},color:{selector:".vjs-fg-color >
... select",id:"captions-foreground-color-%s",label:"Color",options:[kr,yr,Sr,br
... ,vr,wr,Tr,_r]},edgeStyle:{selector:".vjs-edge-style >
```

```
12... select",id:"%s",label:"Text Edge
... Style",options:[["none","None"],["raised","Raised"],["depressed","Depressed"
... ],["uniform","Uniform"],["dropshadow","Dropshadow"]]},fontFamily:{selector:"
... .vjs-font-family > select",id:"captions-font-family-%s",label:"Font
... Family",options:[["proportionalSansSerif","Proportional
... Sans-Serif"],["monospaceSansSerif","Monospace
... Sans-Serif"],["proportionalSerif","Proportional
... Serif"],["monospaceSerif","Monospace
... Serif"],["casual","Casual"],["script","Script"],["small-caps","Small
... Caps"]]},fontPercent:{selector:".vjs-font-percent >
... select",id:"captions-font-size-%s",label:"Font
... Size",options:[["0.50","50%"],["0.75","75%"],["1.00","100%"],["1.25","125%"
... ],["1.50","150%"],["1.75","175%"],["2.00","200%"],["3.00","300%"],["4.00","
... 400%"]],default:2,parser:function(t){return"1.00"===t?null:Number(t)}},
... textOpacity:{selector:".vjs-text-opacity >
... select",id:"captions-foreground-opacity-%s",label:"Transparency",options:[Cr
... ,Er]},windowColor:{selector:".vjs-window-color >
... select",id:"captions-window-color-%s",label:"Color"},windowOpacity:{selector
... :".vjs-window-opacity >
... select",id:"captions-window-opacity-%s",label:"Transparency",options:[Ar,Er,
... Cr]}};function Or(t,e){if(e&&(t=e(t)),t&&"none"!==t)return
... t}Lr.windowColor.options=Lr.backgroundColor.options;var
... Pr=function(n){function t(t,e){var i;return
... e=temporary=!1,(i=n.call(this,t,e)|this).updateDisplay=kt(m(m(i)),i.
... updateDisplay),i.fill(),i.hasBeenOpened_=i.hasBeenFilled_=!0,i.endDialog=A("
... p",{className:"vjs-control-text",textContent:i.localize("End of dialog
... window.")}),i.el().appendChild(i.endDialog),i.setDefaults(),void
... 0===e.persistTextTrackSettings&&(i.options_.persistTextTrackSettings=i.
... options_.playerOptions.persistTextTrackSettings),i.on(i.$(".vjs-done-button"
... ),"click",function(){i.saveSettings(),i.close()}),i.on(i.$(".vjs-default-
... button"),"click",function(){i.setDefaults(),i.updateDisplay()}),o(Lr,
... function(t){i.on(i.$(t.selector),"change",i.updateDisplay)}),i.options_.
... persistTextTrackSettings&&i.restoreSettings(),i)f(t,n);var
... e=t.prototype;return
... e.dispose=function(){this.endDialog=null,n.prototype.dispose.call(this)},e.
... createElSelect_=function(t,e,i){var n=this;void 0===e&&(e=""),void
... 0===i&&(i="label");var r=Lr[t],a=r.id.replace("%s",this.id_),s=[e,a].join("
... ").trim();return["<"+i+' id="'+a+' "
... class="'+("label"===i?"vjs-label":"")+ "'>',this.localize(r.label),"</"+i+">
... ", '<select aria-labelledby="'+s+' ">'].concat(r.options.map(function(t){var
... e=a+"-"+t[1].replace(/\\W+/g,"");return['<option id="'+e+' " value="'+t[0]+' "
... ', 'aria-labelledby="'+s+' "
... "+e+' ">',n.localize(t[1]),"</option>"].join("")))).concat("</select>").join(
... "")),e.createElFgColor_=function(){var
... t="captions-text-legend-"+this.id_;return['<fieldset class="vjs-fg-color
... vjs-track-setting">', '<legend
... id="'+t+' ">',this.localize("Text"),"</legend>",this.createElSelect_("color",
... t),'<span class="vjs-text-opacity
```

```
12... vjs-opacity">',this.createElSelect_("textOpacity",t),"</span>","</fieldset>"+
... ].join("")),e.createElBgColor_=function(){var
... t="captions-background-"+this.id_;return['<fieldset class="vjs-bg-color
... vjs-track-setting">', '<legend
... id="'+t+'"'>',this.localize("Background"),"</legend>",this.createElSelect_("
... backgroundColor",t),'<span class="vjs-bg-opacity
... vjs-opacity">',this.createElSelect_("backgroundOpacity",t),"</span>","</
... fieldset>"].join("")),e.createElWinColor_=function(){var
... t="captions-window-"+this.id_;return['<fieldset class="vjs-window-color
... vjs-track-setting">', '<legend
... id="'+t+'"'>',this.localize("Window"),"</legend>",this.createElSelect_("
... windowColor",t),'<span class="vjs-window-opacity
... vjs-opacity">',this.createElSelect_("windowOpacity",t),"</span>","</fieldset
... >"].join("")),e.createElColors_=function(){return
... A("div",{className:"vjs-track-settings-colors",innerHTML:[this.
... createElFgColor_(),this.createElBgColor_(),this.createElWinColor_()].join("
... )}}),e.createElFont_=function(){return
... A("div",{className:"vjs-track-settings-font",innerHTML:['<fieldset
... class="vjs-font-percent
... vjs-track-setting">',this.createElSelect_("fontPercent","", "legend"),"</
... fieldset>','<fieldset class="vjs-edge-style
... vjs-track-setting">',this.createElSelect_("edgeStyle","", "legend"),"</
... fieldset>','<fieldset class="vjs-font-family
... vjs-track-setting">',this.createElSelect_("fontFamily","", "legend"),"</
... fieldset>"].join("))}},e.createElControls_=function(){var
... t=this.localize("restore all settings to the default values");return
... A("div",{className:"vjs-track-settings-controls",innerHTML:['<button
... type="button" class="vjs-default-button"
... title="'+t+'"'>',this.localize("Reset"),'<span class="vjs-control-text">
... '+t+'</span>','</button>','<button type="button"
... class="vjs-done-button">'+this.localize("Done")+</button>'].join("))}},e.
... content=function(){return[this.createElColors_(),this.createElFont_(),this.
... createElControls_()]},e.label=function(){return this.localize("Caption
... Settings Dialog")},e.description=function(){return this.localize("Beginning
... of dialog window. Escape will cancel and close the
... window.")},e.buildCSSClass=function(){return
... n.prototype.buildCSSClass.call(this)+"
... vjs-text-track-settings"},e.getValues=function(){var i,n,t,s=this;return
... n=function(t,e,i){var
... n,r,a=(n=s.$(e.selector),r=e.parser,Or(n.options[n.options.selectedIndex].
... value,r));return void 0!==a&&(t[i]=a),t},void
... 0===(t={})&&(t=0),r(i=Lr).reduce(function(t,e){return
... n(t,i[e],e)},t)},e.setValues=function(i){var
... n=this;o(Lr,function(t,e){!function(t,e,i){if(e)for(var
... n=0;n<t.options.length;n++)if(Or(t.options[n].value,i)===e){t.selectedIndex=
... n;break}}(n.$(t.selector),i[e],t.parser))}},e.setDefaults=function(){var
... i=this;o(Lr,function(t){var
... e=t.hasOwnProperty("default"?t.default:0;i.$(t.selector).selectedIndex=e))}
```

```
12... ,e.restoreSettings=function(){var
... t;try{t=JSON.parse(v.localStorage.getItem(gr))}catch(t){g.warn(t)}t&&this.
... setValues(t)},e.saveSettings=function(){if(this.options_
... persistTextTrackSettings){var
... t=this.getValues();try{Object.keys(t).length?v.localStorage.setItem(gr,JSON.
... stringify(t):v.localStorage.removeItem(gr)}catch(t){g.warn(t)}}},e.
... updateDisplay=function(){var
... t=this.player_.getChild("textTrackDisplay");t&&t.updateDisplay()},e.
... conditionalBlur_=function(){this.previouslyActiveEl_=null,this.off(d,"
... keydown",this.handleKeyDown);var
... t=this.player_.controlBar,e=t&&t.subsCapsButton,i=t&&t.captionsButton;e?e.
... focus():i&&i.focus()},t}(0e);jt.registerComponent("TextTrackSettings",Pr);
... var Ur=function(a){function t(t,e){var
... i,n=e.ResizeObserver||v.ResizeObserver;null===e.ResizeObserver&&(n=!1);var
... r=Nt({createElement:!n,reportTouchActivity:!1},e);return(i=a.call(this,t,r)||this
... ).ResizeObserver=e.ResizeObserver||v.ResizeObserver,i.loadListener_=null,i.
... resizeObserver_=null,i.debouncedHandler_=function(n,r,a,s){var o;void
... 0===s&&(s=v);var t=function(){var
... t=this,e=arguments,i=function(){i=o=null,a||n.apply(t,e)};!o&&a&&n.apply(t,e
... ),s.clearTimeout(o),o=s.setTimeout(i,r)};return
... t.cancel=function(){s.clearTimeout(o),o=null},t}(function(){i.resizeHandler(
... )},100,!1,m(m(i))),n?(i.resizeObserver_=new
... i.ResizeObserver(i.debouncedHandler_),i.resizeObserver_.observe(t.el())):(i.
... loadListener_=function(){i.el_&&i.el_.contentWindow&&ht(i.el_.contentWindow,
... "resize",i.debouncedHandler_)},i.one("load",i.loadListener_)),i}f(t,a);var
... e=t.prototype;return e.createElement=function(){return
... a.prototype.createElement.call(this,"iframe",{className:"vjs-resize-manager"}),e
... .resizeHandler=function(){this.player_&&this.player_.trigger&&this.player_.
... trigger("playerresize")},e.dispose=function(){this.debouncedHandler_&&this.
... debouncedHandler_.cancel(),this.resizeObserver_&&(this.player_.el()&&this.
... resizeObserver_.unobserve(this.player_.el()),this.resizeObserver_.disconnect
... ()),this.el_&&this.el_.contentWindow&&dt(this.el_.contentWindow,"resize",
... this.debouncedHandler_),this.loadListener_&&this.off("load",this.
... loadListener_),this.ResizeObserver=null,this.resizeObserver=null,this.
... debouncedHandler_=null,this.loadListener_=null},t}(jt);jt.registerComponent(
... "ResizeManager",Ur);var xr=function(t){var
... e=t.el();if(e.hasAttribute("src"))return t.triggerSourceset(e.src),!0;var
... i=t.$$("source"),n=[],r="";if(!i.length)return!1;for(var
... a=0;a<i.length;a++){var
... s=i[a].src;s&&-1===n.indexOf(s)&&n.push(s)}return!!n.length&&(1===n.length&&
... (r=n[0]),t.triggerSourceset(r),!0)},Ir=Object.defineProperty({},"innerHTML",
... {get:function(){return this.cloneNode(!0).innerHTML},set:function(t){var
... e=d.createElement(this.nodeName.toLowerCase());e.innerHTML=t;for(var
... i=d.createDocumentFragment();e.childNodes.length;)i.appendChild(e.childNodes
... [0]);return
... this.innerHTML="",v.Element.prototype.appendChild.call(this,i),this.
... innerHTML}}),Dr=function(t,e){for(var
... i={},n=0;n<t.length&&!((i=Object.getOwnPropertyDescriptor(t[n],e))&&i.set&&i
```



```
12... .get);n++);return i.enumerable=!0,i.configurable=!0,i},Rr=function(a){var
... s=a.el();if(!s.resetSourceWatch_){var
... e={},t=Dr([a.el(),v.HTMLMediaElement.prototype,v.Element.prototype,lr],"
... innerHTML"),i=function(r){return function(){for(var t=arguments.length,e=new
... Array(t),i=0;i<t;i++)e[i]=arguments[i];var n=r.apply(s,e);return
... xr(a),n}};["append","appendChild","insertAdjacentHTML"].forEach(function(t){
... s[t]&&(e[t]=s[t],s[t]=i(e[t]))}),Object.defineProperty(s,"innerHTML",Nt(t,{
... set:i(t.set)})),s.resetSourceWatch_=function(){s.resetSourceWatch_=null,
... Object.keys(e).forEach(function(t){s[t]=e[t]}),Object.defineProperty(s,"
... innerHTML",t)},a.one("sourceset",s.resetSourceWatch_)},Mr=Object.
... defineProperty({}, "src", {get: function() {return
... this.hasAttribute("src")?We(v.Element.prototype.getAttribute.call(this, "src"
... )): ""}, set: function(t) {return
... v.Element.prototype.setAttribute.call(this, "src", t), t}}, Br=function(n) {if (n
... .featuresSourceset) {var r=n.el(); if (!r.resetSourceset_) {var
... i=Dr([n.el(), v.HTMLMediaElement.prototype, Mr], "src"), a=r.setAttribute, e=r.
... load; Object.defineProperty(r, "src", Nt(i, {set: function(t) {var
... e=i.set.call(r, t); return
... n.triggerSourceset(r.src), e}))), r.setAttribute=function(t, e) {var
... i=a.call(r, t, e); return /src/i.test(t) && n.triggerSourceset(r.src), i}, r.load=
... function() {var t=e.call(r); return
... xr(n) || (n.triggerSourceset(""), Rr(n)), t}, r.currentSrc?n.triggerSourceset(r.
... currentSrc):xr(n) || Rr(n), r.resetSourceset_=function() {r.resetSourceset_=null
... , r.load=e, r.setAttribute=a, Object.defineProperty(r, "src", i), r.
... resetSourceWatch_&&r.resetSourceWatch_()}}}); function Nr() {var t=e(["Text
... Tracks are being loaded from another origin but the crossorigin attribute
... isn't used.\n          This may prevent text tracks from
... loading."]); return Nr=function() {return t}, t} var jr=function(c) {function
... o(t, e) {var i; i=c.call(this, t, e) || this; var
... n=t.source, r=!1; if (n&&(i.el_.currentSrc!==n.src || t.tag&&3===t.tag.
... initNetworkState_)?i.setSource(n):i.handleLateInit_(i.el_), t.enableSourceset
... &&i.setupSourcesetHandling_(i.el_.hasChildNodes())) {for (var
... a=i.el_.childNodes, s=a.length, o=[]; s--;) {var
... u=a[s]; "track"===u.nodeName.toLowerCase()&&(i.featuresNativeTextTracks?(i.
... remoteTextTrackEls().addTrackElement_(u), i.remoteTextTracks().addTrack(u.
... track), i.textTracks().addTrack(u.track), r || i.el_.hasAttribute("crossorigin")
... || !Xe(u.src) || (r=!0)):o.push(u))} for (var
... l=0; l<o.length; l++) i.el_.removeChild(o[l])} return
... i.proxyNativeTracks_(i.featuresNativeTextTracks&&r&&g.warn(_(Nr()))), i.
... restoreMetadataTracksInIOSNativePlayer_(ue || Yt || te) && !0===t.
... nativeControlsForTouch&&i.setControls(!0), i.proxyWebkitFullscreen_(i.
... triggerReady(), i)} f(o, c); var t=o.prototype; return
... t.dispose=function() {this.el_&&this.el_.resetSourceset_&&this.el_.
... resetSourceset_(), o.disposeMediaElement(this.el_), this.options_=null, c.
... prototype.dispose.call(this)}, t.setupSourcesetHandling_=function() {Br(this)
... , t.restoreMetadataTracksInIOSNativePlayer_=function() {var
... n, r=this.textTracks(), t=function() {n=[]; for (var t=0; t<r.length; t++) {var
... e=r[t]; "metadata"===e.kind&&n.push({track:e, storedMode:e.mode})}}; t(), r.
```

```
12... addEventListener("change",t),this.on("dispose",function(){return
... r.removeEventListener("change",t)});var e=function t(){for(var
... e=0;e<n.length;e++){var
... i=n[e];"disabled"===i.track.mode&&i.track.mode!==i.storedMode&&(i.track.mode
... =i.storedMode)}r.removeEventListener("change",t)};this.on("
... webkitbeginfullscreen",function(){r.removeEventListener("change",t),r.
... removeEventListener("change",e),r.addEventListener("change",e)}),this.on("
... webkitendfullscreen",function(){r.removeEventListener("change",t),r.
... addEventListener("change",t),r.removeEventListener("change",e)}),t.
... overrideNative_=function(t,e){var
... i=this;if(e===this["featuresNative"+t+"Tracks"]){var
... n=t.toLowerCase();this[n+"TracksListeners_"]&&Object.keys(this[n+"
... TracksListeners_"]).forEach(function(t){i.el()[n+"Tracks"].
... removeEventListener(t,i[n+"TracksListeners_"][t])}),this["featuresNative"+t+
... "Tracks"]=!e,this[n+"TracksListeners_"]=null,this.proxyNativeTracksForType_(
... n)}},t.overrideNativeAudioTracks=function(t){this.overrideNative_("Audio",t)
... },t.overrideNativeVideoTracks=function(t){this.overrideNative_("Video",t)},t
... .proxyNativeTracksForType_=function(t){var
... n=this,e=bi[t],r=this.el()[e.getterName],a=this[e.getterName]();if(this["
... featuresNative"+e.capitalName+"Tracks"]&&r&&r.addEventListener){var
... s={change:function(t){a.trigger({type:"change",target:a,currentTarget:a,
... srcElement:a})},addtrack:function(t){a.addTrack(t.track)},removetrack:
... function(t){a.removeTrack(t.track)}},i=function(){for(var
... t=[],e=0;e<a.length;e++){for(var
... i=!1,n=0;n<r.length;n++)if(r[n]===a[e]){i=!0;break}i||t.push(a[e])}for(;t.
... length;)a.removeTrack(t.shift())};this[e.getterName+"Listeners_"]=s,Object.
... keys(s).forEach(function(e){var
... i=s[e];r.addEventListener(e,i),n.on("dispose",function(t){return
... r.removeEventListener(e,i)})),this.on("loadstart",i),this.on("dispose",
... function(t){return
... n.off("loadstart",i)}})},t.proxyNativeTracks_=function(){var
... e=this;bi.names.forEach(function(t){e.proxyNativeTracksForType_(t)}),t.
... createEl=function(){var
... t=this.options_.tag;if(!t||!this.options_.playerElIngest&&!this.
... movingMediaElementInDOM){if(t){var
... e=t.cloneNode(!0);t.parentNode&&t.parentNode.insertBefore(e,t),o.
... disposeMediaElement(t),t=e}else{t=d.createElement("video");var
... i=Nt({},this.options_.tag&&R(this.options_.tag));ue&&!0===this.options_.
... nativeControlsForTouch|delete
... i.controls,D(t,b(i,{id:this.options_.techId,class:"vjs-tech"}))}t.playerId=
... this.options_.playerId}"undefined"!==typeof
... this.options_.preload&&B(t,"preload",this.options_.preload);for(var
... n=["loop","muted","playsinline","autoplay"],r=0;r<n.length;r++){var
... a=n[r],s=this.options_[a];"undefined"!==typeof
... s&&(s?B(t,a,a):N(t,a),t[a]=s)}return
... t},t.handleLateInit_=function(t){if(0!==t.networkState&&3!==t.networkState){
... if(0===t.readyState){var e=!1,i=function(){e=!0};this.on("loadstart",i);var
... n=function(){e||this.trigger("loadstart")};return
```

```
12... this.on("loadedmetadata",n),void
... this.ready(function(){this.off("loadstart",i),this.off("loadedmetadata",n),e
... ||this.trigger("loadstart")})}var
... r=["loadstart"];r.push("loadedmetadata"),2<=t.readyState&&r.push("loadeddata
... "),3<=t.readyState&&r.push("canplay"),4<=t.readyState&&r.push("
... canplaythrough"),this.ready(function(){r.forEach(function(t){this.trigger(t)
... },this)}}},t.setCurrentTime=function(t){try{this.el_.currentTime=t}catch(t)
... {g(t,"Video is not ready. (Video.js)")}},t.duration=function(){var
... e=this;if(this.el_.duration===1/0&&Jt&&ne&&0===this.el_.currentTime){return
... this.on("timeupdate",function
... t(){0<e.el_.currentTime&&(e.el_.duration===1/0&&e.trigger("durationchange"),
... e.off("timeupdate",t))}),NaN}return
... this.el_.duration||NaN},t.width=function(){return
... this.el_.offsetWidth},t.height=function(){return
... this.el_.offsetHeight},t.proxyWebkitFullscreen_=function(){var
... t=this;if("webkitDisplayingFullscreen"in this.el_){var
... e=function(){this.trigger("fullscreenchange",{isFullscreen:!1})},i=function(
... ){"webkitPresentationMode"in
... this.el_&&"picture-in-picture"!==this.el_.webkitPresentationMode&&(this.one(
... "webkitendfullscreen",e),this.trigger("fullscreenchange",{isFullscreen:!0}))
... };this.on("webkitbeginfullscreen",i),this.on("dispose",function(){t.off("
... webkitbeginfullscreen",i),t.off("webkitendfullscreen",e)}}},t.
... supportsFullScreen=function(){if("function"===typeof
... this.el_.webkitEnterFullScreen){var
... t=v.navigator&&v.navigator.userAgent||"";if(/Android/.test(t)||!/Chrome|Mac
... OS X 10.5/.test(t))return!0}return!1},t.enterFullScreen=function(){var
... t=this.el_;t.paused&&t.networkState<=t.HAVE_METADATA?(this.el_.play(),this.
... setTimeout(function(){t.pause(),t.webkitEnterFullScreen()},0)):t.
... webkitEnterFullScreen(),t.exitFullScreen=function(){this.el_.
... webkitExitFullScreen(),t.src=function(t){if(void 0===t)return
... this.el_.src;this.setSrc(t)},t.reset=function(){o.resetMediaElement(this.el_
... )},t.currentSrc=function(){return
... this.currentSource_?this.currentSource_.src:this.el_.currentSrc},t.
... setControls=function(t){this.el_.controls=!!t},t.addTextTrack=function(t,e,i
... ){return
... this.featuresNativeTextTracks?this.el_.addTextTrack(t,e,i):c.prototype.
... addTextTrack.call(this,t,e,i)},t.createRemoteTextTrack=function(t){if(!this.
... featuresNativeTextTracks)return
... c.prototype.createRemoteTextTrack.call(this,t);var
... e=d.createElement("track");return
... t.kind&&(e.kind=t.kind),t.label&&(e.label=t.label),(t.language||t.srclang)&&
... (e.srclang=t.language||t.srclang),t.default&&(e.default=t.default),t.id&&(e.
... id=t.id),t.src&&(e.src=t.src),e},t.addRemoteTextTrack=function(t,e){var
... i=c.prototype.addRemoteTextTrack.call(this,t,e);return
... this.featuresNativeTextTracks&&this.el().appendChild(i),i},t.
... removeRemoteTextTrack=function(t){if(c.prototype.removeRemoteTextTrack.call(
... this,t),this.featuresNativeTextTracks)for(var
... e=this.$$("track"),i=e.length;i--;)t!==e[i]&&t!==e[i].track||this.el().
```

```
12... removeChild(e[i])),t.getVideoPlaybackQuality=function(){if("function"==
... typeof this.el().getVideoPlaybackQuality)return
... this.el().getVideoPlaybackQuality();var t={};return"undefined"!==typeof
... this.el().webkitDroppedFrameCount&&"undefined"!==typeof
... this.el().webkitDecodedFrameCount&&(t.droppedVideoFrames=this.el().
... webkitDroppedFrameCount,t.totalVideoFrames=this.el().webkitDecodedFrameCount
... ),v.performance&&"function"===typeof
... v.performance.now?t.creationTime=v.performance.now():v.performance&&v.
... performance.timing&&"number"===typeof
... v.performance.timing.navigationStart&&(t.creationTime=v.Date.now()-v.
... performance.timing.navigationStart),t},o)(Qi);if(k()){jr.TEST_VID=d.
... createElement("video");var
... Fr=d.createElement("track");Fr.kind="captions",Fr.srclang="en",Fr.label="
... English",jr.TEST_VID.appendChild(Fr)}jr.isSupported=function(){try{jr.
... TEST_VID.volume=.5}catch(t){return!1}return(!jr.TEST_VID||!jr.TEST_VID.
... canPlayType)},jr.canPlayType=function(t){return
... jr.TEST_VID.canPlayType(t)},jr.canPlaySource=function(t,e){return
... jr.canPlayType(t.type)},jr.canControlVolume=function(){try{var
... t=jr.TEST_VID.volume;return
... jr.TEST_VID.volume=t/2+.1,t!==jr.TEST_VID.volume}catch(t){return!1}},jr.
... canMuteVolume=function(){try{var t=jr.TEST_VID.muted;return
... jr.TEST_VID.muted=!t,jr.TEST_VID.muted?B(jr.TEST_VID,"muted","muted"):N(jr.
... TEST_VID,"muted"),t!==jr.TEST_VID.muted}catch(t){return!1}},jr.
... canControlPlaybackRate=function(){if(Jt&&ne&&re<58)return!1;try{var
... t=jr.TEST_VID.playbackRate;return
... jr.TEST_VID.playbackRate=t/2+.1,t!==jr.TEST_VID.playbackRate}catch(t){return
... !1}},jr.canOverrideAttributes=function(){try{var
... t=function(){};Object.defineProperty(d.createElement("video"),"src",{get:t,
... set:t}),Object.defineProperty(d.createElement("audio"),"src",{get:t,set:t}),
... Object.defineProperty(d.createElement("video"),"innerHTML",{get:t,set:t}),
... Object.defineProperty(d.createElement("audio"),"innerHTML",{get:t,set:t})}
... catch(t){return!1}return!0},jr.supportsNativeTextTracks=function(){return
... oe||Kt&&ne},jr.supportsNativeVideoTracks=function(){return(!jr.TEST_VID||!
... jr.TEST_VID.videoTracks)},jr.supportsNativeAudioTracks=function(){return(!
... jr.TEST_VID||!jr.TEST_VID.audioTracks)},jr.Events=["loadstart","suspend","
... abort","error","emptied","stalled","loadedmetadata","loadeddata","canplay","
... canplaythrough","playing","waiting","seeking","seeked","ended","
... durationchange","timeupdate","progress","play","pause","ratechange","resize"
... ,"volumechange"],jr.prototype.featuresVolumeControl=jr.canControlVolume(),jr
... .prototype.featuresMuteControl=jr.canMuteVolume(),jr.prototype.
... featuresPlaybackRate=jr.canControlPlaybackRate(),jr.prototype.
... featuresSourceset=jr.canOverrideAttributes(),jr.prototype.
... movingMediaElementInDOM=!Kt,jr.prototype.featuresFullscreenResize=!0,jr.
... prototype.featuresProgressEvents=!0,jr.prototype.featuresTimeupdateEvents=!0
... ,jr.prototype.featuresNativeTextTracks=jr.supportsNativeTextTracks(),jr.
... prototype.featuresNativeVideoTracks=jr.supportsNativeVideoTracks(),jr.
... prototype.featuresNativeAudioTracks=jr.supportsNativeAudioTracks();var
... Vr=jr.TEST_VID&&jr.TEST_VID.constructor.prototype.canPlayType,Hr=/^
```

```
12... application\/(?:x-|vnd\.apple\.)mpegurl/i;function qr(){var t=e(["\n
... Using the tech directly can be dangerous. I hope you know what you're
... doing.\n      See https://github.com/videojs/video.js/issues/2617 for more
... info.\n      "]);return qr=function(){return
... t},t}jr.patchCanPlayType=function(){4<=Zt&&!ee&&!ne&&(jr.TEST_VID.
... constructor.prototype.canPlayType=function(t){return
... t&&Hr.test(t)?"maybe":Vr.call(this,t)}},jr.unpatchCanPlayType=function(){
... var t=jr.TEST_VID.constructor.prototype.canPlayType;return
... jr.TEST_VID.constructor.prototype.canPlayType=Vr,t},jr.patchCanPlayType(),jr
... .disposeMediaElement=function(t){if(t){for(t.parentNode&&t.parentNode.
... removeChild(t);t.hasChildNodes();)t.removeChild(t.firstChild);t.
... removeAttribute("src"),"function"===typeof
... t.load&&function(){try{t.load()}catch(t){}}()}},jr.resetMediaElement=
... function(t){if(t){for(var
... e=t.querySelectorAll("source"),i=e.length;i--;)t.removeChild(e[i]);t.
... removeAttribute("src"),"function"===typeof
... t.load&&function(){try{t.load()}catch(t){}}()}},["muted","defaultMuted","
... autoplay","controls","loop","playsinline"].forEach(function(t){jr.prototype[
... t]=function(){return
... this.el_[t]||this.el_.hasAttribute(t)}},["muted","defaultMuted","autoplay",
... "loop","playsinline"].forEach(function(e){jr.prototype["set"+Bt(e)]=function
... (t){(this.el_[e]=t)?this.el_.setAttribute(e,e):this.el_.removeAttribute(e)}
... },["paused","currentTime","buffered","volume","poster","preload","error","
... seeking","seekable","ended","playbackRate","defaultPlaybackRate","played","
... networkState","readyState","videoWidth","videoHeight"].forEach(function(t){
... jr.prototype[t]=function(){return
... this.el_[t]}},["volume","src","poster","preload","playbackRate","
... defaultPlaybackRate"].forEach(function(e){jr.prototype["set"+Bt(e)]=function
... (t){this.el_[e]=t}}},["pause","load","play"].forEach(function(t){jr.
... prototype[t]=function(){return
... this.el_[t]}},Qi.withSourceHandlers(jr),jr.nativeSourceHandler={},jr.
... nativeSourceHandler.canPlayType=function(t){try{return
... jr.TEST_VID.canPlayType(t)}catch(t){return""}},jr.nativeSourceHandler.
... canHandleSource=function(t,e){if(t.type)return
... jr.nativeSourceHandler.canPlayType(t.type);if(t.src){var i=Ge(t.src);return
... jr.nativeSourceHandler.canPlayType("video/"+i)}return""},jr.
... nativeSourceHandler.handleSource=function(t,e,i){e.setSrc(t.src)},jr.
... nativeSourceHandler.dispose=function(){},jr.registerSourceHandler(jr.
... nativeSourceHandler),Qi.registerTech("Html5",jr);var
... zr=["progress","abort","suspend","emptied","stalled","loadedmetadata","
... loadeddata","timeupdate","resize","volumechange","texttrackchange"],Wr={
... canplay:"CanPlay",canplaythrough:"CanPlayThrough",playing:"Playing",seeked:"
... Seeked"},Gr=["tiny","xsmall","small","medium","large","xlarge","huge"],Xr={
... };Gr.forEach(function(t){var
... e="x"===t.charAt(0)?"x-"+t.substring(1):t;Xr[t]="vjs-layout-"+e});var
... Yr={tiny:210,xsmall:320,small:425,medium:768,large:1440,xlarge:2560,huge:1/0
... },$r=function(c){function h(t,e,i){var
... n;if(t.id=t.id||e.id||"vjs_video_"+tt(),(e=b(h.getTagSettings(t),e)).
```

```
12... initChildren=!1,e.createEl=!1,e.evented=!1,e.reportTouchActivity=!1,!e.
... language)if("function"===typeof t.closest){var
... r=t.closest("[lang]");r&&r.getAttribute&&(e.language=r.getAttribute("lang"))
... }else for(var
... a=t;a&&1===a.nodeType){if(R(a).hasOwnProperty("lang")){e.language=a.
... getAttribute("lang");break}a=a.parentNode}if((n=c.call(this,null,e,i)||this)
... .log=y(n.id_),n.isPosterFromTech_=!1,n.queuedCallbacks_=[],n.isReady_=!1,n.
... hasStarted_=!1,n.userActive_=!1,!n.options_||!n.options_.techOrder||!n.
... options_.techOrder.length)throw new Error("No techOrder specified. Did you
... overwrite videojs.options instead of just changing the properties you want
... to
... override?");if(n.tag=t,n.tagAttributes=t&&R(t),n.language(n.options_
... language),e.languages){var
... s={};Object.getOwnPropertyNames(e.languages).forEach(function(t){s[t.
... toLowerCase()]=e.languages[t]}),n.languages_=s}else
... n.languages_=h.prototype.options_.languages;n.cache_={},n.poster_=e.poster||
... "",n.controls_!!e.controls,n.cache_.lastVolume=1,t.controls=!1,t.
... removeAttribute("controls"),t.hasAttribute("autoplay"?n.options_.autoplay=!
... 0:n.autoplay(n.options_.autoplay),n.scrubbing_=!1,n.el_=n.createEl(),n.
... cache_.lastPlaybackRate=n.defaultPlaybackRate(),Dt(m(m(n)),{eventBusKey:"el_
... "});var o=Nt(n.options_);if(e.plugins){var
... u=e.plugins;Object.keys(u).forEach(function(t){if("function"!==typeof
... this[t])throw new Error('plugin "'+t+'" does not
... exist');this[t](u[t])},m(m(n)))}n.options_.playerOptions=o,n.middleware_=[],
... n.initChildren(),n.isAudio("audio"===t.nodeName.toLowerCase()),n.controls()?
... n.addClass("vjs-controls-enabled"):n.addClass("vjs-controls-disabled"),n.el_
... .setAttribute("role","region"),n.isAudio()?n.el_.setAttribute("aria-label",n
... .localize("Audio Player")):n.el_.setAttribute("aria-label",n.localize("Video
... Player")),n.isAudio()&&n.addClass("vjs-audio"),n.flexNotSupported_()&&n.
... addClass("vjs-no-flex"),Kt||n.addClass("vjs-workinghover"),h.players[n.id_]=
... m(m(n));var l=p.split(".")[0];return
... n.addClass("vjs-v"+l),n.userActive(!0),n.reportUserActivity(),n.one("play",n
... .listenForUserActivity_),n.on("fullscreenchange",n.handleFullscreenChange_),
... n.on("stageclick",n.handleStageClick_),n.breakpoints(n.options_.breakpoints)
... ,n.responsive(n.options_.responsive),n.changingSrc_=!1,n.
... playWaitingForReady_!1,n.playOnLoadstart_=null,n}f(h,c);var
... t=h.prototype;return
... t.dispose=function(){this.trigger("dispose"),this.off("dispose"),this.
... styleEl_&&this.styleEl_.parentNode&&(this.styleEl_.parentNode.removeChild(
... this.styleEl_),this.styleEl_=null),h.players[this.id_]=null,this.tag&&this.
... tag.player&&(this.tag.player=null),this.el_&&this.el_.player&&(this.el_.
... player=null),this.tech_&&(this.tech_.dispose(),this.isPosterFromTech_!1,
... this.poster_=""),this.playerElIngest_&&(this.playerElIngest_=null),this.tag&
... &(this.tag=null),Zi[this.id()]=null,c.prototype.dispose.call(this)},t.
... createEl=function(){var
... e,i=this.tag,t=this.playerElIngest_=i.parentNode&&i.parentNode.hasAttribute&
... &i.parentNode.hasAttribute("data-vjs-player"),n="video-js"===this.tag.
... tagName.toLowerCase();t?e=this.el_=i.parentNode:n||(e=this.el_=c.prototype.
```

```
12... createEl.call(this,"div"));var
... r=R(i);if(n){for(e=this.el_=i,i=this.tag=d.createElement("video");e.children
... .length;)i.appendChild(e.firstChild);P(e,"video-js")||U(e,"video-js"),e.
... appendChild(i),t=this.playerElIngest_=e,Object.keys(e).forEach(function(t){i
... [t]=e[t]})}if(i.setAttribute("tabindex","-1"),r.tabindex="-1",ae&&(i.
... setAttribute("role","application"),r.role="application"),i.removeAttribute("
... width"),i.removeAttribute("height"),"width"in r&&delete r.width,"height"in
... r&&delete
... r.height,Object.getOwnPropertyNames(r).forEach(function(t){n&&"class"===t||e
... .setAttribute(t,r[t]),n&&i.setAttribute(t,r[t])}),i.playerId=i.id,i.id+="
... _html5_api",i.className="vjs-tech",i.player=e.player=this,this.addClass("vjs
... -paused"),!0!==v.VIDEOJS_NO_DYNAMIC_STYLE){this.styleEl_=Tt("vjs-styles-
... dimensions");var
... a=K(".vjs-styles-defaults"),s=K("head");s.insertBefore(this.styleEl_,a?a.
... nextSibling:s.firstChild)}this.fill_=!1,this.fluid_=!1,this.width(this.
... options_.width),this.height(this.options_.height),this.fill(this.options_.
... fill),this.fluid(this.options_.fluid),this.aspectRatio(this.options_.
... aspectRatio);for(var o=i.getElementsByTagName("a"),u=0;u<o.length;u++){var
... l=o.item(u);U(l,"vjs-hidden"),l.setAttribute("hidden","hidden")}return
... i.initNetworkState_=i.networkState,i.parentNode&&!t&&i.parentNode.
... insertBefore(e,i),O(i,e),this.children_.unshift(i),this.el_.setAttribute("
... lang",this.language_),this.el_=e},t.width=function(t){return
... this.dimension("width",t)},t.height=function(t){return
... this.dimension("height",t)},t.dimension=function(t,e){var i=t+"_";if(void
... 0===e)return this[i]||0;if("==="e)return this[i]=void 0,void
... this.updateStyleEl_();var n=parseFloat(e);isNaN(n)?g.error('Improper value
... "'+e+'" supplied for for
... '+t):(this[i]=n,this.updateStyleEl_())},t.fluid=function(t){if(void
... 0===t)return!!this.fluid_;this.fluid_=!t,t?(this.addClass("vjs-fluid"),this
... .fill(!1)):this.removeClass("vjs-fluid"),this.updateStyleEl_(),t.fill=
... function(t){if(void
... 0===t)return!!this.fill_;this.fill_=!t,t?(this.addClass("vjs-fill"),this.
... fluid(!1)):this.removeClass("vjs-fill")},t.aspectRatio=function(t){if(void
... 0===t)return this.aspectRatio_;if(!/^\d+\:\d+$/i.test(t))throw new
... Error("Improper value supplied for aspect ratio. The format should be
... width:height, for example
... 16:9.");this.aspectRatio_=t,this.fluid(!0),this.updateStyleEl_(),t.
... updateStyleEl_=function(){if(!0!==v.VIDEOJS_NO_DYNAMIC_STYLE){var
... t,e,i,n=(void
... 0!==this.aspectRatio_&&"auto"!==this.aspectRatio_?this.aspectRatio_:0<this.
... videoWidth()?this.videoWidth()+":"+this.videoHeight():"16:9").split(":"),r=n
... [1]/n[0];t=void 0!==this.width_?this.width_:void
... 0!==this.height_?this.height_/r:this.videoWidth()||300,e=void
... 0!==this.height_?this.height_:t*r,i=/^[^a-zA-Z]/i.test(this.id())?"dimensions
... -"+this.id():this.id()+"-dimensions",this.addClass(i),St(this.styleEl_,"\n
... ." +i+" {\n          width: "+t+"px;\n          height: "+e+"px;\n        }\n\n
... ." +i+" .vjs-fluid {\n          padding-top: "+100*r+"%;\n        }\n
... ")}}else{var a="number"===typeof
```

```
12... this.width_?this.width_:this.options_.width,s="number"==typeof
... this.height_?this.height_:this.options_.height,o=this.tech_&&this.tech_.el()
... ;o&&(0<=a&&(o.width=a),0<=s&&(o.height=s))}},t.loadTech_=function(t,e){var
... i=this;this.tech_&&this.unloadTech_();var
... n=Bt(t),r=t.charAt(0).toLowerCase()+t.slice(1);"Html5"!==n&&this.tag&&(Qi.
... getTech("Html5").disposeMediaElement(this.tag),this.tag.player=null,this.tag
... =null),this.techName_=n,this.isReady_=!1;var
... a={source:e,autoplay:"string"!=typeof
... this.autoplay()&&this.autoplay(),nativeControlsForTouch:this.options_.
... nativeControlsForTouch,playerId:this.id(),techId:this.id()+"_"+r+"_api",
... playsinline:this.options_.playsinline,preload:this.options_.preload,loop:
... this.options_.loop,muted:this.options_.muted,poster:this.poster(),language:
... this.language(),playerElIngest:this.playerElIngest_||!1,"vtt.js":this.
... options_["vtt.js"],canOverridePoster:!!this.options_.techCanOverridePoster,
... enableSourceset:this.options_.enableSourceset};Si.names.forEach(function(t){
... var
... e=Si[t];a[e.getterName]=i[e.privateName]}),b(a,this.options_[n]),b(a,this.
... options_[r]),b(a,this.options_[t.toLowerCase()]),this.tag&&(a.tag=this.tag),
... e&&e.src===this.cache_.src&&0<this.cache_.currentTime&&(a.startTime=this.
... cache_.currentTime);var s=Qi.getTech(t);if(!s)throw new Error("No Tech named
... '"+n+"' exists! '"+n+"' should be registered using
... videojs.registerTech()");this.tech_=new
... s(a,this.tech_.ready(kr(this,this.handleTechReady_),!0),Ae(this.
... textTracksJson_||[],this.tech_),zr.forEach(function(t){i.on(i.tech_,t,i["
... handleTech"+Bt(t)+"_"])}),Object.keys(Wr).forEach(function(e){i.on(i.tech_,e
... ,function(t){0===i.tech_.playbackRate()&&i.tech_.seeking()?i.
... queuedCallbacks_.push({callback:i["handleTech"+Wr[e]+"_"].bind(i),event:t}):
... i["handleTech"+Wr[e]+"_"](t)}})),this.on(this.tech_,"loadstart",this.
... handleTechLoadStart_),this.on(this.tech_,"sourceset",this.
... handleTechSourceset_),this.on(this.tech_,"waiting",this.handleTechWaiting_),
... this.on(this.tech_,"ended",this.handleTechEnded_),this.on(this.tech_,"
... seeking",this.handleTechSeeking_),this.on(this.tech_,"play",this.
... handleTechPlay_),this.on(this.tech_,"firstplay",this.handleTechFirstPlay_),
... this.on(this.tech_,"pause",this.handleTechPause_),this.on(this.tech_,"
... durationchange",this.handleTechDurationChange_),this.on(this.tech_,"
... fullscreenchange",this.handleTechFullscreenChange_),this.on(this.tech_,"
... error",this.handleTechError_),this.on(this.tech_,"loadedmetadata",this.
... updateStyleEl_),this.on(this.tech_,"posterchange",this.
... handleTechPosterChange_),this.on(this.tech_,"textdata",this.
... handleTechTextData_),this.on(this.tech_,"ratechange",this.
... handleTechRateChange_),this.usingNativeControls(this.techGet_("controls")),
... this.controls()&&!this.usingNativeControls()&&this.addTechControlsListeners
... (),this.tech_.el().parentNode===this.el()||"Html5"===n&&this.tag|0(this.
... tech_.el(),this.el()),this.tag&&(this.tag.player=null,this.tag=null)},t.
... unloadTech_=function(){var i=this;Si.names.forEach(function(t){var
... e=Si[t];i[e.privateName]=i[e.getterName]()}),this.textTracksJson_=Ee(this.
... tech_),this.isReady_=!1,this.tech_.dispose(),this.tech_=!1,this.
... isPosterFromTech_&&(this.poster_="",this.trigger("posterchange")),this.
```



```
12... isPosterFromTech_!=1},t.tech=function(t){return void
... 0===t&&g.warn(_(qr())),this.tech_,t.addTechControlsListeners_=function(){
... this.removeTechControlsListeners_(this.on(this.tech_,"mousedown",this.
... handleTechClick_),this.on(this.tech_,"dblclick",this.handleTechDoubleClick_)
... ,this.on(this.tech_,"touchstart",this.handleTechTouchStart_),this.on(this.
... tech_,"touchmove",this.handleTechTouchMove_),this.on(this.tech_,"touchend",
... this.handleTechTouchEnd_),this.on(this.tech_,"tap",this.handleTechTap_)},t.
... removeTechControlsListeners_=function(){this.off(this.tech_,"tap",this.
... handleTechTap_),this.off(this.tech_,"touchstart",this.handleTechTouchStart_)
... ,this.off(this.tech_,"touchmove",this.handleTechTouchMove_),this.off(this.
... tech_,"touchend",this.handleTechTouchEnd_),this.off(this.tech_,"mousedown",
... this.handleTechClick_),this.off(this.tech_,"dblclick",this.
... handleTechDoubleClick_)},t.handleTechReady_=function(){this.triggerReady(),
... this.cache_.volume&&this.techCall_("setVolume",this.cache_.volume),this.
... handleTechPosterChange_(this.handleTechDurationChange_()),t.
... handleTechLoadStart_=function(){this.removeClass("vjs-ended"),this.
... removeClass("vjs-seeking"),this.error(null),this.paused()?(this.hasStarted(!
... 1),this.trigger("loadstart")):(this.trigger("loadstart"),this.trigger("
... firstplay")),this.manualAutoplay_(this.autoplay())},t.manualAutoplay_=
... function(e){var i=this;if(this.tech_&&"string"===typeof e){var
... t,n=function(){var e=i.muted();i.muted(!0);var
... t=i.play();if(t&&t.then&&t.catch)return
... t.catch(function(t){i.muted(e)});if("any"===e?(t=this.play())&&t.then&&t.
... catch&&t.catch(function(){return
... n()}):t="muted"===e?n():this.play(),t&&t.then&&t.catch)return
... t.then(function(){i.trigger({type:"autoplay-success",autoplay:e}))}.catch(
... function(t){i.trigger({type:"autoplay-failure",autoplay:e}})}),t.
... updateSourceCaches_=function(t){void 0===t&&(t="");var
... e=t,i="";"string"!==typeof
... e&&(e=t.src,i=t.type),this.cache_.source=this.cache_.source||{},this.cache_.
... sources=this.cache_.sources||[],e&&!i&&(i=function(t,e){if(!e)return"";if(t.
... cache_.source.src===e&&t.cache_.source.type)return t.cache_.source.type;var
... i=t.cache_.sources.filter(function(t){return t.src===e});if(i.length)return
... i[0].type;for(var n=t.$$("source"),r=0;r<n.length;r++){var
... a=n[r];if(a.type&&a.src&&a.src===e)return a.type}return
... cn(e)}(this,e)),this.cache_.source=Nt({},t,{src:e,type:i});for(var
... n=this.cache_.sources.filter(function(t){return
... t.src&&t.src===e}),r=[],a=this.$$("source"),s=[],o=0;o<a.length;o++){var
... u=R(a[o]);r.push(u),u.src&&u.src===e&&s.push(u.src)}s.length&&!n.length?this
... .cache_.sources=r:n.length||((this.cache_.sources=[this.cache_.source]),this.
... cache_.src=e),t.handleTechSourceset_=function(t){var
... n=this;if(!this.changingSrc_){var e=function(t){return
... n.updateSourceCaches_(t)},i=this.currentSource().src,r=t.src;if(i&&!/^blob:/
... .test(i)&&/^blob:/test(r)&&(this.lastSource_|this.lastSource_.tech!==r&&
... this.lastSource_.player!==i)&&(e=function(){},e(r),!t.src){this.tech_.one([
... "sourceset","loadstart"],function t(e){if("sourceset"!==e.type){var
... i=n.techGet("currentSrc");n.lastSource_.tech=i,n.updateSourceCaches_(i)}n.
... tech_.off(["sourceset","loadstart"],t)}}}this.lastSource_={player:this.
```

```
12... currentSource().src,ttech:t.src},this.trigger({src:t.src,type:"sourceset"})),
... t.hasStarted=function(t){if(void 0===t)return
... this.hasStarted_;t!==this.hasStarted_&&(this.hasStarted_=t,this.hasStarted_?
... (this.addClass("vjs-has-started"),this.trigger("firstplay")):this.
... removeClass("vjs-has-started"))},t.handleTechPlay_=function(){this.
... removeClass("vjs-ended"),this.removeClass("vjs-paused"),this.addClass("vjs-
... playing"),this.hasStarted(!0),this.trigger("play")},t.handleTechRateChange_=
... function(){0<this.tech_.playbackRate()&&0===this.cache_.lastPlaybackRate&&(
... this.queuedCallbacks_.forEach(function(t){return
... t.callback(t.event)}),this.queuedCallbacks_=[]),this.cache_.lastPlaybackRate
... =this.tech_.playbackRate(),this.trigger("ratechange")},t.handleTechWaiting_=
... function(){var
... t=this;this.addClass("vjs-waiting"),this.trigger("waiting"),this.one("
... timeupdate",function(){return
... t.removeClass("vjs-waiting")}}),t.handleTechCanPlay_=function(){this.
... removeClass("vjs-waiting"),this.trigger("canplay")},t.
... handleTechCanPlayThrough_=function(){this.removeClass("vjs-waiting"),this.
... trigger("canplaythrough")},t.handleTechPlaying_=function(){this.removeClass("
... vjs-waiting"),this.trigger("playing")},t.handleTechSeeking_=function(){this
... .addClass("vjs-seeking"),this.trigger("seeking")},t.handleTechSeeked_=
... function(){this.removeClass("vjs-seeking"),this.trigger("seeked")},t.
... handleTechFirstPlay_=function(){this.options_.starttime&&(g.warn("Passing
... the `starttime` option to the player will be deprecated in
... 6.0"),this.currentTime(this.options_.starttime),this.addClass("vjs-has-
... started"),this.trigger("firstplay")},t.handleTechPause_=function(){this.
... removeClass("vjs-playing"),this.addClass("vjs-paused"),this.trigger("pause")
... },t.handleTechEnded_=function(){this.addClass("vjs-ended"),this.options_.
... loop?(this.currentTime(0),this.play()):this.paused()||this.pause(),this.
... trigger("ended")},t.handleTechDurationChange_=function(){this.duration(this.
... techGet_("duration"))},t.handleTechClick_=function(t){$(t)&&this.controls_&&
... (this.paused()?we(this.play()):this.pause())},t.handleTechDoubleClick_=
... function(e){this.controls_&&(Array.prototype.some.call(this.$$(".vjs-control
... -bar, .vjs-modal-dialog"),function(t){return
... t.contains(e.target)}))||((this.isFullscreen()?this.exitFullscreen():this.
... requestFullscreen()))},t.handleTechTap_=function(){this.userActive(!this.
... userActive())},t.handleTechTouchStart_=function(){this.userWasActive=this.
... userActive()}},t.handleTechTouchMove_=function(){this.userWasActive&&this.
... reportUserActivity()}},t.handleTechTouchEnd_=function(t){t.preventDefault()}},
... t.handleFullscreenChange_=function(){this.isFullscreen()?this.addClass("vjs-
... fullscreen"):this.removeClass("vjs-fullscreen")},t.handleStageClick_=
... function(){this.reportUserActivity()}},t.handleTechFullscreenChange_=function
... (t,e){e&&this.isFullscreen(e.isFullscreen),this.trigger("fullscreenchange")}}
... ,t.handleTechError_=function(){var
... t=this.tech_.error();this.error(t)},t.handleTechTextData_=function(){var
... t=null;1<arguments.length&&(t=arguments[1]),this.trigger("textdata",t)},t.
... getCache=function(){return
... this.cache_},t.techCall_=function(r,a){this.ready(function(){if(r in
... an)return t=this.middleware_,e=this.tech_,n=a,e[i=r](t.reduce(on(i),n));if(r
```

```
12... in sn)return nn(this.middleware_,this.tech_,r,a);var
... t,e,i,n;try{this.tech_&&this.tech_[r](a)}catch(t){throw
... g(t),t}},!0)},t.techGet_=function(e){if(this.tech_&&this.tech_.isReady_){if(
... e in rn)return
... t=this.middleware_,i=this.tech_,n=e,t.reduceRight(on(n),i[n]());if(e in
... sn)return nn(this.middleware_,this.tech_,e);var t,i,n;try{return
... this.tech_[e]()}}catch(t){if(void 0===this.tech_[e])throw g("Video.js: "+e+"
... method not defined for "+this.techName_+" playback
... technology.",t),t;if("TypeError"===t.name)throw g("Video.js: "+e+"
... unavailable on "+this.techName_+" playback technology
... element.",t),this.tech_.isReady_=!1,t;throw g(t),t}}},t.play=function(){var
... e=this,t=this.options_.Promise||v.Promise;return t?new
... t(function(t){e.play_(t)}):this.play_()},t.play_=function(t){var
... e=this;if(void
... 0===t&&(t=we),this.playOnLoadstart_&&this.off("loadstart",this.
... playOnLoadstart_),this.isReady_){if(!this.changingSrc_&&(this.src()||this.
... currentSrc()))return void
... t(this.techGet_("play"));this.playOnLoadstart_=function(){e.playOnLoadstart_
... =null,t(e.play())},this.one("loadstart",this.playOnLoadstart_)}else{if(this.
... playWaitingForReady_)return;this.playWaitingForReady_=!0,this.ready(function
... (){e.playWaitingForReady_=!1,t(e.play())})}},t.pause=function(){this.
... techCall_("pause"),t.paused=function(){return!1!==this.techGet_("paused")},
... t.played=function(){return
... this.techGet_("played")||de(0,0)},t.scrubbing=function(t){if("undefined"==
... typeof t)return
... this.scrubbing_;this.scrubbing_=!1,t,t?this.addClass("vjs-scrubbing"):this.
... removeClass("vjs-scrubbing"),t.currentTime=function(t){return"undefined"!=
... typeof t?(t<0&&(t=0),void
... this.techCall_("setCurrentTime",t)):(this.cache_.currentTime=this.techGet_("
... currentTime")||0,this.cache_.currentTime)},t.duration=function(t){if(void
... 0===t)return void
... 0!==this.cache_.duration?this.cache_.duration:NaN;(t=parseFloat(t))<0&&(t=1/
... 0),t!==this.cache_.duration&&((this.cache_.duration=t)===1/0?this.addClass("
... vjs-live"):this.removeClass("vjs-live"),this.trigger("durationchange")),t.
... remainingTime=function(){return
... this.duration()-this.currentTime()},t.remainingTimeDisplay=function(){return
... Math.floor(this.duration())-Math.floor(this.currentTime())},t.buffered=
... function(){var t=this.techGet_("buffered");return
... t&&t.length||(t=de(0,0)),t},t.bufferedPercent=function(){return
... pe(this.buffered(),this.duration())},t.bufferedEnd=function(){var
... t=this.buffered(),e=this.duration(),i=t.end(t.length-1);return
... e<i&&(i=e),i},t.volume=function(t){var e;return void
... 0!==t?(e=Math.max(0,Math.min(1,parseFloat(t))),this.cache_.volume=e,this.
... techCall_("setVolume",e),void(0<e&&this.lastVolume_(e)):(e=parseFloat(this.
... techGet_("volume")),isNaN(e)?1:e)},t.muted=function(t){if(void 0===t)return
... this.techGet_("muted")||!1;this.techCall_("setMuted",t)},t.defaultMuted=
... function(t){return void
... 0!==t?this.techCall_("setDefaultMuted",t):this.techGet_("defaultMuted")||!1}
```

```
12... ,t.lastVolume_=function(t){if(void 0===t||0===t)return
... this.cache_.lastVolume;this.cache_.lastVolume=t},t.supportsFullScreen=
... function(){return
... this.techGet_("supportsFullScreen")||!1},t.isFullscreen=function(t){if(void
... 0===t)return!this.isFullscreen_;this.isFullscreen_=!t},t.requestFullscreen
... =function(){var
... i=me;this.isFullscreen(!0),i.requestFullscreen?(ht(d,i.fullscreenchange,kt(
... this,function
... t(e){this.isFullscreen(d[i.fullscreenElement]),!1===this.isFullscreen()&&dt(
... d,i.fullscreenchange,t),this.trigger("fullscreenchange"))),this.el_[i.
... requestFullscreen]():this.tech_.supportsFullScreen()?this.techCall_("
... enterFullScreen):(this.enterFullWindow(),this.trigger("fullscreenchange"))
... ,t.exitFullscreen=function(){var
... t=me;this.isFullscreen(!1),t.requestFullscreen?d[t.exitFullscreen]():this.
... tech_.supportsFullScreen()?this.techCall_("exitFullScreen):(this.
... exitFullWindow(),this.trigger("fullscreenchange")),t.enterFullWindow=
... function(){this.isFullWindow=!0,this.docOrigOverflow=d.documentElement.style
... .overflow,ht(d,"keydown",kt(this,this.fullWindowOnEscKey)),d.documentElement
... .style.overflow="hidden",U(d.body,"vjs-full-window"),this.trigger("
... enterFullWindow")),t.fullWindowOnEscKey=function(t){27===t.keyCode&&(!0===
... this.isFullscreen()?this.exitFullscreen():this.exitFullWindow())},t.
... exitFullWindow=function(){this.isFullWindow=!1,dt(d,"keydown",this.
... fullWindowOnEscKey),d.documentElement.style.overflow=this.docOrigOverflow,x(
... d.body,"vjs-full-window"),this.trigger("exitFullWindow")),t.canPlayType=
... function(t){for(var e,i=0,n=this.options_.techOrder;i<n.length;i++){var
... r=n[i],a=Qi.getTech(r);if(a||(a=jt.getComponent(r)),a){if(a.isSupported()&&
... e=a.canPlayType(t))return e}else g.error('The "'+r+'" tech is undefined.
... Skipped browser support check for that
... tech.')}return""},t.selectSource=function(t){var
... i,n=this,e=this.options_.techOrder.map(function(t){return[t,Qi.getTech(t)]})
... .filter(function(t){var e=t[0],i=t[1];return i?i.isSupported():(g.error('The
... "'+e+'" tech is undefined. Skipped browser support check for that
... tech.'),!1)}),r=function(t,i,n){var r;return t.some(function(e){return
... i.some(function(t){if(r=n(e,t))return!0})}),r},a=function(t,e){var
... i=t[0];if(t[1].canPlaySource(e,n.options_[i.toLowerCase()]))return{source:e,
... tech:i}};return(this.options_.sourceOrder?r(t,e,(i=a,function(t,e){return
... i(e,t)})):r(e,t,a))||!1},t.src=function(t){var r=this;if("undefined"===typeof
... t)return this.cache_.src||"";var a=function e(t){if(Array.isArray(t)){var
... i=[];t.forEach(function(t){t=e(t),Array.isArray(t)?i=i.concat(t):l(t)&&i.
... push(t)}),t=i}else t="string"===typeof
... t&&t.trim()?[hn({src:t}):l(t)&&"string"===typeof
... t.src&&t.src&&t.src.trim()?[hn(t)]:[];return
... t}(t);a.length?(this.changingSrc_=!0,this.cache_.sources=a,this.
... updateSourceCaches_(a[0]),en(this,a[0],function(t,e){var
... i,n;if(r.middleware_=e,r.cache_.sources=a,r.updateSourceCaches_(t),r.src_(t)
... )return
... 1<a.length?r.src(a.slice(1)):(r.changingSrc_=!1,r.setTimeout(function(){this
... .error({code:4,message:this.localize(this.options_.notSupportedMessage)})),0
```

```
12... ),void r.triggerReady());i=e,n=r.tech_,i.forEach(function(t){return
... t.setTech&&t.setTech(n)}})):this.setTimeout(function(){this.error({code:4,
... message:this.localize(this.options_.notSupportedMessage)}}),0)},t.src_=
... function(t){var
... e,i,n=this,r=this.selectSource([t]);return!r||(e=r.tech,i=this.techName_,Bt(
... e)!==Bt(i)?(this.changingSrc_!=0,this.loadTech_(r.tech,r.source),this.tech_.
... ready(function(){n.changingSrc_!=1})):this.ready(function(){this.tech_.
... constructor.prototype.hasOwnProperty("setSource")?this.techCall_("setSource"
... ,t):this.techCall_("src",t.src),this.changingSrc_!=1,!0,!1)},t.load=
... function(){this.techCall_("load")},t.reset=function(){this.tech_&&this.tech_
... .clearTracks("text"),this.loadTech_(this.options_.techOrder[0],null),this.
... techCall_("reset")},t.currentSources=function(){var
... t=this.currentSource(),e=[];return
... 0!==Object.keys(t).length&&e.push(t),this.cache_.sources||e},t.currentSource
... =function(){return this.cache_.source||{}},t.currentSrc=function(){return
... this.currentSource()&&this.currentSource().src||""},t.currentType=function()
... {return
... this.currentSource()&&this.currentSource().type||""},t.preload=function(t){
... return void
... 0!==t?(this.techCall_("setPreload",t),void(this.options_.preload=t)):this.
... techGet_("preload")},t.autoplay=function(t){if(void 0===t)return
... this.options_.autoplay||!1;var e;"string"===typeof
... t&&/(/any|play|muted)/.test(t)?(this.options_.autoplay=t,this.manualAutoplay_
... (t),e=!1):this.options_.autoplay=!t,e=e||this.options_.autoplay,this.tech_&
... &this.techCall_("setAutoplay",e)},t.playsinline=function(t){return void
... 0!==t?(this.techCall_("setPlaysinline",t),this.options_.playsinline=t,this):
... this.techGet_("playsinline")},t.loop=function(t){return void
... 0!==t?(this.techCall_("setLoop",t),void(this.options_.loop=t)):this.techGet_
... ("loop")},t.poster=function(t){if(void 0===t)return
... this.poster_;t||(t=""),t!==this.poster_&&(this.poster_=t,this.techCall_("
... setPoster",t),this.isPosterFromTech_!=1,this.trigger("posterchange")),t.
... handleTechPosterChange_=function(){if(!this.poster_|this.options_.
... techCanOverridePoster)&&this.tech_&&this.tech_.poster){var
... t=this.tech_.poster()||"";t!==this.poster_&&(this.poster_=t,this.
... isPosterFromTech_!=0,this.trigger("posterchange"))}},t.controls=function(t){
... if(void
... 0===t)return!!this.controls_;t=!t,this.controls_!=t&&(this.controls_=t,
... this.usingNativeControls()&&this.techCall_("setControls",t),this.controls_?(
... this.removeClass("vjs-controls-disabled"),this.addClass("vjs-controls-
... enabled"),this.trigger("controlsenabled"),this.usingNativeControls()||this.
... addTechControlsListeners_):(this.removeClass("vjs-controls-enabled"),this.
... addClass("vjs-controls-disabled"),this.trigger("controlsdisabled"),this.
... usingNativeControls()||this.removeTechControlsListeners_()))},t.
... usingNativeControls=function(t){if(void
... 0===t)return!!this.usingNativeControls_;t=!t,this.usingNativeControls_!=t&
... &(this.usingNativeControls_=t,this.usingNativeControls_?(this.addClass("vjs-
... using-native-controls"),this.trigger("usingnativecontrols")):(this.
... removeClass("vjs-using-native-controls"),this.trigger("usingcustomcontrols"))}
```

```
12...   )}),t.error=function(t){return void
...   0===t?this.error_||null:null===t?(this.error_=t,this.removeClass("vjs-error"
...   ),void(this.errorDisplay&&this.errorDisplay.close())):(this.error_=new
...   be(t),this.addClass("vjs-error"),g.error("(CODE:"+this.error_.code+"
...   "+be.errorTypes[this.error_.code+"]",this.error_.message,this.error_),void
...   this.trigger("error"))},t.reportUserActivity=function(t){this.userActivity_=
...   !0},t.userActive=function(t){if(void 0===t)return
...   this.userActive_;if((t!==t)!=this.userActive_){if(this.userActive_=t,this.
...   userActive_)return
...   this.userActivity_!=0,this.removeClass("vjs-user-inactive"),this.addClass("
...   vjs-user-active"),void
...   this.trigger("useractive");this.tech_&&this.tech_.one("mousemove",function(t
...   ){t.stopPropagation(),t.preventDefault()}),this.userActivity_!=1,this.
...   removeClass("vjs-user-active"),this.addClass("vjs-user-inactive"),this.
...   trigger("userinactive")}},t.listenForUserActivity_=function(){var
...   e,i,n,r,a=kt(this,this.reportUserActivity);this.on("mousedown",function(){a(
...   ),this.clearInterval(e),e=this.setInterval(a,250)}),this.on("mousemove",
...   function(t){t.screenX===i&&t.screenY===n||(i=t.screenX,n=t.screenY,a())}),
...   this.on("mouseup",function(t){a(),this.clearInterval(e)}),this.on("keydown",
...   a),this.on("keyup",a),this.setInterval(function(){if(this.userActivity_){
...   this.userActivity_!=1,this.userActive(!0),this.clearTimeout(r);var
...   t=this.options_.inactivityTimeout;t<=0||(r=this.setTimeout(function(){this.
...   userActivity_||this.userActive(!1)},t))}},250)},t.playbackRate=function(t){
...   if(void 0===t)return
...   this.tech_&&this.tech_.featuresPlaybackRate?this.cache_.lastPlaybackRate||
...   this.techGet_("playbackRate"):1;this.techCall_("setPlaybackRate",t)},t.
...   defaultPlaybackRate=function(t){return void
...   0!==t?this.techCall_("setDefaultPlaybackRate",t):this.tech_&&this.tech_.
...   featuresPlaybackRate?this.techGet_("defaultPlaybackRate"):1},t.isAudio=
...   function(t){if(void
...   0===t)return!!this.isAudio_;this.isAudio_=!t},t.addTextTrack=function(t,e,i
...   ){if(this.tech_)return
...   this.tech_.addTextTrack(t,e,i)},t.addRemoteTextTrack=function(t,e){if(this.
...   tech_)return
...   this.tech_.addRemoteTextTrack(t,e)},t.removeRemoteTextTrack=function(t){void
...   0===t&&(t={});var e=t.track;if(e||(e=t),this.tech_)return
...   this.tech_.removeRemoteTextTrack(e)},t.getVideoPlaybackQuality=function(){
...   return
...   this.techGet_("getVideoPlaybackQuality")},t.videoWidth=function(){return
...   this.tech_&&this.tech_.videoWidth&&this.tech_.videoWidth()||0},t.videoHeight
...   =function(){return
...   this.tech_&&this.tech_.videoHeight&&this.tech_.videoHeight()||0},t.language=
...   function(t){if(void 0===t)return
...   this.language_;this.language_=String(t).toLowerCase()},t.languages=function(
...   ){return
...   Nt(h.prototype.options_.languages,this.languages_)},t.toJSON=function(){var
...   t=Nt(this.options_),e=t.tracks;t.tracks=[];for(var i=0;i<e.length;i++){var
...   n=e[i];(n=Nt(n)).player=void 0,t.tracks[i]=n}return
```

```
12... t},t.createModal=function(t,e){var i=this;(e=e||{}).content=t||"";var n=new
... Oe(this,e);return
... this.addChild(n),n.on("dispose",function(){i.removeChild(n)}),n.open(),n},t.
... updateCurrentBreakpoint_=function(){if(this.responsive())for(var
... t=this.currentBreakpoint(),e=this.currentWidth(),i=0;i<Gr.length;i++){var
... n=Gr[i];if(e<=this.breakpoints_[n]){if(t===n)return;t&&this.removeClass(Xr[t
... ]),this.addClass(Xr[n]),this.breakpoint_=n;break}}},t.
... removeCurrentBreakpoint_=function(){var
... t=this.currentBreakpointClass();this.breakpoint_="",t&&this.removeClass(t),
... t.breakpoints=function(t){return void
... 0===t||(this.breakpoint_="",this.breakpoints_=b({},Yr,t),this.
... updateCurrentBreakpoint_()),b(this.breakpoints_)},t.responsive=function(t){
... return void
... 0===t?this.responsive_(t=Boolean(t))!==this.responsive_?((this.responsive_=
... t)?(this.on("playerresize",this.updateCurrentBreakpoint_),this.
... updateCurrentBreakpoint_):(this.off("playerresize",this.
... updateCurrentBreakpoint_),this.removeCurrentBreakpoint_()),t):void
... 0},t.currentBreakpoint=function(){return
... this.breakpoint_},t.currentBreakpointClass=function(){return
... Xr[this.breakpoint_]||""},h.getTagSettings=function(t){var
... e={sources:[],tracks:[],i=R(t),n=i["data-setup"];if(P(t,"vjs-fill")&&(i.
... fill!=!0),P(t,"vjs-fluid")&&(i.fluid!=!0),null!==n){var
... r=Se(n||"{}"),a=r[0],s=r[1];a&&g.error(a),b(i,s)}if(b(e,i),t.hasChildNodes()
... )for(var o=t.childNodes,u=0,l=o.length;u<l;u++){var
... c=o[u],h=c.nodeName.toLowerCase();"source"===h?e.sources.push(R(c)):"track"=
... ==h&&e.tracks.push(R(c))}return e},t.flexNotSupported_=function(){var
... t=d.createElement("i");return!("flexBasis"in t.style||"webkitFlexBasis"in
... t.style||"msFlexBasis"in t.style||"msFlexOrder"in
... t.style)},h}(jt);Si.names.forEach(function(t){var
... e=Si[t];$r.prototype[e.getterName]=function(){return
... this.tech?this.tech_[e.getterName]:(this[e.privateName]=this[e.
... privateName]||new e.ListClass,this[e.privateName]))},$r.players={};var
... Kr=v.navigator;$r.prototype.options_={techOrder:Qi.defaultTechOrder_,html5:{
... },flash:{},inactivityTimeout:2e3,playbackRates:[],children:["mediaLoader",
... "posterImage","textTrackDisplay","loadingSpinner","bigPlayButton","controlBar
... ","errorDisplay","textTrackSettings","resizeManager"],language:Kr&&(Kr.
... languages&&Kr.languages[0]||Kr.userLanguage||Kr.language)||"en",languages:{
... },notSupportedMessage:"No compatible source was found for this
... media.",breakpoints:{},responsive:!1},["ended","seeking","seekable",
... "networkState","readyState"].forEach(function(t){$r.prototype[t]=function(){
... return
... this.techGet_(t)}}),zr.forEach(function(t){$r.prototype["handleTech"+Bt(t)+"
... _"]=function(){return
... this.trigger(t)}}),jt.registerComponent("Player",$r);var
... Qr="plugin",Jr="activePlugins_",Zr={},ta=function(t){return
... Zr.hasOwnProperty(t)},ea=function(t){return ta(t)?Zr[t]:void
... 0},ia=function(t,e){t[Jr]=t[Jr]||{};t[Jr][e]!=!0},na=function(t,e,i){var
... n=(i?"before":"")+"pluginsetup";t.trigger(n,e),t.trigger(n+": "+e.name,e)},ra
```

```
12... =function(r,a){return
... a.prototype.name=r,function(){na(this,{name:r,plugin:a,instance:null},!0);
... for(var t=arguments.length,e=new Array(t),i=0;i<t;i++)e[i]=arguments[i];var
... n=s(a,[this].concat(e));return this[r]=function(){return
... n},na(this,n.getEventHash()),n}},aa=function(){function
... a(t){if(this.constructor===a)throw new Error("Plugin must be sub-classed;
... not directly instantiated.");this.player=t,Dt(this),delete
... this.trigger,Mt(this,this.constructor.defaultState),ia(t,this.name),this.
... dispose=kt(this,this.dispose),t.on("dispose",this.dispose)}var
... t=a.prototype;return t.version=function(){return
... this.constructor.VERSION},t.getEventHash=function(t){return void
... 0===t&&(t={}),t.name=this.name,t.plugin=this.constructor,t.instance=this,t},
... t.trigger=function(t,e){return void
... 0===e&&(e={}),pt(this.eventBusEl_,t,this.getEventHash(e))},t.
... handleStateChanged=function(t){},t.dispose=function(){var
... t=this.name,e=this.player;this.trigger("dispose"),this.off(),e.off("dispose"
... ,this.dispose),e[Jr][t]=!1,this.player=this.state=null,e[t]=ra(t,Zr[t])},a.
... isBasic=function(t){var e="string"===typeof
... t?ea(t):t;return"function"===typeof
... e&&!a.prototype.isPrototypeOf(e.prototype)},a.registerPlugin=function(t,e){
... if("string"!==typeof t)throw new Error('Illegal plugin name, "'+t+'", must be
... a string, was '+typeof t+");if(ta(t))g.warn('A plugin named "'+t+'
... already exists. You may want to avoid re-registering plugins!');else
... if($r.prototype.hasOwnProperty(t))throw new Error('Illegal plugin name,
... "'+t+'", cannot share a name with an existing player
... method!');if("function"!==typeof e)throw new Error('Illegal plugin for
... "'+t+'", must be a function, was '+typeof e+");var i,n,r;return
... Zr[t]=e,t!==Qr&&(a.isBasic(e)?$r.prototype[t]=(i=t,n=e,r=function(){na(this,
... {name:i,plugin:n,instance:null},!0);var t=n.apply(this,arguments);return
... ia(this,i),na(this,{name:i,plugin:n,instance:t}),t},Object.keys(n).forEach(
... function(t){r[t]=n[t]}),r):$r.prototype[t]=ra(t,e)),e},a.deregisterPlugin=
... function(t){if(t===Qr)throw new Error("Cannot de-register base
... plugin.");ta(t)&&(delete Zr[t],delete
... $r.prototype[t])},a.getPlugins=function(t){var i;return void
... 0===t&&(t=Object.keys(Zr)),t.forEach(function(t){var
... e=ea(t);e&&((i=i||{})[t]=e)),i},a.getPluginVersion=function(t){var
... e=ea(t);return
... e&&e.VERSION||""},a}();aa.getPlugin=ea,aa.BASE_PLUGIN_NAME=Qr,aa.
... registerPlugin(Qr,aa),$r.prototype.usingPlugin=function(t){return!!this[Jr]&
... &!0===this[Jr][t]},$r.prototype.hasPlugin=function(t){return!!ta(t)};var
... sa=function(t){return 0===t.indexOf("#"?t.slice(1):t};function
... oa(t,i,e){var n=oa.getPlayer(t);if(n)return i&&g.warn('Player "'+t+' is
... already initialised. Options will not be applied. '),e&&n.ready(e),n;var
... r="string"===typeof t?K("#"+sa(t)):t;if(!w(r))throw new TypeError("The
... element or ID supplied is not valid.
... (videojs)");d.body.contains(r)||g.warn("The element supplied is not included
... in the DOM"),i=i||{},oa.hooks("beforesetup").forEach(function(t){var
... e=t(r,Nt(i));l(e)&&!Array.isArray(e)?i=Nt(i,e):g.error("please return an
```



```
12... object in beforesetup hooks"))});var a=jt.getComponent("Player");return n=new
... a(r,i,e),oa.hooks("setup").forEach(function(t){return
... t(n)}),n}if(oa.hooks_={},oa.hooks=function(t,e){return
... oa.hooks_[t]=oa.hooks_[t]||[],e&&(oa.hooks_[t]=oa.hooks_[t].concat(e)),oa.
... hooks_[t]},oa.hook=function(t,e){oa.hooks(t,e)},oa.hookOnce=function(i,t){oa
... .hooks(i,[].concat(t).map(function(e){return function t(){return
... oa.removeHook(i,t),e.apply(void
... 0,arguments)}})),oa.removeHook=function(t,e){var
... i=oa.hooks(t).indexOf(e);return!(i<=-1)&&(oa.hooks_[t]=oa.hooks_[t].slice(),
... oa.hooks_[t].splice(i,1),!0)},!0!==v.VIDEOJS_NO_DYNAMIC_STYLE&&k(){var
... ua=K(".vjs-styles-defaults");if(!ua){ua=Tt("vjs-styles-defaults");var
... la=K("head");la&&la.insertBefore(ua,la.firstChild),St(ua,"\n      .video-js
... {\n        width: 300px;\n        height: 150px;\n      }\n\n
... .vjs-fluid {\n        padding-top: 56.25%\n      }\n
... ")}}_t(1,oa),oa.VERSION=p,oa.options=$r.prototype.options_,oa.getPlayers=
... function(){return $r.players},oa.getPlayer=function(t){var
... e,i=$r.players;if("string"===typeof t){var n=sa(t),r=i[n];if(r)return
... r;e=K("#"+n)}else e=t;if(w(e)){var
... a=e,s=a.player,o=a.playerId;if(s||i[o])return
... s||i[o]}},oa.getAllPlayers=function(){return
... Object.keys($r.players).map(function(t){return
... $r.players[t]}).filter(Boolean)},oa.players=$r.players,oa.getComponent=jt.
... getComponent,oa.registerComponent=function(t,e){Qi.isTech(e)&&g.warn("The
... "+t+" tech was registered as a component. It should instead be registered
... using videojs.registerTech(name,
... tech)",jt.registerComponent.call(jt,t,e)},oa.getTech=Qi.getTech,oa.
... registerTech=Qi.registerTech,oa.use=function(t,e){Ji[t]=Ji[t]||[],Ji[t].push
... (e)},Object.defineProperty(oa,"middleware",{value:{},writable:!1,enumerable
... :!0}),Object.defineProperty(oa.middleware,"TERMINATOR",{value:tn,writable:!
... 1,enumerable:!0}),oa.browser=le,oa.TOUCH_ENABLED=ue,oa.extend=function(t,e){
... void 0===e&&(e={});var i=function(){t.apply(this,arguments)},n={};for(var r
... in"object"===typeof
... e?(e.constructor!==Object.prototype.constructor&&(i=e.constructor),n=e):"
... function"===typeof e&&(i=e),function(t,e){if("function"!==typeof
... e&&null!==e)throw new TypeError("Super expression must either be null or a
... function, not "+typeof
... e);t.prototype=Object.create(e&&e.prototype,{constructor:{value:t,enumerable
... :!1,writable:!0,configurable:!0}}),e&&(t.super_=e)}(i,t),n)n.hasOwnProperty(
... r)&&(i.prototype[r]=n[r]);return
... i},oa.mergeOptions=Nt,oa.bind=kt,oa.registerPlugin=aa.registerPlugin,oa.
... deregisterPlugin=aa.deregisterPlugin,oa.plugin=function(t,e){return
... g.warn("videojs.plugin() is deprecated; use videojs.registerPlugin()
... instead"),aa.registerPlugin(t,e)},oa.getPlugins=aa.getPlugins,oa.getPlugin=
... aa.getPlugin,oa.getPluginVersion=aa.getPluginVersion,oa.addLanguage=function
... (t,e){var i;return
... t=(""+t).toLowerCase(),oa.options.languages=Nt(oa.options.languages,((i={})[
... t]=e,i)),oa.options.languages[t]},oa.log=g,oa.createLogger=y,oa.
... createTimeRange=oa.createTimeRanges=de,oa.formatTime=An,oa.setFormatTime=
```

```
12... function(t){En=t},oa.resetFormatTime=function(){En=Cn},oa.parseUrl=ze,oa.
... isCrossOrigin=Xe,oa.EventTarget=Ct,oa.on=ht,oa.one=ft,oa.off=dt,oa.trigger=
... pt,oa.xhr=hi,oa.TextTrack=gi,oa.AudioTrack=yi,oa.VideoTrack=vi,["isEl",
... isTextNode","createElement","hasClass","addClass","removeClass","toggleClass",
... setAttributes","getAttributes","emptyEl","appendContent","insertContent"].
... forEach(function(t){oa[t]=function(){return g.warn("videojs."+t+"() is
... deprecated; use videojs.dom."+t+"()
... instead"),J[t].apply(null,arguments)}}),oa.computedStyle=n,oa.dom=J,oa.url=
... Ye;var ca=Qe(function(t,e){var
... i,c,n,r,h;i=/^((?:[a-zA-Z0-9+\-.\-]+:)?)(\/\/\/[^\/?#]*)?((?:[^\/?#]*\/)*.*?)?
... (;.*?)?(\?.*?)?(\#.*?)?$/;c=/^([^\/?#]*)(.*)$/;n=(?:\|/^\)\.(?=\|/)/g;r=(?:\|
... |^)\.\.\|/(!\.\.\|/).*(?=\|/)/g,h={buildAbsoluteURL:function(t,e,i){if(i=i||
... },t=t.trim(),!(e=e.trim())){if(!i.alwaysNormalize)return t;var
... n=h.parseURL(t);if(!n)throw new Error("Error trying to parse base
... URL.");return n.path=h.normalizePath(n.path),h.buildURLFromParts(n)}var
... r=h.parseURL(e);if(!r)throw new Error("Error trying to parse relative
... URL.");if(r.scheme)return
... i.alwaysNormalize?(r.path=h.normalizePath(r.path),h.buildURLFromParts(r)):e
... var a=h.parseURL(t);if(!a)throw new Error("Error trying to parse base
... URL.");if(!a.netLoc&&a.path&&"/"!==a.path[0]){var
... s=c.exec(a.path);a.netLoc=s[1],a.path=s[2]}a.netLoc&&!a.path&&(a.path="/");
... var
... o={scheme:a.scheme,netLoc:r.netLoc,path:null,params:r.params,query:r.query,
... fragment:r.fragment};if(!r.netLoc&&(o.netLoc=a.netLoc,"/"!==r.path[0]))if(r
... path){var
... u=a.path,l=u.substring(0,u.lastIndexOf("/")+1)+r.path;o.path=h.normalizePat
... (l)}else
... o.path=a.path,r.params||(o.params=a.params,r.query||(o.query=a.query));
... return
... null===o.path&&(o.path=i.alwaysNormalize?h.normalizePath(r.path):r.path),h.
... buildURLFromParts(o)},parseURL:function(t){var e=i.exec(t);return
... e?{scheme:e[1]||"",netLoc:e[2]||"",path:e[3]||"",params:e[4]||"",query:e[5]
... ||"",fragment:e[6]||""}:null},normalizePath:function(t){for(t=t.split("").
... reverse().join("").replace(n,"");t.length!==(t=t.replace(r,"")).length);)
... return t.split("").reverse().join("")},buildURLFromParts:function(t){return
... t.scheme+t.netLoc+t.path+t.params+t.query+t.fragment}},t.exports=h}),ha=
... function(t,e){if(!(t instanceof e))throw new TypeError("Cannot call a class
... as a function")},da=Object.assign||function(t){for(var
... e=1;e<arguments.length;e++){var i=arguments[e];for(var n in
... i)Object.prototype.hasOwnProperty.call(i,n)&&(t[n]=i[n])}return
... t},pa=function(t,e){if("function"!==typeof e&&null!==e)throw new
... TypeError("Super expression must either be null or a function, not "+typeof
... e);t.prototype=Object.create(e&&e.prototype,{constructor:{value:t,enumerabl
... :!1,writable:!0,configurable:!0}}),e&&(Object.setPrototypeOf?Object.
... setPrototypeOf(t,e):t.__proto__=e)},fa=function(t,e){if(!t)throw new
... ReferenceError("this hasn't been initialised - super() hasn't been
... called");return!e||"object"!==typeof e&&"function"!==typeof
... e?t:e},ma=function(){function t(){ha(this,t),this.listeners={}}return
```

```

12... t.prototype.on=function(t,e){this.listeners[t]||(this.listeners[t]=[]),this
... listeners[t].push(e)},t.prototype.off=function(t,e){if(!this.listeners[t])
... return!1;var i=this.listeners[t].indexOf(e);return
... this.listeners[t].splice(i,1),-1<i},t.prototype.trigger=function(t){var
... e=this.listeners[t],i=void 0,n=void 0,r=void
... 0;if(e)if(2===arguments.length)for(n=e.length,i=0;i<n;++i)e[i].call(this,
... arguments[1]);else
... for(r=Array.prototype.slice.call(arguments,1),n=e.length,i=0;i<n;++i)e[i].
... apply(this,r)},t.prototype.dispose=function(){this.listeners={},t.prototype
... .pipe=function(e){this.on("data",function(t){e.push(t)}),t}(),ga=function(
... ){function i(){ha(this,i);var t=fa(this,e.call(this));return
... t.buffer="",t}return pa(i,e),i.prototype.push=function(t){var e=void
... 0;for(this.buffer+=t,e=this.buffer.indexOf("\n");-1<e;e=this.buffer.indexOf
... "\n"))this.trigger("data",this.buffer.substring(0,e)),this.buffer=this.
... buffer.substring(e+1)},i}(ma),ya=function(t){for(var e=t.split(new
... RegExp("(?:^|,)((?:[^\=]*)=(?:"[^"]*"|"[^,]*))'),i={},n=e.length,r=void
... 0;n--;"!"==e[n]&&((r=/([^\=]*)=(.*)/.exec(e[n]).slice(1))[0]=r[0].replace(/
... \s+|\s$/g,""),r[1]=r[1].replace(/\s+|\s$/g,""),r[1]=r[1].replace(/\[""]
... *)[""]$/g,"$1"),i[r[0]]=r[1]);return i},va=function(e){function
... i(){ha(this,i);var t=fa(this,e.call(this));return
... t.customParsers=[],t}return pa(i,e),i.prototype.push=function(t){var e=void
... 0,i=void
... 0;if(0!==(t=t.replace(/^[^\\u0000\\s]+|[\\u0000\\s]+$/g,"")).length)if("#"===t[0]
... ){for(var
... n=0;n<this.customParsers.length;n++)if(this.customParsers[n].call(this,t))
... return;if(0===t.indexOf("#EXT"))if(t=t.replace("\r",""),e=/^#EXTM3U/.exec(t)
... )this.trigger("data",{type:"tag",tagType:"m3u"});else{if(e=/^#EXTINF:?(
... [0-9
... .]*)?,?(.*)?$/g.exec(t))return
... i={type:"tag",tagType:"inf"},e[1]&&(i.duration=parseFloat(e[1])),e[2]&&(i.
... title=e[2]),void
... this.trigger("data",i);if(e=/^#EXT-X-TARGETDURATION:?(
... [0-9
... .]*)?$/g.exec(t))
... return
... i={type:"tag",tagType:"targetduration"},e[1]&&(i.duration=parseInt(e[1],10)
... ,void
... this.trigger("data",i);if(e=/^#ZEN-TOTAL-DURATION:?(
... [0-9
... .]*)?$/g.exec(t))
... return
... i={type:"tag",tagType:"totalduration"},e[1]&&(i.duration=parseInt(e[1],10))
... void
... this.trigger("data",i);if(e=/^#EXT-X-VERSION:?(
... [0-9
... .]*)?$/g.exec(t))return
... i={type:"tag",tagType:"version"},e[1]&&(i.version=parseInt(e[1],10)),void
... this.trigger("data",i);if(e=/^#EXT-X-MEDIA-SEQUENCE:?(
... \-?[0-9
... .]*)?$/g.exec(t))
... return
... i={type:"tag",tagType:"media-sequence"},e[1]&&(i.number=parseInt(e[1],10)),
... void
... this.trigger("data",i);if(e=/^#EXT-X-DISCONTINUITY-SEQUENCE:?(
... \-?[0-9
... .]*)?$/g.exec(t))return
... i={type:"tag",tagType:"discontinuity-sequence"},e[1]&&(i.number=parseInt(e[
... ],10)),void

```

```
12... this.trigger("data",i);if(e=/^#EXT-X-PLAYLIST-TYPE:?(.*)?$/ .exec(t))return
... i={type:"tag",tagType:"playlist-type"},e[1]&&(i.playlistType=e[1]),void
... this.trigger("data",i);if(e=/^#EXT-X-BYTERANGE:?(.[0-9.]*)?@?(.[0-9.]*)?/ .exe
... (t))return
... i={type:"tag",tagType:"byterange"},e[1]&&(i.length=parseInt(e[1],10)),e[2]&
... (i.offset=parseInt(e[2],10)),void
... this.trigger("data",i);if(e=/^#EXT-X-ALLOW-CACHE:?(YES|NO)?/ .exec(t))return
... i={type:"tag",tagType:"allow-cache"},e[1]&&(i.allowed=!/NO/.test(e[1])),voi
... this.trigger("data",i);if(e=/^#EXT-X-MAP:?(.*)?$/ .exec(t)){if(i={type:"tag",
... tagType:"map"},e[1]){var r=ya(e[1]);if(r.URI&&(i.uri=r.URI),r.BYTERANGE){va
... a=r.BYTERANGE.split("@"),s=a[0],o=a[1];i.byterange={},s&&(i.byterange.lengt
... =parseInt(s,10)),o&&(i.byterange.offset=parseInt(o,10))}}this.trigger("data
... ,i)}else
... if(e=/^#EXT-X-STREAM-INF:?(.*)?$/ .exec(t)){if(i={type:"tag",tagType:"stream-
... inf"},e[1]){if(i.attributes=ya(e[1]),i.attributes.RESOLUTION){var
... u=i.attributes.RESOLUTION.split("x"),l={};u[0]&&(l.width=parseInt(u[0],10))
... u[1]&&(l.height=parseInt(u[1],10)),i.attributes.RESOLUTION=l}i.attributes.
... BANDWIDTH&&(i.attributes.BANDWIDTH=parseInt(i.attributes.BANDWIDTH,10)),i.
... attributes["PROGRAM-ID"]&&(i.attributes["PROGRAM-ID"]=parseInt(i.attributes
... "PROGRAM-ID",10))}this.trigger("data",i)}else{if(e=/^#EXT-X-MEDIA:?(.*)?$/ .
... exec(t))return
... i={type:"tag",tagType:"media"},e[1]&&(i.attributes=ya(e[1])),void
... this.trigger("data",i);if(e=/^#EXT-X-ENDLIST/ .exec(t))this.trigger("data",{
... type:"tag",tagType:"endlist"});else
... if(e=/^#EXT-X-DISCONTINUITY/ .exec(t))this.trigger("data",{type:"tag",tagTyp
... :"discontinuity"});else{if(e=/^#EXT-X-PROGRAM-DATE-TIME:?(.*)?$/ .exec(t))
... return
... i={type:"tag",tagType:"program-date-time"},e[1]&&(i.dateTimeString=e[1],i.
... dateTimeObject=new Date(e[1])),void
... this.trigger("data",i);if(e=/^#EXT-X-KEY:?(.*)?$/ .exec(t))return
... i={type:"tag",tagType:"key"},e[1]&&(i.attributes=ya(e[1]),i.attributes.IV&&
... "0x"===i.attributes.IV.substring(0,2).toLowerCase())&&(i.attributes.IV=i.
... attributes.IV.substring(2)),i.attributes.IV=i.attributes.IV.match(/.{8}/g),
... i.attributes.IV[0]=parseInt(i.attributes.IV[0],16),i.attributes.IV[1]=
... parseInt(i.attributes.IV[1],16),i.attributes.IV[2]=parseInt(i.attributes.IV
... 2],16),i.attributes.IV[3]=parseInt(i.attributes.IV[3],16),i.attributes.IV=
... new Uint32Array(i.attributes.IV)),void
... this.trigger("data",i);if(e=/^#EXT-X-START:?(.*)?$/ .exec(t))return
... i={type:"tag",tagType:"start"},e[1]&&(i.attributes=ya(e[1]),i.attributes["
... TIME-OFFSET"]=parseFloat(i.attributes["TIME-OFFSET"]),i.attributes.PRECISE=
... YES/.test(i.attributes.PRECISE)),void
... this.trigger("data",i);if(e=/^#EXT-X-CUE-OUT-CONT:?(.*)?$/ .exec(t))return
... i={type:"tag",tagType:"cue-out-cont"},e[1]?i.data=e[1]:i.data="",void
... this.trigger("data",i);if(e=/^#EXT-X-CUE-OUT:?(.*)?$/ .exec(t))return
... i={type:"tag",tagType:"cue-out"},e[1]?i.data=e[1]:i.data="",void
... this.trigger("data",i);if(e=/^#EXT-X-CUE-IN:?(.*)?$/ .exec(t))return
... i={type:"tag",tagType:"cue-in"},e[1]?i.data=e[1]:i.data="",void
... this.trigger("data",i);this.trigger("data",{type:"tag",data:t.slice(4)}}}}
```

```
12... else this.trigger("data",{type:"comment",text:t.slice(1)}})else
... this.trigger("data",{type:"uri",uri:t}},i.prototype.addParser=function(t){
... var
... e=this,i=t.expression,n=t.customType,r=t.dataParser,a=t.segment;"function"!
... typeof r&&(r=function(t){return
... t}),this.customParsers.push(function(t){if(i.exec(t))return
... e.trigger("data",{type:"custom",data:r(t),customType:n,segment:a}),!0})),i
... ma),_a=function(e){function i(){ha(this,i);var
... t=fa(this,e.call(this));t.lineStream=new ga,t.parseStream=new
... va,t.lineStream.pipe(t.parseStream);var r=t,a=[],s={},o=void 0,u=void
... 0,l={AUDIO:{},VIDEO:{},"CLOSED-CAPTIONS":{},SUBTITLES:{},c=0;return
... t.manifest={allowCache:!0,discontinuityStarts:[],segments:[]},t.parseStream
... on("data",function(e){var i=void 0,n=void
... 0;({tag:function(){("allow-cache":function(){this.manifest.allowCache=e.
... allowed,"allowed"in e||(this.trigger("info",{message:"defaulting allowCache
... to YES"}),this.manifest.allowCache=!0}),byterange:function(){var
... t={};"length"in e&&((s.byterange=t).length=e.length,"offset"in
... e||(this.trigger("info",{message:"defaulting offset to
... zero"}),e.offset=0)),("offset"in
... e&&((s.byterange=t).offset=e.offset)),endlist:function(){this.manifest.
... endList=!0},inf:function(){"mediaSequence"in
... this.manifest||(this.manifest.mediaSequence=0,this.trigger("info",{message:
... defaulting media sequence to zero})),("discontinuitySequence"in
... this.manifest||(this.manifest.discontinuitySequence=0,this.trigger("info",{
... message:"defaulting discontinuity sequence to
... zero"})),0<e.duration&&(s.duration=e.duration),0===e.duration&&(s.duration=
... 01,this.trigger("info",{message:"updating zero segment duration to a small
... value"})),this.manifest.segments=a},key:function(){e.attributes?"NONE"!==e.
... attributes.METHOD?e.attributes.URI?(e.attributes.METHOD||this.trigger("warn
... ,{message:"defaulting key method to
... AES-128"}),u={method:e.attributes.METHOD|"AES-128",uri:e.attributes.URI},"
... undefined"!==typeof
... e.attributes.IV&&(u.iv=e.attributes.IV)):this.trigger("warn",{message:"
... ignoring key declaration without
... URI"}):u=null:this.trigger("warn",{message:"ignoring key declaration without
... attribute
... list"})),("media-sequence":function(){isFinite(e.number)?this.manifest.
... mediaSequence=e.number:this.trigger("warn",{message:"ignoring invalid media
... sequence:
... "+e.number})),("discontinuity-sequence":function(){isFinite(e.number)?(this.
... manifest.discontinuitySequence=e.number,c=e.number):this.trigger("warn",{
... message:"ignoring invalid discontinuity sequence:
... "+e.number})),("playlist-type":function(){/VOD|EVENT/.test(e.playlistType)?
... this.manifest.playlistType=e.playlistType:this.trigger("warn",{message:"
... ignoring unknown playlist type:
... "+e.playlist})),map:function(){o={},e.uri&&(o.uri=e.uri),e.byterange&&(o.
... byterange=e.byterange)},("stream-inf":function(){this.manifest.playlists=a,
... this.manifest.mediaGroups=this.manifest.mediaGroups||l,e.attributes?(s.
```

```
12... attributes||(s.attributes={}),da(s.attributes,e.attributes)):this.trigger("
... warn",{message:"ignoring empty stream-inf
... attributes"})),media:function(){if(this.manifest.mediaGroups=this.manifest.
... mediaGroups||1,e.attributes&&e.attributes.TYPE&&e.attributes["GROUP-ID"]&&e
... attributes.NAME){var
... t=this.manifest.mediaGroups[e.attributes.TYPE];t[e.attributes["GROUP-ID"]]=
... [e.attributes["GROUP-ID"]]|{|},i=t[e.attributes["GROUP-ID"]],(n={default:/
... yes/i.test(e.attributes.DEFAULT)}).default?n.autoselect=!0:n.autoselect=/ye
... /i.test(e.attributes.AUTOSELECT),e.attributes.LANGUAGE&&(n.language=e.
... attributes.LANGUAGE),e.attributes.URI&&(n.uri=e.attributes.URI),e.attribute
... ["INSTREAM-ID"]&&(n.instreamId=e.attributes["INSTREAM-ID"]),e.attributes.
... CHARACTERISTICS&&(n.characteristics=e.attributes.CHARACTERISTICS),e.
... attributes.FORCED&&(n.forced=/yes/i.test(e.attributes.FORCED)),i[e.
... attributes.NAME]=n}else this.trigger("warn",{message:"ignoring incomplete o
... missing media
... group"})),discontinuity:function(){c+=1,s.discontinuity=!0,this.manifest.
... discontinuityStarts.push(a.length)},"program-date-time":function(){
... undefined"==typeof
... this.manifest.dateTimeString&&(this.manifest.dateTimeString=e.dateTimeStrin
... ,this.manifest.dateTimeObject=e.dateTimeObject),s.dateTimeString=e.
... dateTimeString,s.dateTimeObject=e.dateTimeObject},targetduration:function()
... !isFinite(e.duration)||e.duration<0?this.trigger("warn",{message:"ignoring
... invalid target duration:
... "+e.duration}):this.manifest.targetDuration=e.duration},totalduration:
... function(){!isFinite(e.duration)||e.duration<0?this.trigger("warn",{message
... "ignoring invalid total duration:
... "+e.duration}):this.manifest.totalDuration=e.duration},start:function(){e.
... attributes&&!isNaN(e.attributes["TIME-OFFSET"])?this.manifest.start={
... timeOffset:e.attributes["TIME-OFFSET"],precise:e.attributes.PRECISE}:this.
... trigger("warn",{message:"ignoring start declaration without appropriate
... attribute
... list"})),,"cue-out":function(){s.cueOut=e.data},"cue-out-cont":function(){s.
... cueOutCont=e.data},"cue-in":function(){s.cueIn=e.data}}[e.tagType]||function
... (){}).call(r)},uri:function(){s.uri=e.uri,a.push(s),!this.manifest.
... targetDuration||"duration"in s||((this.trigger("warn",{message:"defaulting
... segment duration to the target
... duration"})),s.duration=this.manifest.targetDuration),u&&(s.key=u),s.timelin
... =c,o&&(s.map=o),s={}},comment:function(){},custom:function(){e.segment?(s.
... custom=s.custom||{|},s.custom[e.customType]=e.data):(this.manifest.custom=
... this.manifest.custom||{|},this.manifest.custom[e.customType]=e.data)))[e.
... type].call(r)),t}return
... pa(i,e),i.prototype.push=function(t){this.lineStream.push(t)},i.prototype.
... end=function(){this.lineStream.push("\n")},i.prototype.addParser=function(t
... {this.parseStream.addParser(t)},i}(ma),ba=function(t){return!!t&&"object"==
... typeof t},Ta=function n(){for(var t=arguments.length,e=new
... Array(t),i=0;i<t;i++)e[i]=arguments[i];return e.reduce(function(e,i){return
... Object.keys(i).forEach(function(t){Array.isArray(e[t])&&Array.isArray(i[t])
... e[t]=e[t].concat(i[t]):ba(e[t])&&ba(i[t])?e[t]=n(e[t],i[t]):e[t]=i[t]}),e),
```

```

12...   })),Sa=function(t){return t.reduce(function(t,e){return
...   t.concat(e)},[])},ka=function(t){if(!t.length)return[];for(var
...   e=[],i=0;i<t.length;i++)e.push(t[i]);return e},wa=function(t){var
...   e;return(e=t.reduce(function(t,e){var
...   i,n=e.attributes.id+(e.attributes.lang||"");t[n]?(e.segments[0].
...   discontinuity=!0,(i=t[n].segments).push.apply(i,e.segments),e.attributes.
...   contentProtection&&(t[n].attributes.contentProtection=e.attributes.
...   contentProtection)):t[n]=e;return
...   t},{}),Object.keys(e).map(function(t){return e[t]})).map(function(t){var
...   e,n;return
...   t.discontinuityStarts=(e=t.segments,n="discontinuity",e.reduce(function(t,e
...   i){return e[n]&&t.push(i),t},{},[])),t)},Ca=function(t){var
...   e,i=t.attributes,n=t.segments,r={attributes:(e={NAME:i.id,AUDIO:"audio",
...   SUBTITLES:"subs",RESOLUTION:{width:i.width,height:i.height},CODECS:i.codecs
...   BANDWIDTH:i.bandwidth},e["PROGRAM-ID"]=1,e),uri:"",endList:"static"==(i.
...   type||"static"),timeline:i.periodIndex,resolvedUri:"",targetDuration:i.
...   duration,segments:n,mediaSequence:n.length?n[0].number:1};return
...   i.contentProtection&&(r.contentProtection=i.contentProtection),r};"undefin
...   "!=typeof window?window:"undefined"!=typeof
...   global?global:"undefined"!=typeof self&&self;var Ea,Aa=(function(t,e){var
...   i,c,n,r,h;i=/^((?:[a-zA-Z0-9+\-.\-]+)?)((\/\/[^\/?#]*)?((?:[^\/?#]*\/)*.*?)?
...   (;.*?)?(\/?.*)?(#.*)?$/ ,c=/^([^\/?#]*)(.*)$/ ,n=(?:\/|^)\.(?=\//)/g,r=(?:\
...   |^)\.\.\.\/(?:!\.\.\.\/).*(?=\//)/g,h={buildAbsoluteURL:function(t,e,i){if(i=i||
...   },t=t.trim(),!(e=e.trim())){if(!i.alwaysNormalize)return t;var
...   n=h.parseURL(t);if(!n)throw new Error("Error trying to parse base
...   URL.");return n.path=h.normalizePath(n.path),h.buildURLFromParts(n)}var
...   r=h.parseURL(e);if(!r)throw new Error("Error trying to parse relative
...   URL.");if(r.scheme)return
...   i.alwaysNormalize?(r.path=h.normalizePath(r.path),h.buildURLFromParts(r)):e
...   var a=h.parseURL(t);if(!a)throw new Error("Error trying to parse base
...   URL.");if(!a.netLoc&&a.path&&"/"!==a.path[0]){var
...   s=c.exec(a.path);a.netLoc=s[1],a.path=s[2]}a.netLoc&&!a.path&&(a.path="/");
...   var
...   o={scheme:a.scheme,netLoc:r.netLoc,path:null,params:r.params,query:r.query,
...   fragment:r.fragment};if(!r.netLoc&&(o.netLoc=a.netLoc,"/"!==r.path[0]))if(r
...   path){var
...   u=a.path,l=u.substring(0,u.lastIndexOf("/")+1)+r.path;o.path=h.normalizePat
...   (l)}else
...   o.path=a.path,r.params||(o.params=a.params,r.query||(o.query=a.query));
...   return
...   null===o.path&&(o.path=i.alwaysNormalize?h.normalizePath(r.path):r.path),h.
...   buildURLFromParts(o)},parseURL:function(t){var e=i.exec(t);return
...   e?{scheme:e[1]||"",netLoc:e[2]||"",path:e[3]||"",params:e[4]||"",query:e[5]
...   ||"",fragment:e[6]||""}:null},normalizePath:function(t){for(t=t.split("").
...   reverse().join("").replace(n,"");t.length!=(t=t.replace(r,"")).length);)
...   return t.split("").reverse().join("")},buildURLFromParts:function(t){return
...   t.scheme+t.netLoc+t.path+t.params+t.query+t.fragment}},t.exports=h)(Ea={
...   exports:{}},Ea.exports),Ea.exports),La=function(t,e){return/^([a-z]+:\/i.test

```

```
12... e)?e:(/\/\//i.test(t)||t=Aa.buildAbsoluteURL(v.location.href,t)),Aa.
... buildAbsoluteURL(t,e)},Oa=function(t){var e=t.baseUrl,i=void
... 0===e?":e,n=t.source,r=void 0===n?":n,a=t.range,s=void
... 0===a?":a,o={uri:r,resolvedUri:La(i||"",r)};if(s){var
... u=s.split("-"),l=parseInt(u[0],10),c=parseInt(u[1],10);o.byterange={length:
... -l,offset:l}}return o},Pa=function(t,e){for(var
... i,n,r,a,s,o,u,l,c,h,d,p,f=t.type,m=void
... 0===f?"static":f,g=t.minimumUpdatePeriod,y=void 0===g?0:g,v=t.media,_=void
... 0===v?":v,b=t.sourceDuration,T=t.timescale,S=void
... 0===T?1:T,k=t.startNumber,w=void
... 0===k?1:k,C=t.periodIndex,E=[],A=-1,L=0;L<e.length;L++){var
... O=e[L],P=O.d,U=O.r||0,x=O.t||0;A<0&&(A=x),x&&A<x&&(A=x);var I=void
... 0;if(U<0){var
... D=L+1;I=D===e.length?"dynamic"===m&&0<y&&0<_.indexOf("$Number$")?(n=A,r=P,
... void
... 0,a=(i=t).NOW,s=i.clientOffset,o=i.availabilityStartTime,u=i.timescale,l=
... void 0===u?1:u,c=i.start,h=void
... 0===c?0:c,d=i.minimumUpdatePeriod,p=(a+s)/1e3+(void
... 0===d?0:d)-(o+h),Math.ceil((p*l-n)/r):(b*S-A)/P:(e[D].t-A)/P}else
... I=U+1;for(var
... R=w+E.length+I,M=w+E.length;M<R;)E.push({number:M,duration:P/S,time:A,
... timeline:C}),A+=P,M++}return E},Ua={static:function(t){var
... e=t.duration,i=t.timescale,n=void
... 0===i?1:i,r=t.sourceDuration;return{start:0,end:Math.ceil(r/(e/n))}},dynam
... :function(t){var
... e=t.NOW,i=t.clientOffset,n=t.availabilityStartTime,r=t.timescale,a=void
... 0===r?1:r,s=t.duration,o=t.start,u=void
... 0===o?0:o,l=t.minimumUpdatePeriod,c=void
... 0===l?0:l,h=t.timeShiftBufferDepth,d=void
... 0===h?1/0:h,p=(e+i)/1e3,f=n+u,m=p+c-f,g=Math.ceil(m*a/s),y=Math.floor((p-f-
... )*a/s),v=Math.floor((p-f)*a/s);return{start:Math.max(0,y),end:Math.min(g,v)
... }},xa=function(t){var o,e=t.type,i=void
... 0===e?"static":e,n=t.duration,r=t.timescale,a=void
... 0===r?1:r,s=t.sourceDuration,u=Ua[i](t),l=function(t,e){for(var
... i=[],n=t;n<e;n++)i.push(n);return
... i}(u.start,u.end).map((o=t,function(t,e){var
... i=o.duration,n=o.timescale,r=void
... 0===n?1:n,a=o.periodIndex,s=o.startNumber;return{number:(void
... 0===s?1:s)+t,duration:i/r,timeline:a,time:e*i}}));if("static"===i){var
... c=l.length-1;l[c].duration=s-n/a*c}return
... l},Ia=/\$( [A-z]* )?(?: (%0) ([0-9]+) d)?\$/g,Da=function(t,e){return
... t.replace(Ia,(a=e,function(t,e,i,n){if("$"===t)return"$";if("undefined"==
... typeof a[e])return t;var
... r=""+a[e];return"RepresentationID"===e?r:(n=i?parseInt(n,10):1)<=r.length?r
... ""+new Array(n-r.length+1).join("0")+r));var a},Ra=function(i,t){var
... e,n,r={RepresentationID:i.id,Bandwidth:i.bandwidth||0},a=i.initialization,s
... void
... 0===a?{sourceURL:"",range:""}:a,o=Oa({baseUrl:i.baseUrl,source:Da(s.
```



```

12... sourceURL,r),range:s.range});return(n=t,(e=i).duration||n?e.duration?xa(e):
... Pa(e,n):[{number:e.startNumber||1,duration:e.sourceDuration,time:0,timeline
... e.periodIndex}]).map(function(t){r.Number=t.number,r.Time=t.time;var
... e=Da(i.media||"",r);return{uri:e,timeline:t.timeline,duration:t.duration,
... resolvedUri:La(i.baseUrl||"",e),map:o,number:t.number}}}),Ma="
... INVALID_NUMBER_OF_PERIOD",Ba="DASH_EMPTY_MANIFEST",Na="DASH_INVALID_XML",ja
... "NO_BASE_URL",Fa="SEGMENT_TIME_UNSPECIFIED",Va="
... UNSUPPORTED.UTC_TIMING_SCHEME",Ha=function(u,t){var
... e=u.duration,i=u.segmentUrls,n=void 0===i?[]:i;if(!e&&!t||e&&t)throw new
... Error(Fa);var r,a=n.map(function(t){return
... i=t,n=(e=u).baseUrl,r=e.initialization,s=0a({baseUrl:n,source:(a=void
... 0===r?{}:r).sourceURL,range:a.range}),(o=0a({baseUrl:n,source:i.media,range
... i.mediaRange})).map=s,o;var e,i,n,r,a,s,o});return
... e&&(r=xa(u)),t&&(r=Pa(u,t)),r.map(function(t,e){if(a[e]){var i=a[e];return
... i.timeline=t.timeline,i.duration=t.duration,i.number=t.number,i}}).filter(
... function(t){return t})),qa=function(t){var
... e=t.baseUrl,i=t.initialization,n=void
... 0===i?{}:i,r=t.sourceDuration,a=t.timescale,s=void
... 0===a?1:a,o=t.indexRange,u=void 0===o?"":o,l=t.duration;if(!e)throw new
... Error(ja);var
... c=0a({baseUrl:e,source:n.sourceURL,range:n.range}),h=0a({baseUrl:e,source:e
... range:u});if(h.map=c,l){var
... d=xa(t);d.length&&(h.duration=d[0].duration,h.timeline=d[0].timeline)}else
... r&&(h.duration=r/s,h.timeline=0);return h.number=0,[h]},za=function(t){var
... e,i,n=t.attributes,r=t.segmentInfo;if(r.template?(i=Ra,e=Ta(n,r.template)):
... .base?(i=qa,e=Ta(n,r.base)):r.list&&(i=Ha,e=Ta(n,r.list)),!i)return{
... attributes:n};var a=i(e,r.timeline);if(e.duration){var
... s=e,o=s.duration,u=s.timescale,l=void 0===u?1:u;e.duration=o/l}else
... a.length?e.duration=a.reduce(function(t,e){return
... Math.max(t,Math.ceil(e.duration))},0):e.duration=0;return{attributes:e,
... segments:a}},Wa=function(t,e){return
... ka(t.childNodes).filter(function(t){return
... t.tagName===e}}),Ga=function(t){return
... t.textContent.trim()},Xa=function(t){var
... e=/P(?:\d*)Y(?:\d*)M(?:\d*)D(?:T(?:\d*)H(?:\d*)M)?(?:([\d.]*S
... )?)?/.exec(t);if(!e)return 0;var
... i=e.slice(1),n=i[0],r=i[1],a=i[2],s=i[3],o=i[4],u=i[5];return
... 31536e3*parseFloat(n||0)+2592e3*parseFloat(r||0)+86400*parseFloat(a||0)+360
... *parseFloat(s||0)+60*parseFloat(o||0)+parseFloat(u||0)},Ya={
... mediaPresentationDuration:function(t){return
... Xa(t)},availabilityStartTime:function(t){return/^d+-\d+-\d+T\d+:\d+:\d+(\.
... d+)?$/ .test(e=t)&&(e+="Z"),Date.parse(e)/1e3;var
... e},minimumUpdatePeriod:function(t){return
... Xa(t)},timeShiftBufferDepth:function(t){return
... Xa(t)},start:function(t){return Xa(t)},width:function(t){return
... parseInt(t,10)},height:function(t){return
... parseInt(t,10)},bandwidth:function(t){return
... parseInt(t,10)},startNumber:function(t){return

```

```
12... parseInt(t,10)},timescale:function(t){return
... parseInt(t,10)},duration:function(t){var e=parseInt(t,10);return
... isNaN(e)?Xa(t):e},d:function(t){return parseInt(t,10)},t:function(t){return
... parseInt(t,10)},r:function(t){return
... parseInt(t,10)},DEFAULT:function(t){return t}},$a=function(t){return
... t&&t.attributes?ka(t.attributes).reduce(function(t,e){var
... i=Ya[e.name]||Ya.DEFAULT;return t[e.name]=i(e.value),t},{}):{}};var
... Ka,Qa,Ja,Za,ts,es={"urn:uuid:1077efec-c0b2-4d02-ace3-3c1e52e2fb4b":"org.w3.
... clearkey","urn:uuid:edef8ba9-79d6-4ace-a3c8-27dcd51d21ed":"com.widevine.
... alpha","urn:uuid:9a04f079-9840-4286-ab92-e65be0885f95":"com.microsoft.
... playready","urn:uuid:f239e769-efa3-4850-9c16-a903c6932efb":"com.adobe.
... primetime"},is=function(t,i){return i.length?Sa(t.map(function(e){return
... i.map(function(t){return La(e,Ga(t))})))}:t},ns=function(t){var
... e=Wa(t,"SegmentTemplate")[0],i=Wa(t,"SegmentList")[0],n=i&&Wa(i,"SegmentURL
... ).map(function(t){return
... Ta({tag:"SegmentURL"},$a(t))}),r=Wa(t,"SegmentBase")[0],a=i||e,s=a&&Wa(a,"
... SegmentTimeline")[0],o=i||r||e,u=o&&Wa(o,"Initialization")[0],l=e&&$a(e);l&
... u?l.initialization=u&&$a(u):l&&l.initialization&&(l.initialization={
... sourceURL:l.initialization});var
... c={template:l,timeline:s&&Wa(s,"S").map(function(t){return
... $a(t)}),list:i&&Ta($a(i),{segmentUrls:n,initialization:$a(u)}),base:r&&Ta($
... (r),{initialization:$a(u)})};return
... Object.keys(c).forEach(function(t){c[t]||delete
... c[t]}),c},rs=function(t){return t.reduce(function(t,e){var
... i=$a(e),n=es[i.schemeIdUri];if(n){t[n]={attributes:i};var
... r=Wa(e,"cenc:pssh")[0];if(r){var a=Ga(r),s=a&&function(t){for(var
... e=v.atob(t),i=new
... Uint8Array(e.length),n=0;n<e.length;n++)i[n]=e.charCodeAt(n);return
... i}(a);t[n].pssh=s}}return t},{}),as=function(p,f,m){return function(t){var
... e=$a(t),i=is(f,Wa(t,"BaseURL")),n=Wa(t,"Role")[0],r={role:$a(n)},a=Ta(p,e,r
... ,s=rs(Wa(t,"ContentProtection")));Object.keys(s).length&&(a=Ta(a,{
... contentProtection:s}));var
... o,u,l,c=ns(t),h=Wa(t,"Representation"),d=Ta(m,c);return
... Sa(h.map((o=a,u=i,l=d,function(t){var
... e=Wa(t,"BaseURL"),i=is(u,e),n=Ta(o,$a(t)),r=ns(t);return
... i.map(function(t){return{segmentInfo:Ta(l,r),attributes:Ta(n,{baseUr1:t})}
... }))))},ss=function(t,e){void 0===e&&(e={});var i=e,n=i.manifestUri,r=void
... 0===n?"":n,a=i.NOW,s=void 0===a?Date.now():a,o=i.clientOffset,u=void
... 0===o?0:o,l=Wa(t,"Period");if(!l.length)throw new Error(Ma);var
... c,h,d=$a(t),p=is([r],Wa(t,"BaseURL"));return
... d.sourceDuration=d.mediaPresentationDuration||0,d.NOW=s,d.clientOffset=u,Sa
... l.map((c=d,h=p,function(t,e){var
... i=is(h,Wa(t,"BaseURL")),n=$a(t),r=parseInt(n.id,10),a=v.isNaN(r)?e:r,s=Ta(c
... {periodIndex:a}),o=Wa(t,"AdaptationSet"),u=ns(t);return
... Sa(o.map(as(s,i,u))))})),os=function(t){if(""===t)throw new Error(Ba);var
... e=(new
... v.DOMParser).parseFromString(t,"application/xml"),i=e&&"MPD"===e.
... documentElement.tagName?e.documentElement:null;if(!i||i&&0<i.
```

```
12... getElementByTagName("parsererror").length)throw new Error(Na);return
... i},us=function(t,e){return function(t){var e;if(!t.length)return{};var
... i=t[0].attributes,n=i.sourceDuration,r=i.minimumUpdatePeriod,a=void
... 0===r?0:r,s=wa(t.filter(function(t){var
... e=t.attributes;return"video/mp4"===e.mimeType||"video"===e.contentType})).
... map(Ca),o=wa(t.filter(function(t){var
... e=t.attributes;return"audio/mp4"===e.mimeType||"audio"===e.contentType})),u
... t.filter(function(t){var
... e=t.attributes;return"text/vtt"===e.mimeType||"text"===e.contentType}),l={
... allowCache:!0,discontinuityStarts:[],segments:[],endList:!0,mediaGroups:(e=
... AUDIO:{},VIDEO:{},e["CLOSED-CAPTIONS"]={},e.SUBTITLES={},e),uri:"",duration
... :n,playlists:s,minimumUpdatePeriod:1e3*a};return
... o.length&&(l.mediaGroups.AUDIO.audio=o.reduce(function(t,e){var
... i,n,r,a,s,o=e.attributes.role&&e.attributes.role.value||"main",u=e.
... attributes.lang||"",l="main";return u&&(l=e.attributes.lang+
... ("+o+")),t[1]&&t[1].playlists[0].attributes.BANDWIDTH>e.attributes.
... bandwidth||(t[1]={language:u,autoselect:!0,default:"main"===o,playlists:[(i
... e,r=i.attributes,a=i.segments,s={attributes:(n={NAME:r.id,BANDWIDTH:r.
... bandwidth,CODECS:r.codecs},n["PROGRAM-ID"]=1,n),uri:"",endList:"static"===
... .type||"static"),timeline:r.periodIndex,resolvedUri:"",targetDuration:r.
... duration,segments:a,mediaSequence:a.length?a[0].number:1},r.
... contentProtection&&(s.contentProtection=r.contentProtection),s)],uri:""}),t
... ,{))),u.length&&(l.mediaGroups.SUBTITLES.subs=u.reduce(function(t,e){var
... i,n,r,a,s=e.attributes.lang||"text";return
... t[s]||(t[s]={language:s,default:!1,autoselect:!1,playlists:[(i=e,r=i.
... attributes,a=i.segments,"undefined"===typeof
... a&&(a=[{uri:r.baseUrl,timeline:r.periodIndex,resolvedUri:r.baseUrl||"",
... duration:r.sourceDuration,number:0}],r.duration=r.sourceDuration),{
... attributes:(n={NAME:r.id,BANDWIDTH:r.bandwidth},n["PROGRAM-ID"]=1,n),uri:""
... endList:"static"===(r.type||"static"),timeline:r.periodIndex,resolvedUri:r.
... baseUrl||"",targetDuration:r.duration,segments:a,mediaSequence:a.length?a[0
... .number:1]),uri:""}),t},{))),l}(ss(os(t),e).map(za)),ls=function(t){return
... function(t){var e=wa(t,"UTCTiming")[0];if(!e)return null;var
... i=$a(e);switch(i.schemeIdUri){case"urn:mpeg:dash:utc:http-head:2014":case"
... urn:mpeg:dash:utc:http-head:2012":i.method="HEAD";break;case"urn:mpeg:dash:
... utc:http-xsdate:2014":case"urn:mpeg:dash:utc:http-iso:2014":case"urn:mpeg:
... dash:utc:http-xsdate:2012":case"urn:mpeg:dash:utc:http-iso:2012":i.method="
... GET";break;case"urn:mpeg:dash:utc:direct:2014":case"urn:mpeg:dash:utc:direc
... :2012":i.method="DIRECT",i.value=Date.parse(i.value);break;case"urn:mpeg:
... dash:utc:http-ntp:2014":case"urn:mpeg:dash:utc:ntp:2014":case"urn:mpeg:dash
... utc:sntp:2014":default:throw new Error(Va)}return
... i}(os(t))},cs=function(t){return t>>>0};Ja=function(t){return
... Ka(t,["moov","trak"]).reduce(function(t,e){var
... i,n,r,a,s;return(i=Ka(e,["tkhd"])[0])?(n=i[0],a=cs(i[r=0===n?12:20]<<24|i[r
... 1]<<16|i[r+2]<<8|i[r+3]),(s=Ka(e,["mdia","mdhd"])[0])?(r=0===(n=s[0])?12:20
... t[a]=cs(s[r]<<24|s[r+1]<<16|s[r+2]<<8|s[r+3]),t):null):null},{})},Za=
... function(r,t){var e,i,n;return
... e=Ka(t,["moof","traf"]),i=[].concat.apply([],e.map(function(n){return
```

```

12... Ka(n,["tfhd"]).map(function(t){var e,i;return
... e=cs(t[4]<<24|t[5]<<16|t[6]<<8|t[7]),i=r[e]||9e4,(Ka(n,["tfdt"]).map(
... function(t){var e,i;return
... e=t[0],i=cs(t[4]<<24|t[5]<<16|t[6]<<8|t[7]),1===e&&(i*=Math.pow(2,32),i+=cs
... t[8]<<24|t[9]<<16|t[10]<<8|t[11]),i}[0]||1/0)/i})),n=Math.min.apply(nu
... ,i),isFinite(n)?n:0},ts=function(t){var e=Ka(t,["moov","trak"]),o=[];return
... e.forEach(function(t){var
... e=Ka(t,["mdia","hdlr"]),s=Ka(t,["tkhd"]);e.forEach(function(t,e){var
... i,n,r=Qa(t.subarray(8,12)),a=s[e];"vide"===r&&(n=0===(i=new
... DataView(a.buffer,a.byteOffset,a.byteLength)).getUint8(0)?i.getUint32(12):i
... getUint32(20),o.push(n))})),o};var
... hs,ds,ps,fs,ms,gs,ys,vs,_s,bs,Ts,Ss,ks,ws,Cs,Es,As,Ls,Os,Ps,Us,xs,Is,Ds,Rs,
... Ms,Bs,Ns,js,Fs,Vs,Hs,qs,zs,Ws,Gs,Xs,Ys,$s,Ks,Qs={findBox:Ka=function(t,e){
... var i,n,r,a,s,o=[];if(!e.length)return
... null;for(i=0;i<t.byteLength;n=cs(t[i]<<24|t[i+1]<<16|t[i+2]<<8|t[i+3]),r=Q
... (t.subarray(i+4,i+8)),a=1<n?i+n:t.byteLength,r===e[0]&&(1===e.length?o.push
... t.subarray(i+8,a)):(s=Ka(t.subarray(i+8,a),e.slice(1))).length&&(o=o.concat
... s)),i=a;return o},parseType:Qa=function(t){var e="";return
... e+=String.fromCharCode(t[0]),e+=String.fromCharCode(t[1]),e+=String.
... fromCharCode(t[2]),e+=String.fromCharCode(t[3]),timescale:Ja,startTime:Za,
... videoTrackIds:ts},Js=Math.pow(2,32)-1;!function(){var
... t;if(xs={avc1:[],avcC:[],btrt:[],dinf:[],dref:[],esds:[],ftyp:[],hdlr:[],
... mdat:[],mdhd:[],mdia:[],mfhd:[],minf:[],moof:[],moov:[],mp4a:[],mvex:[],mvh
... :[],sdtg:[],smhd:[],stbl:[],stco:[],stsc:[],stds:[],stsz:[],stts:[],styp:[],
... tfdt:[],tfhd:[],traf:[],trak:[],trun:[],trex:[],tkhd:[],vmhd:[]},"undefined
... !=typeof Uint8Array){for(t in
... xs)xs.hasOwnProperty(t)&&(xs[t]=[t.charCodeAt(0),t.charCodeAt(1),t.
... charCodeAt(2),t.charCodeAt(3)]);Is=new
... Uint8Array(["i".charCodeAt(0),"s".charCodeAt(0),"o".charCodeAt(0),"m".
... charCodeAt(0)]),Rs=new
... Uint8Array(["a".charCodeAt(0),"v".charCodeAt(0),"c".charCodeAt(0),"1".
... charCodeAt(0)]),Ds=new Uint8Array([0,0,0,1]),Ms=new
... Uint8Array([0,0,0,0,0,0,0,0,118,105,100,101,0,0,0,0,0,0,0,0,0,0,0,0,0,0,86,105,
... 100,101,111,72,97,110,100,108,101,114,0]),Bs=new
... Uint8Array([0,0,0,0,0,0,0,0,115,111,117,110,0,0,0,0,0,0,0,0,0,0,0,0,0,0,83,111,
... 117,110,100,72,97,110,100,108,101,114,0]),Ns={video:Ms,audio:Bs},Vs=new
... Uint8Array([0,0,0,0,0,0,0,1,0,0,0,12,117,114,108,32,0,0,0,1]),Fs=new
... Uint8Array([0,0,0,0,0,0,0,0]),Hs=new
... Uint8Array([0,0,0,0,0,0,0,0]),qs=Hs,zs=new
... Uint8Array([0,0,0,0,0,0,0,0,0,0,0,0]),Ws=Hs,js=new
... Uint8Array([0,0,0,1,0,0,0,0,0,0,0,0])}(),hs=function(t){var
... e,i,n=[],r=0;for(e=1;e<arguments.length;e++)n.push(arguments[e]);for(e=n.
... length;e--;)r+=n[e].byteLength;for(i=new Uint8Array(r+8),new
... DataView(i.buffer,i.byteOffset,i.byteLength).setUint32(0,i.byteLength),i.se
... (t,4),e=0,r=8;e<n.length;e++)i.set(n[e],r),r+=n[e].byteLength;return
... i},ds=function(){return hs(xs.dinf,hs(xs.dref,Vs))},ps=function(t){return
... hs(xs.esds,new
... Uint8Array([0,0,0,0,3,25,0,0,0,4,17,64,21,0,6,0,0,0,218,192,0,0,218,192,5,2

```

```

12... t.audioobjecttype<<3|t.samplingfrequencyindex>>>1,t.samplingfrequencyindex<
... 7|t.channelcount<<3,6,1,2]))},Cs=function(t){return
... hs(xs.hdlr,Ns[t])},ws=function(t){var e=new
... Uint8Array([0,0,0,0,0,0,2,0,0,0,3,0,1,95,144,t.duration>>>24&255,t.
... duration>>>16&255,t.duration>>>8&255,255&t.duration,85,196,0,0]);return
... t.samplerate&&(e[12]=t.samplerate>>>24&255,e[13]=t.samplerate>>>16&255,e[14
... =t.samplerate>>>8&255,e[15]=255&t.samplerate),hs(xs.mdhd,e)},ks=function(t)
... return hs(xs.mdia,ws(t),Cs(t.type),gs(t)),ms=function(t){return
... hs(xs.mfhd,new
... Uint8Array([0,0,0,0,(4278190080&t)>>24,(16711680&t)>>16,(65280&t)>>8,255&t
... ]),gs=function(t){return
... hs(xs.minf,"video"===t.type?hs(xs.vmhd,js):hs(xs.smhd,Fs),ds(),As(t))},ys=
... function(t,e){for(var i=[],n=e.length;n--;)i[n]=0s(e[n]);return
... hs.apply(null,[xs.moof,ms(t)].concat(i)),vs=function(t){for(var
... e=t.length,i=[];e--;)i[e]=Ts(t[e]);return
... hs.apply(null,[xs.moov,bs(4294967295)].concat(i).concat(_s(t))),_s=functio
... (t){for(var e=t.length,i=[];e--;)i[e]=Ps(t[e]);return
... hs.apply(null,[xs.mvex].concat(i)),bs=function(t){var e=new
... Uint8Array([0,0,0,0,0,0,1,0,0,0,2,0,1,95,144,(4278190080&t)>>24,(16711680
... t)>>16,(65280&t)>>8,255&t,0,1,0,0,1,0,0,0,0,0,0,0,0,0,0,0,1,0,0,0,0,0,0
... 0,0,0,0,0,0,0,1,0,0,0,0,0,0,0,0,0,0,0,0,0,0,64,0,0,0,0,0,0,0,0,0,0,0,0
... ,0,0,0,0,0,0,0,0,0,0,0,0,0,0,255,255,255,255]);return
... hs(xs.mvhd,e)},Es=function(t){var e,i,n=t.samples||[],r=new
... Uint8Array(4+n.length);for(i=0;i<n.length;i++)e=n[i].flags,r[i+4]=e.
... dependsOn<<4|e.isDependedOn<<2|e.hasRedundancy;return
... hs(xs.sdtp,r)},As=function(t){return
... hs(xs.stbl,Ls(t),hs(xs.stts,Ws),hs(xs.stsc,qs),hs(xs.stsz,zs),hs(xs.stco,Hs
... )},Ls=function(t){return hs(xs.stsd,new
... Uint8Array([0,0,0,0,0,0,1]),"video"===t.type?Gs(t):Xs(t))},Gs=function(t)
... var
... e,i=t.sps||[],n=t.pps||[],r=[],a=[];for(e=0;e<i.length;e++)r.push((65280&i[
... ].byteLength)>>>8),r.push(255&i[e].byteLength),r=r.concat(Array.prototype.
... slice.call(i[e]));for(e=0;e<n.length;e++)a.push((65280&n[e].byteLength)>>>8
... ,a.push(255&n[e].byteLength),a=a.concat(Array.prototype.slice.call(n[e]));
... return hs(xs.avc1,new
... Uint8Array([0,0,0,0,0,0,1,0,0,0,0,0,0,0,0,0,0,0,0,0,0,(65280&t.width)
... >8,255&t.width,(65280&t.height)>>8,255&t.height,0,72,0,0,0,72,0,0,0,0,0,0,0
... 1,19,118,105,100,101,111,106,115,45,99,111,110,116,114,105,98,45,104,108,11
... ,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,24,17,17]),hs(xs.avcC,new
... Uint8Array([1,t.profileIdc,t.profileCompatibility,t.levelIdc,255].concat([i
... length]).concat(r).concat([n.length]).concat(a))),hs(xs.btrt,new
... Uint8Array([0,28,156,128,0,45,198,192,0,45,198,192]))},Xs=function(t){
... return hs(xs.mp4a,new
... Uint8Array([0,0,0,0,0,0,1,0,0,0,0,0,0,0,(65280&t.channelcount)>>8,255&t
... channelcount,(65280&t.samplesize)>>8,255&t.samplesize,0,0,0,0,(65280&t.
... samplerate)>>8,255&t.samplerate,0,0]),ps(t))},Ss=function(t){var e=new
... Uint8Array([0,0,0,7,0,0,0,0,0,0,0,(4278190080&t.id)>>24,(16711680&t.id)>>
... 16,(65280&t.id)>>8,255&t.id,0,0,0,0,(4278190080&t.duration)>>24,(16711680&t

```



```
12... call(this,arguments[1]);else{for(r=[],i=arguments.length,i=1;i<arguments.
... length;++i)r.push(arguments[i]);for(n=e.length,i=0;i<n;++i)e[i].apply(this,
... )}},this.dispose=function(){a={}}};to.prototype.pipe=function(e){return
... this.on("data",function(t){e.push(t)}),this.on("done",function(t){e.flush(t
... }),e},to.prototype.push=function(t){this.trigger("data",t)},to.prototype.
... flush=function(t){this.trigger("done",t)};var eo=to,io=function(t){var
... e,i,n=[],r=[];for(e=n.byteLength=0;e<t.length;e++)"
... access_unit_delimiter_rbsp"===i=t[e].nalUnitType?(n.length&&(n.duration=i
... dts-n.dts,r.push(n)),(n=[i]).byteLength=i.data.byteLength,n.pts=i.pts,n.dts
... i.dts):("slice_layer_without_partitioning_rbsp_idr"===i.nalUnitType&&(n.
... keyFrame=!0),n.duration=i.dts-n.dts,n.byteLength+=i.data.byteLength,n.push(
... ));return
... r.length&&(n.duration||n.duration<=0)&&(n.duration=r[r.length-1].duration)
... r.push(n),r},no=function(t){var
... e,i,n=[],r=[];for(n.byteLength=0,n.nalCount=0,n.duration=0,n.pts=t[0].pts,n
... dts=t[0].dts,r.byteLength=0,r.nalCount=0,r.duration=0,r.pts=t[0].pts,r.dts=
... [0].dts,e=0;e<t.length;e++){i=t[e].keyFrame?(n.length&&(r.push(n),r.
... byteLength+=n.byteLength,r.nalCount+=n.nalCount,r.duration+=n.duration),(n=
... i).nalCount=i.length,n.byteLength=i.byteLength,n.pts=i.pts,n.dts=i.dts,n.
... duration=i.duration):(n.duration+=i.duration,n.nalCount+=i.length,n.
... byteLength+=i.byteLength,n.push(i));return
... r.length&&n.duration<=0&&(n.duration=r[r.length-1].duration),r.byteLength+=
... .byteLength,r.nalCount+=n.nalCount,r.duration+=n.duration,r.push(n),r},ro=
... function(t){var
... e;return!t[0][0].keyFrame&&1<t.length&&(e=t.shift(),t.byteLength-=e.
... byteLength,t.nalCount-=e.nalCount,t[0][0].dts=e.dts,t[0][0].pts=e.pts,t[0][
... ].duration+=e.duration),t},ao=function(t,e){var
... i,n,r,a,s,o,u,l=e||0,c=[];for(i=0;i<t.length;i++)for(a=t[i],n=0;n<a.length;
... ++s)a[n],o=s,u=void
... 0,(u={size:0,flags:{isLeading:0,dependsOn:1,isDependedOn:0,hasRedundancy:0,
... degradationPriority:0,isNonSyncSample:1}}).dataOffset=1,u.
... compositionTimeOffset=o.pts-o.dts,u.duration=o.duration,u.size=4*o.length,u
... size+=o.byteLength,o.keyFrame&&(u.flags.dependsOn=2,u.flags.isNonSyncSample
... 0),l+=(r=u).size,c.push(r);return c},so=function(t){var
... e,i,n,r,a,s,o=0,u=t.byteLength,l=t.nalCount,c=new Uint8Array(u+4*1),h=new
... DataView(c.buffer);for(e=0;e<t.length;e++)for(r=t[e],i=0;i<r.length;i++)for
... a=r[i],n=0;n<a.length;n++)s=a[n],h.setUint32(o,s.data.byteLength),o+=4,c.se
... (s.data,o),o+=s.data.byteLength;return c},oo=function(t){delete
... t.minSegmentDts,delete t.maxSegmentDts,delete t.minSegmentPts,delete
... t.maxSegmentPts},uo=function(t,e){var i,n=t.minSegmentDts;return
... e||n=t.timelineStartInfo.dts,i=t.timelineStartInfo.baseMediaDecodeTime,i
... =n,i=Math.max(0,i),"audio"===t.type&&(i*=t.samplerate/9e4,i=Math.floor(i)),
... },lo=function(t,e){"number"===typeof e.pts&&(void
... 0===t.timelineStartInfo.pts&&(t.timelineStartInfo.pts=e.pts),void
... 0===t.minSegmentPts?t.minSegmentPts=e.pts:t.minSegmentPts=Math.min(t.
... minSegmentPts,e.pts),void
... 0===t.maxSegmentPts?t.maxSegmentPts=e.pts:t.maxSegmentPts=Math.max(t.
... maxSegmentPts,e.pts)),"number"===typeof e.dts&&(void
```

```
12... 0===t.timelineStartInfo.dts&&(t.timelineStartInfo.dts=e.dts),void
... 0===t.minSegmentDts?t.minSegmentDts=e.dts:t.minSegmentDts=Math.min(t.
... minSegmentDts,e.dts),void
... 0===t.maxSegmentDts?t.maxSegmentDts=e.dts:t.maxSegmentDts=Math.max(t.
... maxSegmentDts,e.dts)),co=function(t){for(var
... e=0,i={payloadType:-1,payloadSize:0},n=0,r=0;e<t.byteLength&&128!==t[e];){
... for(;255===t[e];)n+=255,e++;for(n+=t[e++];255===t[e];)r+=255,e++;if(r+=t[e+
... ],!i.payload&&4===n){i.payloadType=n,i.payloadSize=r,i.payload=t.subarray(e
... e+r);break}e+=r,r=n=0}return i},ho=function(t){return
... 181!==t.payload[0]?null:49!=(t.payload[1]<<8|t.payload[2])?null:"GA94"!==
... String.fromCharCode(t.payload[3],t.payload[4],t.payload[5],t.payload[6])?
... null:3!==t.payload[7]?null:t.payload.subarray(8,t.payload.length-1)},po=
... function(t,e){var i,n,r,a,s=[];if(!(64&e[0]))return
... s;for(n=31&e[0],i=0;i<n;i++)a={type:3&e[2+(r=3*i)],pts:t},4&e[r+2]&&(a.
... ccData=e[r+3]<<8|e[r+4],s.push(a));return s},fo=function(t){for(var
... e,i,n=t.byteLength,r=[],a=1;a<n-2;)0===t[a]&&0===t[a+1]&&3===t[a+2]?(r.push
... a+2),a+=2):a++;if(0===r.length)return t;e=n-r.length,i=new Uint8Array(e);va
... s=0;for(a=0;a<e;s++,a++)s===r[0]&&(s++,r.shift()),i[a]=t[s];return
... i},mo=4,go=function
... t(){t.prototype.init.call(this),this.captionPackets_=[],this.ccStreams_=[ne
... To(0,0),new To(0,1),new To(1,0),new
... To(1,1)],this.reset(),this.ccStreams_.forEach(function(t){t.on("data",this.
... trigger.bind(this,"data")),t.on("done",this.trigger.bind(this,"done"))},thi
... ));(go.prototype=new eo).push=function(t){var
... e,i,n;if("sei_rbsp"===t.nalUnitType&&(e=co(t.escapedRBSP)).payloadType===mo
... &(i=ho(e)))if(t.dts<this.latestDts_)this.ignoreNextEqualDts_!=0;else{if(t.
... dts===this.latestDts_&&this.ignoreNextEqualDts_)return
... this.numSameDts_--,void(this.numSameDts_||(this.ignoreNextEqualDts_!=1));n=
... po(t.pts,i),this.captionPackets_=this.captionPackets_.concat(n),this.
... latestDts_!=t.dts&&(this.numSameDts_=0),this.numSameDts_++,this.latestDts_
... t.dts}},go.prototype.flush=function(){this.captionPackets_.length?(this.
... captionPackets_.forEach(function(t,e){t.presortIndex=e}),this.
... captionPackets_.sort(function(t,e){return
... t.pts===e.pts?t.presortIndex-e.presortIndex:t.pts-e.pts}),this.
... captionPackets_.forEach(function(t){t.type<2&&this.dispatchCea608Packet(t)}
... this),this.captionPackets_.length=0,this.ccStreams_.forEach(function(t){t.
... flush()},this)):this.ccStreams_.forEach(function(t){t.flush()},this)},go.
... prototype.reset=function(){this.latestDts_=null,this.ignoreNextEqualDts_!=1
... this.numSameDts_=0,this.activeCea608Channel_=[null,null],this.ccStreams_.
... forEach(function(t){t.reset()}}),go.prototype.dispatchCea608Packet=function
... t){this.setsChannel1Active(t)?this.activeCea608Channel_[t.type]=0:this.
... setsChannel2Active(t)&&(this.activeCea608Channel_[t.type]=1),null!==this.
... activeCea608Channel_[t.type]&&this.ccStreams_[t.type<<1+this.
... activeCea608Channel_[t.type]].push(t)},go.prototype.setsChannel1Active=
... function(t){return
... 4096==(30720&t.ccData)},go.prototype.setsChannel2Active=function(t){return
... 6144==(30720&t.ccData)};var
... yo={42:225,92:233,94:237,95:243,96:250,123:231,124:247,125:209,126:241,127:
```



```
12... 9608,304:174,305:176,306:189,307:191,308:8482,309:162,310:163,311:9834,312:
... 224,313:160,314:232,315:226,316:234,317:238,318:244,319:251,544:193,545:201
... 546:211,547:218,548:220,549:252,550:8216,551:161,552:42,553:39,554:8212,555
... 169,556:8480,557:8226,558:8220,559:8221,560:192,561:194,562:199,563:200,564
... 202,565:203,566:235,567:206,568:207,569:239,570:212,571:217,572:249,573:219
... 574:171,575:187,800:195,801:227,802:205,803:204,804:236,805:210,806:242,807
... 213,808:245,809:123,810:125,811:92,812:94,813:95,814:124,815:126,816:196,81
... :228,818:214,819:246,820:223,821:165,822:164,823:9474,824:197,825:229,826:
... 216,827:248,828:9484,829:9488,830:9492,831:9496},vo=function(t){return
... null===t?"":(t=yo[t]||t,String.fromCharCode(t)),_o=[4352,4384,4608,4640,
... 5376,5408,5632,5664,5888,5920,4096,4864,4896,5120,5152],bo=function(){for(
... var t=[],e=15;e--;)t.push("");return t},To=function
... t(e,i){t.prototype.init.call(this),this.field_=e||0,this.dataChannel_=i||0,
... this.name_="CC"+(1+(this.field_<<1|this.dataChannel_)),this.setConstants(),
... this.reset(),this.push=function(t){var
... e,i,n,r,a;if((e=32639&t.ccData)!==this.lastControlCode_){if(4096==(61440&e)
... this.lastControlCode_=e:e!==this.PADDING_&&(this.lastControlCode_=null),n=e
... >>8,r=255&e,e!==this.PADDING_)if(e===this.RESUME_CAPTION_LOADING_)this.mode
... ="popOn";else
... if(e===this.END_OF_CAPTION_)this.mode_="popOn",this.clearFormatting(t.pts),
... this.flushDisplayed(t.pts),i=this.displayed_,this.displayed_=this.
... nonDisplayed_,this.nonDisplayed_=i,this.startPts_=t.pts;else
... if(e===this.ROLL_UP_2_ROWS_)this.rollUpRows_=2,this.setRollUp(t.pts);else
... if(e===this.ROLL_UP_3_ROWS_)this.rollUpRows_=3,this.setRollUp(t.pts);else
... if(e===this.ROLL_UP_4_ROWS_)this.rollUpRows_=4,this.setRollUp(t.pts);else
... if(e===this.CARRIAGE_RETURN_)this.clearFormatting(t.pts),this.flushDisplaye
... (t.pts),this.shiftRowsUp(),this.startPts_=t.pts;else
... if(e===this.BACKSPACE_"popOn"===this.mode_?this.nonDisplayed_[this.row_]=
... this.nonDisplayed_[this.row_].slice(0,-1):this.displayed_[this.row_]=this.
... displayed_[this.row_].slice(0,-1);else
... if(e===this.ERASE_DISPLAYED_MEMORY_)this.flushDisplayed(t.pts),this.
... displayed_=bo();else
... if(e===this.ERASE_NON_DISPLAYED_MEMORY_)this.nonDisplayed_=bo();else
... if(e===this.RESUME_DIRECT_CAPTIONING_"paintOn"!==this.mode_&&(this.
... flushDisplayed(t.pts),this.displayed_=bo()),this.mode_="paintOn",this.
... startPts_=t.pts;else
... if(this.isSpecialCharacter(n,r))a=vo((n=(3&n)<<8)|r),this[this.mode_](t.pts
... a),this.column_++;else
... if(this.isExtCharacter(n,r))"popOn"===this.mode_?this.nonDisplayed_[this.
... row_]=this.nonDisplayed_[this.row_].slice(0,-1):this.displayed_[this.row_]=
... this.displayed_[this.row_].slice(0,-1),a=vo((n=(3&n)<<8)|r),this[this.mode_
... (t.pts,a),this.column_++;else
... if(this.isMidRowCode(n,r))this.clearFormatting(t.pts),this[this.mode_](t.pt
... ,
... "),this.column_++,14==(14&r)&&this.addFormatting(t.pts,["i"]),1==(1&r)&&thi
... .addFormatting(t.pts,["u"]);else
... if(this.isOffsetControlCode(n,r))this.column_+=3&r;else
... if(this.isPAC(n,r)){var
```

```
12... s=_o.indexOf(7968&e);"rollUp"===this.mode_&&this.setRollUp(t.pts,s),s!==thi
... .row_&&(this.clearFormatting(t.pts),this.row_=s),1&r&&-1===this.formatting_
... indexOf("u")&&this.addFormatting(t.pts,["u"]),16==(16&e)&&(this.column_=4*(
... 14&e)>>1)),this.isColorPAC(r)&&14==(14&r)&&this.addFormatting(t.pts,["i"]))
... else
... this.isNormalChar(n)&&(0===r&&(r=null),a=vo(n),a+=vo(r),this[this.mode_](t
... pts,a),this.column_+=a.length)}else
... this.lastControlCode_=null}};To.prototype=new
... eo,To.prototype.flushDisplayed=function(t){var
... e=this.displayed_.map(function(t){return
... t.trim()}).join("\n").replace(/^\n+|\n+$/g,"");e.length&&this.trigger("data
... ,{startPts:this.startPts_,endPts:t,text:e,stream:this.name_}),To.prototype
... reset=function(){this.mode_="popOn",this.topRow_=0,this.startPts_=0,this.
... displayed_=bo(),this.nonDisplayed_=bo(),this.lastControlCode_=null,this.
... column_=0,this.row_=14,this.rollUpRows_=2,this.formatting_=[]},To.prototype
... setConstants=function(){0===this.dataChannel_?(this.BASE_=16,this.EXT_=17,
... this.CONTROL_=(20|this.field_)<<8,this.OFFSET_=23):1===this.dataChannel_&&(
... this.BASE_=24,this.EXT_=25,this.CONTROL_=(28|this.field_)<<8,this.OFFSET_=3
... ),this.PADDING_=0,this.RESUME_CAPTION_LOADING_=32|this.CONTROL_,this.
... END_OF_CAPTION_=47|this.CONTROL_,this.ROLL_UP_2_ROWS_=37|this.CONTROL_,this
... ROLL_UP_3_ROWS_=38|this.CONTROL_,this.ROLL_UP_4_ROWS_=39|this.CONTROL_,this
... CARRIAGE_RETURN_=45|this.CONTROL_,this.RESUME_DIRECT_CAPTIONING_=41|this.
... CONTROL_,this.BACKSPACE_=33|this.CONTROL_,this.ERASE_DISPLAYED_MEMORY_=44|
... this.CONTROL_,this.ERASE_NON_DISPLAYED_MEMORY_=46|this.CONTROL_},To.
... prototype.isSpecialCharacter=function(t,e){return
... t===this.EXT_&&48<=e&&e<=63},To.prototype.isExtCharacter=function(t,e){
... return(t===this.EXT_+1||t===this.EXT_+2)&&32<=e&&e<=63},To.prototype.
... isMidRowCode=function(t,e){return
... t===this.EXT_&&32<=e&&e<=47},To.prototype.isOffsetControlCode=function(t,e)
... return
... t===this.OFFSET_&&33<=e&&e<=35},To.prototype.isPAC=function(t,e){return
... t>=this.BASE_&&t<this.BASE_+8&&64<=e&&e<=127},To.prototype.isColorPAC=
... function(t){return
... 64<=t&&t<=79||96<=t&&t<=127},To.prototype.isNormalChar=function(t){return
... 32<=t&&t<=127},To.prototype.setRollUp=function(t,e){if("rollUp"!==this.mode
... &&(this.row_=14,this.mode_="rollUp",this.flushDisplayed(t),this.
... nonDisplayed_=bo(),this.displayed_=bo()),void 0!==e&&e!==this.row_)for(var
... i=0;i<this.rollUpRows_;i++)this.displayed_[e-i]=this.displayed_[this.row_-i
... ,this.displayed_[this.row_-i]="";void
... 0===e&&(e=this.row_),this.topRow_=e-this.rollUpRows_+1},To.prototype.
... addFormatting=function(t,e){this.formatting_=this.formatting_.concat(e);var
... i=e.reduce(function(t,e){return
... t+"<"+"e+">"},"");this[this.mode_](t,i)},To.prototype.clearFormatting=
... function(t){if(this.formatting_.length){var
... e=this.formatting_.reverse().reduce(function(t,e){return
... t+"</"+"e+">"},"");this.formatting_=[],this[this.mode_](t,e)}}},To.prototype.
... popOn=function(t,e){var
... i=this.nonDisplayed_[this.row_];i+=e,this.nonDisplayed_[this.row_]=i},To.
```

```

12... prototype.rollUp=function(t,e){var
... i=this.displayed_[this.row_];i+=e,this.displayed_[this.row_]=i},To.prototype
... .shiftRowsUp_=function(){var
... t;for(t=0;t<this.topRow_;t++)this.displayed_[t]="";for(t=this.row_+1;t<15;t
... +)this.displayed_[t]="";for(t=this.topRow_;t<this.row_;t++)this.displayed_[
... ]=this.displayed_[t+1];this.displayed_[this.row_]=""},To.prototype.paintOn=
... function(t,e){var
... i=this.displayed_[this.row_];i+=e,this.displayed_[this.row_]=i};var
... So={CaptionStream:go,Cea608Stream:To},ko={H264_STREAM_TYPE:27,
... ADTS_STREAM_TYPE:15,METADATA_STREAM_TYPE:21},wo=function(t,e){var
... i=1;for(e<t&&(i=-1);4294967296<Math.abs(e-t);)t+=8589934592*i;return
... t},Co=function t(e){var
... i,n;t.prototype.init.call(this),this.type_=e,this.push=function(t){t.type_=
... this.type_&&(void
... 0===n&&(n=t.dts),t.dts=wo(t.dts,n),t.pts=wo(t.pts,n),i=t.dts,this.trigger("
... data",t))},this.flush=function(){n=i,this.trigger("done")},this.
... discontinuity=function(){i=n=void 0}};Co.prototype=new eo;var
... Eo,Ao=Co,Lo=wo,Oo=function(t,e,i){var
... n,r="";for(n=e;n<i;n++)r+="%"+("00"+t[n].toString(16)).slice(-2);return
... r},Po=function(t,e,i){return
... decodeURIComponent(Oo(t,e,i))},Uo=function(t){return
... t[0]<<21|t[1]<<14|t[2]<<7|t[3]},xo={TXXX:function(t){var
... e;if(3===t.data[0]){for(e=1;e<t.data.length;e++)if(0===t.data[e]){t.
... description=Po(t.data,1,e),t.value=Po(t.data,e+1,t.data.length).replace(/\0
... $/, "");break}t.data=t.value}},WXXX:function(t){var
... e;if(3===t.data[0])for(e=1;e<t.data.length;e++)if(0===t.data[e]){t.
... description=Po(t.data,1,e),t.url=Po(t.data,e+1,t.data.length);break}},PRIV:
... function(t){var
... e,i;for(e=0;e<t.data.length;e++)if(0===t.data[e]){t.owner=(i=t.data,unescape
... (Oo(i,0,e)));break}t.privateData=t.data.subarray(e+1),t.data=t.privateData}
... ;(Eo=function(t){var
... e,u={debug:!(!t|!t.debug),descriptor:t&&t.descriptor},l=0,c=[],h=0;if(Eo.
... prototype.init.call(this),this.dispatchType=ko.METADATA_STREAM_TYPE.toStrin
... (16),u.descriptor)for(e=0;e<u.descriptor.length;e++)this.dispatchType+=("00
... +u.descriptor[e].toString(16)).slice(-2);this.push=function(t){var
... e,i,n,r,a;if("timed-metadata"===t.type)if(t.dataAlignmentIndicator&&(h=0,c.
... length=0),0===c.length&&(t.data.length<10||t.data[0]!="I".charCodeAt(0)||t
... data[1]!="D".charCodeAt(0)||t.data[2]!="3".charCodeAt(0)))u.debug;else
... if(c.push(t),h+=t.data.byteLength,1===c.length&&(l=Uo(t.data.subarray(6,10)
... ,l+=10),!(h<l)){for(e={data:new
... Uint8Array(1),frames:[],pts:c[0].pts,dts:c[0].dts},a=0;a<l;)e.data.set(c[0]
... data.subarray(0,l-a),a),a+=c[0].data.byteLength,h-=c[0].data.byteLength,c.
... shift();i=10,64&e.data[5]&&(i+=4,i+=Uo(e.data.subarray(10,14)),l-=Uo(e.data
... subarray(16,20)));do{if((n=Uo(e.data.subarray(i+4,i+8)))<1)return;if((r={id
... String.fromCharCode(e.data[i],e.data[i+1],e.data[i+2],e.data[i+3]),data:e.
... data.subarray(i+10,i+n+10)).key=r.id,xo[r.id]&&(xo[r.id](r),"com.apple.
... streaming.transportStreamTimestamp"===r.owner)){var
... s=r.data,o=(1&s[3])<<30|s[4]<<22|s[5]<<14|s[6]<<6|s[7]>>>2;o*=4,o+=3&s[7],n

```

```

12... timeStamp=0,void 0===e.pts&&void
... 0===e.dts&&(e.pts=r.timeStamp,e.dts=r.timeStamp),this.trigger("timestamp",r
... }e.frames.push(r),i+=10,i+=n}while(i<l);this.trigger("data",e)}}).prototyp
... =new eo;var Io,Do,Ro,Mo=Eo,Bo=Ao;(Io=function(){var r=new
... Uint8Array(188),a=0;Io.prototype.init.call(this),this.push=function(t){var
... e,i=0,n=188;for(a?((e=new
... Uint8Array(t.byteLength+a)).set(r.subarray(0,a)),e.set(t,a),a=0):e=t;n<e.
... byteLength;71!==e[i]||71!==e[n]?(++i,++n):(this.trigger("data",e.subarray(
... ,n)),i+=188,n+=188);i<e.byteLength&&(r.set(e.subarray(i),0),a=e.byteLength-
... )),this.flush=function(){188===a&&71===r[0]&&(this.trigger("data",r),a=0),
... this.trigger("done")}}).prototype=new eo,(Do=function(){var
... n,r,a,s;Do.prototype.init.call(this),(s=this).packetsWaitingForPmt=[],this.
... programMapTable=void 0,n=function(t,e){var
... i=0;e.payloadUnitStartIndicator&&(i+=t[i]+1),"pat"===e.type?r(t.subarray(i)
... e):a(t.subarray(i),e)},r=function(t,e){e.section_number=t[7],e.
... last_section_number=t[8],s.pmtPid=(31&t[10])<<8|t[11],e.pmtPid=s.pmtPid},a=
... function(t,e){var
... i,n;if(1&t[5]){for(s.programMapTable={video:null,audio:null,"timed-metadata
... :{}},i=3+((15&t[1])<<8|t[2])-4,n=12+((15&t[10])<<8|t[11]);n<i){var
... r=t[n],a=(31&t[n+1])<<8|t[n+2];r===ko.H264_STREAM_TYPE&&null===s.
... programMapTable.video?s.programMapTable.video=a:r===ko.ADTS_STREAM_TYPE&&
... null===s.programMapTable.audio?s.programMapTable.audio=a:r===ko.
... METADATA_STREAM_TYPE&&(s.programMapTable["timed-metadata"][a]=r),n+=5+((15&
... [n+3])<<8|t[n+4])}e.programMapTable=s.programMapTable}},this.push=function(
... ){var
... e={},i=4;if(e.payloadUnitStartIndicator=!!(64&t[1]),e.pid=31&t[1],e.pid<=8
... e.pid|t[2],1<(48&t[3])>>>4&&(i+=t[i]+1),0===e.pid)e.type="pat",n(t.subarra
... (i),e),this.trigger("data",e);else
... if(e.pid===this.pmtPid)for(e.type="pmt",n(t.subarray(i),e),this.trigger("
... data",e);this.packetsWaitingForPmt.length;)this.processPes_.apply(this,this
... packetsWaitingForPmt.shift());else void
... 0===this.programMapTable?this.packetsWaitingForPmt.push([t,i,e]):this.
... processPes_(t,i,e)},this.processPes_=function(t,e,i){i.pid===this.
... programMapTable.video?i.streamType=ko.H264_STREAM_TYPE:i.pid===this.
... programMapTable.audio?i.streamType=ko.ADTS_STREAM_TYPE:i.streamType=this.
... programMapTable["timed-metadata"][i.pid],i.type="pes",i.data=t.subarray(e),
... this.trigger("data",i)}}).prototype=new
... eo,Do.STREAM_TYPES={h264:27,adts:15},(Ro=function(){var
... d=this,n={data:[],size:0},r={data:[],size:0},a={data:[],size:0},s=function(
... ,e,i){var n,r,a=new
... Uint8Array(t.size),s={type:e},o=0,u=0;if(t.data.length&&!(t.size<9)){for(s.
... trackId=t.data[0].pid,o=0;o<t.data.length;o++)r=t.data[o],a.set(r.data,u),u
... =r.data.byteLength;var
... l,c,h;l=a,(c=s).packetLength=6+(1[4]<<8|1[5]),c.dataAlignmentIndicator=0!=(
... &1[6]),192&(h=1[7])&&(c.pts=(14&1[9])<<27|(255&1[10])<<20|(254&1[11])<<12|(
... 255&1[12])<<5|(254&1[13])>>>3,c.pts*=4,c.pts+=(6&1[13])>>>1,c.dts=c.pts,64&
... &&(c.dts=(14&1[14])<<27|(255&1[15])<<20|(254&1[16])<<12|(255&1[17])<<5|(254
... 1[18])>>>3,c.dts*=4,c.dts+=(6&1[18])>>>1),c.data=l.subarray(9+1[8]),n="

```

```

12... video"===e||s.packetLength<=t.size,(i||n)&&(t.size=0,t.data.length=0),n&&d.
... trigger("data",s)}};Ro.prototype.init.call(this),this.push=function(i){({pa
... :function(){},pes:function(){var t,e;switch(i.streamType){case
... ko.H264_STREAM_TYPE:case ko.H264_STREAM_TYPE:t=n,e="video";break;case
... ko.ADTS_STREAM_TYPE:t=r,e="audio";break;case
... ko.METADATA_STREAM_TYPE:t=a,e="timed-metadata";break;default:return}i.
... payloadUnitStartIndicator&&s(t,e,!0),t.data.push(i),t.size+=i.data.
... byteLength},pmt:function(){var
... t={type:"metadata",tracks:[]},e=i.programMapTable;null!==e.video&&t.tracks.
... push({timelineStartInfo:{baseMediaDecodeTime:0},id:+e.video,codec:"avc",typ
... :"video"}),null!==e.audio&&t.tracks.push({timelineStartInfo:{
... baseMediaDecodeTime:0},id:+e.audio,codec:"adts",type:"audio"}),d.trigger("
... data",t)}}[i.type]()),this.flush=function(){s(n,"video"),s(r,"audio"),s(a,
... timed-metadata"),this.trigger("done")}}).prototype=new eo;var
... No={PAT_PID:0,MP2T_PACKET_LENGTH:188,TransportPacketStream:Io,
... TransportParseStream:Do,ElementaryStream:Ro,TimestampRolloverStream:Bo,
... CaptionStream:So.CaptionStream,Cea608Stream:So.Cea608Stream,MetadataStream:
... Mo};for(var jo in ko)ko.hasOwnProperty(jo)&&(No[jo]=ko[jo]);var
... Fo,Vo=No,Ho=[96e3,88200,64e3,48e3,44100,32e3,24e3,22050,16e3,12e3,11025,8e3
... 7350];(Fo=function(){var
... l;Fo.prototype.init.call(this),this.push=function(t){var
... e,i,n,r,a,s,o=0,u=0;if("audio"===t.type)for(1?(r=1,(l=new
... Uint8Array(r.byteLength+t.data.byteLength)).set(r),l.set(t.data,r.byteLength
... )):l=t.data;o+5<l.length;)if(255===l[o]&&240==(246&l[o+1])){if(i=2*(1&l[o+
... ]),e=(3&l[o+3])<<11|l[o+4]<<3|(224&l[o+5])>>5,s=9e4*(a=1024*(1+(3&l[o+6])))
... Ho[(60&l[o+2])>>>2],n=o+e,l.byteLength<n)return;if(this.trigger("data",{pts
... t.pts+u*s,dts:t.dts+u*s,sampleCount:a,audioObjectType:1+(1[o+2]>>>6&3),
... channelcount:(1&l[o+2])<<2|(192&l[o+3])>>>6,samplerate:Ho[(60&l[o+2])>>>2],
... samplingfrequencyindex:(60&l[o+2])>>>2,samplesize:16,data:l.subarray(o+7+i,
... ))},l.byteLength===n)return void(l=void 0);u++,l=l.subarray(n)}else
... o++},this.flush=function(){this.trigger("done")}}).prototype=new eo;var
... qo,zo,Wo,Go=Fo,Xo=function(n){var
... r=n.byteLength,a=0,s=0;this.length=function(){return
... 8*r},this.bitsAvailable=function(){return
... 8*r+s},this.loadWord=function(){var t=n.byteLength-r,e=new
... Uint8Array(4),i=Math.min(4,r);if(0===i)throw new Error("no bytes
... available");e.set(n.subarray(t,t+i)),a=new
... DataView(e.buffer).getUint32(0),s=8*i,r-=i},this.skipBits=function(t){var
... e;t<s||(t-=s,t-=8*(e=Math.floor(t/8)),r-=e,this.loadWord()),a<=t,s-=t},thi
... .readBits=function(t){var e=Math.min(s,t),i=a>>>32-e;return
... 0<(s-=e)?a<=e:0<r&&this.loadWord(),0<(e=t-e)?i<<e|this.readBits(e):i},this
... skipLeadingZeros=function(){var
... t;for(t=0;t<s;++t)if(0!=(a&2147483648>>>t))return a<=t,s-=t,t;return
... this.loadWord(),t+this.skipLeadingZeros()},this.skipUnsignedExpGolomb=
... function(){this.skipBits(1+this.skipLeadingZeros())},this.skipExpGolomb=
... function(){this.skipBits(1+this.skipLeadingZeros())},this.
... readUnsignedExpGolomb=function(){var t=this.skipLeadingZeros();return
... this.readBits(t+1)-1},this.readExpGolomb=function(){var

```

```
12... t=this.readUnsignedExpGolomb();return
... 1&t?1+t>>>1:-1*(t>>>1)},this.readBoolean=function(){return
... 1===this.readBits(1)},this.readUnsignedByte=function(){return
... this.readBits(8)},this.loadWord()};(zo=function(){var
... i,n,r=0;zo.prototype.init.call(this),this.push=function(t){var
... e;for(n=n?((e=new
... Uint8Array(n.byteLength+t.data.byteLength)).set(n),e.set(t.data,n.byteLength
... ),e):t.data;r<n.byteLength-3;r++)if(1===n[r+2]){i=r+5;break}for(;i<n.
... byteLength;)switch(n[i]){case
... 0:if(0!==n[i-1]){i+=2;break}if(0!==n[i-2]){i++;break}for(r+3!==i-2&&this.
... trigger("data",n.subarray(r+3,i-2));1!==n[++i]&&i<n.length;);r=i-2,i+=3;
... break;case
... 1:if(0!==n[i-1]||0!==n[i-2]){i+=3;break}this.trigger("data",n.subarray(r+3,
... -2)),r=i-2,i+=3;break;default:i+=3)n=n.subarray(r),i-=r,r=0},this.flush=
... function(){n&&3<n.byteLength&&this.trigger("data",n.subarray(r+3)),n=null,r
... 0,this.trigger("done")}).prototype=new
... eo,Wo={100:!0,110:!0,122:!0,244:!0,44:!0,83:!0,86:!0,118:!0,128:!0,138:!0,
... 139:!0,134:!0},(qo=function(){var i,n,r,a,s,o,_,e=new
... zo;qo.prototype.init.call(this),(i=this).push=function(t){"video"===t.type&
... (n=t.trackId,r=t.pts,a=t.dts,e.push(t))},e.on("data",function(t){var
... e={trackId:n,pts:r,dts:a,data:t};switch(31&t[0]){case
... 5:e.nalUnitType="slice_layer_without_partitioning_rbsp_idr";break;case
... 6:e.nalUnitType="sei_rbsp",e.escapedRBSP=s(t.subarray(1));break;case
... 7:e.nalUnitType="seq_parameter_set_rbsp",e.escapedRBSP=s(t.subarray(1)),e.
... config=o(e.escapedRBSP);break;case
... 8:e.nalUnitType="pic_parameter_set_rbsp";break;case
... 9:e.nalUnitType="access_unit_delimiter_rbsp"}i.trigger("data",e)),e.on("
... done",function(){i.trigger("done")}),this.flush=function(){e.flush()},_=
... function(t,e){var
... i,n=8,r=8;for(i=0;i<t;i++)0!==r&&(r=(n+e.readExpGolomb()+256)%256),n=0===r?
... :r},s=function(t){for(var
... e,i,n=t.byteLength,r=[],a=1;a<n-2;)0===t[a]&&0===t[a+1]&&3===t[a+2]?(r.push
... a+2),a+=2):a++;if(0===r.length)return t;e=n-r.length,i=new Uint8Array(e);va
... s=0;for(a=0;a<e;s++,a++)s===r[0]&&(s++,r.shift()),i[a]=t[s];return
... i},o=function(t){var
... e,i,n,r,a,s,o,u,l,c,h,d,p,f=0,m=0,g=0,y=0,v=1;if(i=(e=new
... Xo(t)).readUnsignedByte(),r=e.readUnsignedByte(),n=e.readUnsignedByte(),e.
... skipUnsignedExpGolomb(),Wo[i]&&(3===(a=e.readUnsignedExpGolomb())&&e.
... skipBits(1),e.skipUnsignedExpGolomb(),e.skipUnsignedExpGolomb(),e.skipBits(
... ),e.readBoolean()))for(h=3!==a?8:12,p=0;p<h;p++)e.readBoolean()&&_(p<6?16:6
... ,e);if(e.skipUnsignedExpGolomb(),0===(s=e.readUnsignedExpGolomb()))e.
... readUnsignedExpGolomb();else
... if(1===s)for(e.skipBits(1),e.skipExpGolomb(),e.skipExpGolomb(),o=e.
... readUnsignedExpGolomb(),p=0;p<o;p++)e.skipExpGolomb();if(e.
... skipUnsignedExpGolomb(),e.skipBits(1),u=e.readUnsignedExpGolomb(),l=e.
... readUnsignedExpGolomb(),0===(c=e.readBits(1))&&e.skipBits(1),e.skipBits(1),
... .readBoolean()&&(f=e.readUnsignedExpGolomb(),m=e.readUnsignedExpGolomb(),g=
... .readUnsignedExpGolomb(),y=e.readUnsignedExpGolomb()),e.readBoolean()&&e.
```

```

12... readBoolean(){switch(e.readUnsignedByte()){case 1:d=[1,1];break;case
... 2:d=[12,11];break;case 3:d=[10,11];break;case 4:d=[16,11];break;case
... 5:d=[40,33];break;case 6:d=[24,11];break;case 7:d=[20,11];break;case
... 8:d=[32,11];break;case 9:d=[80,33];break;case 10:d=[18,11];break;case
... 11:d=[15,11];break;case 12:d=[64,33];break;case 13:d=[160,99];break;case
... 14:d=[4,3];break;case 15:d=[3,2];break;case 16:d=[2,1];break;case
... 255:d=[e.readUnsignedByte()<<8|e.readUnsignedByte(),e.readUnsignedByte()<<8|
... e.readUnsignedByte()]}d&&(v=d[0]/d[1])}return{profileIdc:i,levelIdc:n,
... profileCompatibility:r,width:Math.ceil((16*(u+1)-2*f-2*m)*v),height:(2-c)*(
... +1)*16-2*g-2*y}}).prototype=new eo;var
... Yo,$o={H264Stream:qo,NalByteStream:zo};(Yo=function(){var o=new
... Uint8Array,u=0;Yo.prototype.init.call(this),this.setTimestamp=function(t){u
... t},this.parseId3TagSize=function(t,e){var
... i=t[e+6]<<21|t[e+7]<<14|t[e+8]<<7|t[e+9];return(16&t[e+5])>>4?i+20:i+10},
... this.parseAdtsSize=function(t,e){var i=(224&t[e+5])>>5,n=t[e+4]<<3;return
... 6144&t[e+3]|n|i},this.push=function(t){var
... e,i,n,r,a=0,s=0;for(o.length?(r=o.length,(o=new
... Uint8Array(t.byteLength+r)).set(o.subarray(0,r)),o.set(t,r)):o=t;3<=o.length
... -s;)if(o[s]!=="I".charCodeAt(0)||o[s+1]!=="D".charCodeAt(0)||o[s+2]!=="3".
... charCodeAt(0))if(!0&o[s]&&240==(240&o[s+1])){if(o.length-s<7)break;if((a=
... this.parseAdtsSize(o,s))>o.length)break;n={type:"audio",data:o.subarray(s,s
... a),pts:u,dts:u},this.trigger("data",n),s+=a}else
... s++;else{if(o.length-s<10)break;if((a=this.parseId3TagSize(o,s))>o.length)
... break;i={type:"timed-metadata",data:o.subarray(s,s+a)},this.trigger("data",
... ),s+=a}e=o.length-s,o=0<e?o.subarray(s):new Uint8Array}}).prototype=new
... eo;var
... Ko,Qo,Jo,Zo,tu,eu,iu,nu=Yo,ru=[33,16,5,32,164,27],au=[33,65,108,84,1,2,4,8,
... 168,2,4,8,17,191,252],su=function(t){for(var e=[];t--;)e.push(0);return
... e},ou={96e3:[ru,[227,64],su(154),[56]],88200:[ru,[231],su(170),[56]],64e3:[
... ru,[248,192],su(240),[56]],48e3:[ru,[255,192],su(268),[55,148,128],su(54),[
... 112]],44100:[ru,[255,192],su(268),[55,163,128],su(84),[112]],32e3:[ru,[255,
... 192],su(268),[55,234],su(226),[112]],24e3:[ru,[255,192],su(268),[55,255,128
... ,su(268),[111,112],su(126),[224]],16e3:[ru,[255,192],su(268),[55,255,128],s
... (268),[111,255],su(269),[223,108],su(195),[1,192]],12e3:[au,su(268),[3,127,
... 248],su(268),[6,255,240],su(268),[13,255,224],su(268),[27,253,128],su(259),
... 56]],11025:[au,su(268),[3,127,248],su(268),[6,255,240],su(268),[13,255,224]
... su(268),[27,255,192],su(268),[55,175,128],su(108),[112]],8e3:[au,su(268),[3
... 121,16],su(47),[7]]},uu=(Ko=ou,Object.keys(Ko).reduce(function(t,e){return
... t[e]=new Uint8Array(Ko[e].reduce(function(t,e){return
... t.concat(e)},[])),t},{}));eu=function(t,e){return
... Qo(tu(t,e)),iu=function(t,e){return Jo(Zo(t),e)};Qo=function(t){return
... 9e4*t},Jo=function(t,e){return t*e},Zo=function(t){return
... t/9e4},tu=function(t,e){return t/e};var
... lu,cu,hu,du,pu,fu,mu,gu=eu,yu=iu,vu=$o.H264Stream,_u=["audioobjecttype","
... channelcount","samplerate","samplingfrequencyindex","samplesize"],bu=["widt
... ","height","profileIdc","levelIdc","profileCompatibility"];pu=function(t){
... return
... t[0]=== "I".charCodeAt(0)&&t[1]=== "D".charCodeAt(0)&&t[2]=== "3".charCodeAt(0)

```

```
12... },fu=function(t,e){var
... i;if(t.length!==e.length)return!1;for(i=0;i<t.length;i++)if(t[i]!==e[i])
... return!1;return!0},mu=function(t){var
... e,i=0;for(e=0;e<t.length;e++)i+=t[e].data.byteLength;return
... i},(cu=function(r,a){var
... s=[],o=0,e=0,l=0,c=1/0;a=a||{},cu.prototype.init.call(this),this.push=
... function(e){lo(r,e),r&&_u.forEach(function(t){r[t]=e[t]}),s.push(e)},this.
... setEarliestDts=function(t){e=t-r.timelineStartInfo.baseMediaDecodeTime},thi
... .setVideoBaseMediaDecodeTime=function(t){c=t},this.setAudioAppendStart=
... function(t){l=t},this.flush=function(){var
... t,e,i,n;0!==s.length&&(t=this.trimAdtsFramesByEarliestDts_(s),r.
... baseMediaDecodeTime=uo(r,a.keepOriginalTimestamps),this.prefixWithSilence_(
... ,t),r.samples=this.generateSampleTable_(t),i=Zs.mdat(this.
... concatenateFrameData_(t)),s=[],e=Zs.moof(o,[r]),n=new
... Uint8Array(e.byteLength+i.byteLength),o++,n.set(e),n.set(i,e.byteLength),oo
... r),this.trigger("data",{track:r,boxes:n})),this.trigger("done","
... AudioSegmentStream")),this.prefixWithSilence_=function(t,e){var
... i,n,r,a,s=0,o=0,u=0;if(e.length&&(i=gu(t.baseMediaDecodeTime,t.samplerate),
... =Math.ceil(9e4/(t.samplerate/1024)),l&&c&&(s=i-Math.max(l,c),u=(o=Math.floo
... (s/n))*n),!(o<1||45e3<u)){for((r=uu[t.samplerate])||r=e[0].data),a=0;a<o;
... ++e.splice(a,0,{data:r});t.baseMediaDecodeTime-=Math.floor(yu(u,t.
... samplerate))}},this.trimAdtsFramesByEarliestDts_=function(t){return
... r.minSegmentDts>=e?t:(r.minSegmentDts=1/0,t.filter(function(t){return
... t.dts>=e&&(r.minSegmentDts=Math.min(r.minSegmentDts,t.dts),r.minSegmentPts=
... .minSegmentDts,!0)})),this.generateSampleTable_=function(t){var
... e,i,n=[];for(e=0;e<t.length;e++)i=t[e],n.push({size:i.data.byteLength,
... duration:1024});return n},this.concatenateFrameData_=function(t){var
... e,i,n=0,r=new
... Uint8Array(mu(t));for(e=0;e<t.length;e++)i=t[e],r.set(i.data,n),n+=i.data.
... byteLength;return r}).prototype=new eo,(lu=function(o,u){var
... e,i,l=0,c=[],h=[];u=u||{},lu.prototype.init.call(this),delete
... o.minPTS,this.gopCache_=[],this.push=function(t){lo(o,t),"
... seq_parameter_set_rbsp"!==t.nalUnitType||e||(e=t.config,o.sps=[t.data],bu.
... forEach(function(t){o[t]=e[t]}),this)), "pic_parameter_set_rbsp"!==t.
... nalUnitType||i||(i=t.data,o.pps=[t.data]),c.push(t)},this.flush=function(){
... for(var
... t,e,i,n,r,a;c.length&&"access_unit_delimiter_rbsp"!==c[0].nalUnitType;)c.
... shift();if(0===c.length)return this.resetStream_(),void
... this.trigger("done","VideoSegmentStream");if(t=io(c),(i=no(t))[0][0].
... keyFrame||((e=this.getGopForFusion_(c[0],o))?(i.unshift(e),i.byteLength+=e.
... byteLength,i.nalCount+=e.nalCount,i.pts=e.pts,i.dts=e.dts,i.duration+=e.
... duration):i=ro(i)),h.length){var
... s;if(!(s=u.alignGopsAtEnd?this.alignGopsAtEnd_(i):this.alignGopsAtStart_(i)
... )return
... this.gopCache_.unshift({gop:i.pop(),pps:o.pps,sps:o.sps}),this.gopCache_.
... length=Math.min(6,this.gopCache_.length),c=[],this.resetStream_(),void
... this.trigger("done","VideoSegmentStream");oo(o),i=s}lo(o,i),o.samples=ao(i)
... r=Zs.mdat(so(i)),o.baseMediaDecodeTime=uo(o,u.keepOriginalTimestamps),this.
```



```
12... trigger("processedGopsInfo",i.map(function(t){return{pts:t.pts,dts:t.dts,
... byteLength:t.byteLength}})),this.gopCache_.unshift({gop:i.pop(),pps:o.pps,
... sps:o.sps}),this.gopCache_.length=Math.min(6,this.gopCache_.length),c=[],
... this.trigger("baseMediaDecodeTime",o.baseMediaDecodeTime),this.trigger("
... timelineStartInfo",o.timelineStartInfo),n=Zs.moof(1,[o]),a=new
... Uint8Array(n.byteLength+r.byteLength),l++,a.set(n),a.set(r,n.byteLength),
... this.trigger("data",{track:o,boxes:a}),this.resetStream_(),this.trigger("
... done","VideoSegmentStream"),this.resetStream_=function(){oo(o),i=e=void
... 0},this.getGopForFusion_=function(t){var
... e,i,n,r,a,s=1/0;for(a=0;a<this.gopCache_.length;a++)n=(r=this.gopCache_[a])
... gop,o.pps&&fu(o.pps[0],r.pps[0])&&o.sps&&fu(o.sps[0],r.sps[0])&&(n.dts<o.
... timelineStartInfo.dts||-1e4<=(e=t.dts-n.dts-n.duration)&&e<=45e3&&(!i||e<s)
... &(i=r,s=e));return i?i.gop:null},this.alignGopsAtStart_=function(t){var
... e,i,n,r,a,s,o,u;for(a=t.byteLength,s=t.nalCount,o=t.duration,e=i=0;e<h.
... length&&i<t.length&&(n=h[e],r=t[i],n.pts!==r.pts);)r.pts>n.pts?e++:(i++,a-=
... .byteLength,s-=r.nalCount,o-=r.duration);return
... 0===i?t:i===t.length?null:((u=t.slice(i)).byteLength=a,u.duration=o,u.
... nalCount=s,u.pts=u[0].pts,u.dts=u[0].dts,u)},this.alignGopsAtEnd_=function(
... ){var
... e,i,n,r,a,s,o;for(e=h.length-1,i=t.length-1,a=null,s=!1;0<=e&&0<=i){if(n=h
... [e],r=t[i],n.pts===r.pts){s=!0;break}n.pts>r.pts?e--:(e===h.length-1&&(a=i),
... --)}if(!s&&null===a)return null;if(0===(o=s?i:a))return t;var
... u=t.slice(o),l=u.reduce(function(t,e){return
... t.byteLength+=e.byteLength,t.duration+=e.duration,t.nalCount+=e.nalCount,t}
... {byteLength:0,duration:0,nalCount:0});return
... u.byteLength=l.byteLength,u.duration=l.duration,u.nalCount=l.nalCount,u.pts
... u[0].pts,u.dts=u[0].dts,u)},this.alignGopsWith=function(t){h=t}).prototype=
... new
... eo,(du=function(t,e){this.numberOfTracks=0,this.metadataStream=e,"undefined
... !=typeof
... t.remux?this.remuxTracks=!t.remux:this.remuxTracks=!0,this.pendingTracks=[
... ,this.videoTrack=null,this.pendingBoxes=[],this.pendingCaptions=[],this.
... pendingMetadata=[],this.pendingBytes=0,this.emittedTracks=0,du.prototype.
... init.call(this),this.push=function(t){return
... t.text?this.pendingCaptions.push(t):t.frames?this.pendingMetadata.push(t):(
... this.pendingTracks.push(t.track),this.pendingBoxes.push(t.boxes),this.
... pendingBytes+=t.boxes.byteLength,"video"===t.track.type&&(this.videoTrack=t
... track),void("audio"===t.track.type&&(this.audioTrack=t.track)))}).prototyp
... =new eo,du.prototype.flush=function(t){var
... e,i,n,r,a=0,s={captions:[],captionStreams:{},metadata:[],info:{}},o=0;if(
... this.pendingTracks.length<this.numberOfTracks){if("VideoSegmentStream"!==t&
... "AudioSegmentStream"!==t)return;if(this.remuxTracks)return;if(0===this.
... pendingTracks.length)return
... this.emittedTracks++,void(this.emittedTracks>=this.numberOfTracks&&(this.
... trigger("done"),this.emittedTracks=0))}for(this.videoTrack?(o=this.
... videoTrack.timelineStartInfo.pts,bu.forEach(function(t){s.info[t]=this.
... videoTrack[t]}),this):this.audioTrack&&(o=this.audioTrack.timelineStartInfo
... pts,_u.forEach(function(t){s.info[t]=this.audioTrack[t]}),this)),1===this.
```

```
12... pendingTracks.length?s.type=this.pendingTracks[0].type:s.type="combined",
... this.emittedTracks+=this.pendingTracks.length,n=Zs.initSegment(this.
... pendingTracks),s.initSegment=new
... Uint8Array(n.byteLength),s.initSegment.set(n),s.data=new
... Uint8Array(this.pendingBytes),r=0;r<this.pendingBoxes.length;r++)s.data.set
... this.pendingBoxes[r],a,a+=this.pendingBoxes[r].byteLength;for(r=0;r<this.
... pendingCaptions.length;r++)(e=this.pendingCaptions[r]).startTime=e.startPts
... o,e.startTime/=9e4,e.endTime=e.endPts-o,e.endTime/=9e4,s.captionStreams[e.
... stream]=!0,s.captions.push(e);for(r=0;r<this.pendingMetadata.length;r++)(i=
... this.pendingMetadata[r]).cueTime=i.pts-o,i.cueTime/=9e4,s.metadata.push(i);
... .metadata.dispatchType=this.metadataStream.dispatchType,this.pendingTracks.
... length=0,this.videoTrack=null,this.pendingBoxes.length=0,this.
... pendingCaptions.length=0,this.pendingBytes=0,this.pendingMetadata.length=0,
... this.trigger("data",s),this.emittedTracks>=this.numberOfTracks&&(this.
... trigger("done"),this.emittedTracks=0)},(hu=function(n){var
... r,a,s=this,i=!0;hu.prototype.init.call(this),n=n||{},this.
... baseMediaDecodeTime=n.baseMediaDecodeTime||0,this.transmuxPipeline_={},this
... setupAacPipeline=function(){var
... e={};(this.transmuxPipeline_=e).type="aac",e.metadataStream=new
... Vo.MetadataStream,e.aacStream=new nu,e.audioTimestampRolloverStream=new
... Vo.TimestampRolloverStream("audio"),e.timedMetadataTimestampRolloverStream=
... new Vo.TimestampRolloverStream("timed-metadata"),e.adtsStream=new
... Go,e.coalesceStream=new
... du(n,e.metadataStream),e.headOfPipeline=e.aacStream,e.aacStream.pipe(e.
... audioTimestampRolloverStream).pipe(e.adtsStream),e.aacStream.pipe(e.
... timedMetadataTimestampRolloverStream).pipe(e.metadataStream).pipe(e.
... coalesceStream),e.metadataStream.on("timestamp",function(t){e.aacStream.
... setTimestamp(t.timeStamp)}),e.aacStream.on("data",function(t){"timed-
... metadata"!==t.type||e.audioSegmentStream||(a=a||{timelineStartInfo:{
... baseMediaDecodeTime:s.baseMediaDecodeTime},codec:"adts",type:"audio"},e.
... coalesceStream.numberOfTracks++,e.audioSegmentStream=new
... cu(a,n),e.adtsStream.pipe(e.audioSegmentStream).pipe(e.coalesceStream)}),e.
... coalesceStream.on("data",this.trigger.bind(this,"data")),e.coalesceStream.o
... ("done",this.trigger.bind(this,"done"))},this.setupTsPipeline=function(){va
... i={};(this.transmuxPipeline_=i).type="ts",i.metadataStream=new
... Vo.MetadataStream,i.packetStream=new
... Vo.TransportPacketStream,i.parseStream=new
... Vo.TransportParseStream,i.elementaryStream=new
... Vo.ElementaryStream,i.videoTimestampRolloverStream=new
... Vo.TimestampRolloverStream("video"),i.audioTimestampRolloverStream=new
... Vo.TimestampRolloverStream("audio"),i.timedMetadataTimestampRolloverStream=
... new Vo.TimestampRolloverStream("timed-metadata"),i.adtsStream=new
... Go,i.h264Stream=new vu,i.captionStream=new
... Vo.CaptionStream,i.coalesceStream=new
... du(n,i.metadataStream),i.headOfPipeline=i.packetStream,i.packetStream.pipe(
... .parseStream).pipe(i.elementaryStream),i.elementaryStream.pipe(i.
... videoTimestampRolloverStream).pipe(i.h264Stream),i.elementaryStream.pipe(i.
... audioTimestampRolloverStream).pipe(i.adtsStream),i.elementaryStream.pipe(i.
```

```
12... timedMetadataTimestampRolloverStream).pipe(i.metadataStream).pipe(i.  
... coalesceStream),i.h264Stream.pipe(i.captionStream).pipe(i.coalesceStream),i.  
... elementaryStream.on("data",function(t){var  
... e;if("metadata"===t.type){for(e=t.tracks.length;e--;)r||"video"!==t.tracks[  
... ].type?a||"audio"!==t.tracks[e].type||((a=t.tracks[e]).timelineStartInfo.  
... baseMediaDecodeTime=s.baseMediaDecodeTime):(r=t.tracks[e]).timelineStartInfo.  
... .baseMediaDecodeTime=s.baseMediaDecodeTime;r&&!i.videoSegmentStream&&(i.  
... coalesceStream.numberOfTracks++,i.videoSegmentStream=new  
... lu(r,n),i.videoSegmentStream.on("timelineStartInfo",function(t){a&&(a.  
... timelineStartInfo=t,i.audioSegmentStream.setEarliestDts(t.dts)}),i.  
... videoSegmentStream.on("processedGopsInfo",s.trigger.bind(s,"gopInfo")),i.  
... videoSegmentStream.on("baseMediaDecodeTime",function(t){a&&i.  
... audioSegmentStream.setVideoBaseMediaDecodeTime(t)}),i.h264Stream.pipe(i.  
... videoSegmentStream).pipe(i.coalesceStream)),a&&!i.audioSegmentStream&&(i.  
... coalesceStream.numberOfTracks++,i.audioSegmentStream=new  
... cu(a,n),i.adtsStream.pipe(i.audioSegmentStream).pipe(i.coalesceStream)}),  
... .coalesceStream.on("data",this.trigger.bind(this,"data")),i.coalesceStream.  
... on("done",this.trigger.bind(this,"done")),this.setBaseMediaDecodeTime=  
... function(t){var  
... e=this.transmuxPipeline_;this.baseMediaDecodeTime=t,a&&(a.timelineStartInfo.  
... dts=void 0,a.timelineStartInfo.pts=void  
... 0,oo(a),a.timelineStartInfo.baseMediaDecodeTime=t,e.  
... audioTimestampRolloverStream&&e.audioTimestampRolloverStream.discontinuity(  
... ),r&&(e.videoSegmentStream&&(e.videoSegmentStream.gopCache_=[]),e.  
... videoTimestampRolloverStream.discontinuity()),r.timelineStartInfo.dts=void  
... 0,r.timelineStartInfo.pts=void  
... 0,oo(r),e.captionStream.reset(),r.timelineStartInfo.baseMediaDecodeTime=t),  
... .timedMetadataTimestampRolloverStream&&e.  
... timedMetadataTimestampRolloverStream.discontinuity()}),this.  
... setAudioAppendStart=function(t){a&&this.transmuxPipeline_.audioSegmentStream.  
... .setAudioAppendStart(t)},this.alignGopsWith=function(t){r&&this.  
... transmuxPipeline_.videoSegmentStream&&this.transmuxPipeline_.  
... videoSegmentStream.alignGopsWith(t)},this.push=function(t){if(i){var  
... e=pu(t);e&&"aac"!==this.transmuxPipeline_.type?this.setupAacPipeline():e||"  
... ts"===this.transmuxPipeline_.type||this.setupTsPipeline(),i=!1}this.  
... transmuxPipeline_.headOfPipeline.push(t)},this.flush=function(){i=!0,this.  
... transmuxPipeline_.headOfPipeline.flush()},this.resetCaptions=function(){this.  
... .transmuxPipeline_.captionStream&&this.transmuxPipeline_.captionStream.reset(  
... )}}).prototype=new eo;var  
... Tu,Su,ku={Transmuxer:hu,VideoSegmentStream:lu,AudioSegmentStream:cu,  
... AUDIO_PROPERTIES:_u,VIDEO_PROPERTIES:bu},wu=Qs.parseType,Cu=function(t){  
... return new  
... Date(1e3*t-20828448e5)},Eu=function(t){return{isLeading:(12&t[0])>>>2,  
... dependsOn:3&t[0],isDependedOn:(192&t[1])>>>6,hasRedundancy:(48&t[1])>>>4,  
... paddingValue:(14&t[1])>>>1,isNonSyncSample:1&t[1],degradationPriority:t[2]<  
... 8|t[3]}}},Au={avc1:function(t){var e=new  
... DataView(t.buffer,t.byteOffset,t.byteLength);return{dataReferenceIndex:e.  
... getUint16(6),width:e.getUint16(24),height:e.getUint16(26),horizresolution:e
```

```

12... getUint16(28)+e.getUint16(30)/16,vertresolution:e.getUint16(32)+e.getUint16
... 34)/16,frameCount:e.getUint16(40),depth:e.getUint16(74),config:Tu(t.subarra
... (78,t.byteLength))}},avcC:function(t){var e,i,n,r,a=new
... DataView(t.buffer,t.byteOffset,t.byteLength),s={configurationVersion:t[0],
... avcProfileIndication:t[1],profileCompatibility:t[2],avcLevelIndication:t[3]
... lengthSizeMinusOne:3&t[4],sps:[],pps:[]},o=31&t[5];for(n=6,r=0;r<o;r++)i=a
... getUint16(n),n+=2,s.sps.push(new
... Uint8Array(t.subarray(n,n+i))),n+=i;for(e=t[n],n++,r=0;r<e;r++)i=a.getUint1
... (n),n+=2,s.pps.push(new Uint8Array(t.subarray(n,n+i))),n+=i;return
... s},btrt:function(t){var e=new
... DataView(t.buffer,t.byteOffset,t.byteLength);return{bufferSizeDB:e.getUint3
... (0),maxBitrate:e.getUint32(4),avgBitrate:e.getUint32(8)},esds:function(t){
... return{version:t[0],flags:new
... Uint8Array(t.subarray(1,4)),esId:t[6]<<8|t[7],streamPriority:31&t[8],
... decoderConfig:{objectProfileIndication:t[11],streamType:t[12]>>>2&63,
... bufferSize:t[13]<<16|t[14]<<8|t[15],maxBitrate:t[16]<<24|t[17]<<16|t[18]<<8
... t[19],avgBitrate:t[20]<<24|t[21]<<16|t[22]<<8|t[23],decoderConfigDescriptor
... {tag:t[24],length:t[25],audioObjectType:t[26]>>>3&31,samplingFrequencyIndex
... (7&t[26])<<1|t[27]>>>7&1,channelConfiguration:t[27]>>>3&15}}}},ftyp:functio
... (t){for(var e=new
... DataView(t.buffer,t.byteOffset,t.byteLength),i={majorBrand:wu(t.subarray(0,
... )),minorVersion:e.getUint32(4),compatibleBrands:[]},n=8;n<t.byteLength;)i.
... compatibleBrands.push(wu(t.subarray(n,n+4))),n+=4;return
... i},dinf:function(t){return{boxes:Tu(t)}},dref:function(t){return{version:t[
... ],flags:new
... Uint8Array(t.subarray(1,4)),dataReferences:Tu(t.subarray(8))}},hdlr:functio
... (t){var e={version:new
... DataView(t.buffer,t.byteOffset,t.byteLength).getUint8(0),flags:new
... Uint8Array(t.subarray(1,4)),handlerType:wu(t.subarray(8,12)),name:""},i=8;
... for(i=24;i<t.byteLength;i++){if(0===t[i]){i++;break}e.name+=String.
... fromCharCode(t[i])}return
... e.name=decodeURIComponent(escape(e.name)),e},mdat:function(t){return{
... byteLength:t.byteLength,nals:function(t){var e,i,n=new
... DataView(t.buffer,t.byteOffset,t.byteLength),r=[];for(e=0;e+4<t.length;e+=i
... if(i=n.getUint32(e),e+=4,i<=0)r.push("<span style='color:red;'>MALFORMED
... DATA</span>");else switch(31&t[e]){case
... 1:r.push("slice_layer_without_partitioning_rbsp");break;case
... 5:r.push("slice_layer_without_partitioning_rbsp_idr");break;case
... 6:r.push("sei_rbsp");break;case
... 7:r.push("seq_parameter_set_rbsp");break;case
... 8:r.push("pic_parameter_set_rbsp");break;case
... 9:r.push("access_unit_delimiter_rbsp");break;default:r.push("UNKNOWN NAL -
... "+t[e]&31)}return r}(t)}},mdhd:function(t){var e,i=new
... DataView(t.buffer,t.byteOffset,t.byteLength),n=4,r={version:i.getUint8(0),
... flags:new Uint8Array(t.subarray(1,4)),language:""};return
... 1===r.version?(n+=4,r.creationTime=Cu(i.getUint32(n)),n+=8,r.
... modificationTime=Cu(i.getUint32(n)),n+=4,r.timescale=i.getUint32(n),n+=8):(
... .creationTime=Cu(i.getUint32(n)),n+=4,r.modificationTime=Cu(i.getUint32(n))

```

```
12... n+=4,r.timescale=i.getUint32(n),n+=4),r.duration=i.getUint32(n),n+=4,e=i.
... getUint16(n),r.language+=String.fromCharCode(96+(e>>10)),r.language+=String
... fromCharCode(96+((992&e)>>5)),r.language+=String.fromCharCode(96+(31&e)),r)
... mdia:function(t){return{boxes:Tu(t)}},mfhd:function(t){return{version:t[0],
... flags:new
... Uint8Array(t.subarray(1,4)),sequenceNumber:t[4]<<24|t[5]<<16|t[6]<<8|t[7]}}
... minf:function(t){return{boxes:Tu(t)}},mp4a:function(t){var e=new
... DataView(t.buffer,t.byteOffset,t.byteLength),i={dataReferenceIndex:e.
... getUint16(6),channelcount:e.getUint16(16),samplesize:e.getUint16(18),
... samplerate:e.getUint16(24)+e.getUint16(26)/65536};return
... 28<t.byteLength&&(i.streamDescriptor=Tu(t.subarray(28))[0]),i},moof:functio
... (t){return{boxes:Tu(t)}},moov:function(t){return{boxes:Tu(t)}},mvex:functio
... (t){return{boxes:Tu(t)}},mvhd:function(t){var e=new
... DataView(t.buffer,t.byteOffset,t.byteLength),i=4,n={version:e.getUint8(0),
... flags:new Uint8Array(t.subarray(1,4))};return
... 1===n.version?(i+=4,n.creationTime=Cu(e.getUint32(i)),i+=8,n.
... modificationTime=Cu(e.getUint32(i)),i+=4,n.timescale=e.getUint32(i),i+=8):(
... .creationTime=Cu(e.getUint32(i)),i+=4,n.modificationTime=Cu(e.getUint32(i))
... i+=4,n.timescale=e.getUint32(i),i+=4),n.duration=e.getUint32(i),i+=4,n.rate
... e.getUint16(i)+e.getUint16(i+2)/16,i+=4,n.volume=e.getUint8(i)+e.getUint8(i
... 1)/8,i+=2,i+=2,i+=8,n.matrix=new
... Uint32Array(t.subarray(i,i+36)),i+=36,i+=24,n.nextTrackId=e.getUint32(i),n)
... pdin:function(t){var e=new
... DataView(t.buffer,t.byteOffset,t.byteLength);return{version:e.getUint8(0),
... flags:new
... Uint8Array(t.subarray(1,4)),rate:e.getUint32(4),initialDelay:e.getUint32(8)
... },sdtp:function(t){var e,i={version:t[0],flags:new
... Uint8Array(t.subarray(1,4)),samples:[]};for(e=4;e<t.byteLength;e++)i.sample
... .push({dependsOn:(48&t[e])>>4,isDependedOn:(12&t[e])>>2,hasRedundancy:3&t[e
... });return i},sidx:function(t){var e,i=new
... DataView(t.buffer,t.byteOffset,t.byteLength),n={version:t[0],flags:new
... Uint8Array(t.subarray(1,4)),references:[],referenceId:i.getUint32(4),
... timescale:i.getUint32(8),earliestPresentationTime:i.getUint32(12),
... firstOffset:i.getUint32(16)},r=i.getUint16(22);for(e=24;r;e+=12,r-- )n.
... references.push({referenceType:(128&t[e])>>>7,referencedSize:2147483647&i.
... getUint32(e),subsegmentDuration:i.getUint32(e+4),startsWithSap:!!(128&t[e+8
... ),sapType:(112&t[e+8])>>>4,sapDeltaTime:268435455&i.getUint32(e+8)});return
... n},smhd:function(t){return{version:t[0],flags:new
... Uint8Array(t.subarray(1,4)),balance:t[4]+t[5]/256}},stbl:function(t){return
... boxes:Tu(t)}},stco:function(t){var e,i=new
... DataView(t.buffer,t.byteOffset,t.byteLength),n={version:t[0],flags:new
... Uint8Array(t.subarray(1,4)),chunkOffsets:[]},r=i.getUint32(4);for(e=8;r;e+=
... ,r-- )n.chunkOffsets.push(i.getUint32(e));return n},stsc:function(t){var
... e,i=new
... DataView(t.buffer,t.byteOffset,t.byteLength),n=i.getUint32(4),r={version:t[
... ],flags:new
... Uint8Array(t.subarray(1,4)),sampleToChunks:[]};for(e=8;n;e+=12,n-- )r.
... sampleToChunks.push({firstChunk:i.getUint32(e),samplesPerChunk:i.getUint32(
```

```
12... +4),sampleDescriptionIndex:i.getUint32(e+8));return
... r},stsd:function(t){return{version:t[0],flags:new
... Uint8Array(t.subarray(1,4)),sampleDescriptions:Tu(t.subarray(8))}},stsz:
... function(t){var e,i=new
... DataView(t.buffer,t.byteOffset,t.byteLength),n={version:t[0],flags:new
... Uint8Array(t.subarray(1,4)),sampleSize:i.getUint32(4),entries:[]};for(e=12;
... <t.byteLength;e+=4)n.entries.push(i.getUint32(e));return
... n},stts:function(t){var e,i=new
... DataView(t.buffer,t.byteOffset,t.byteLength),n={version:t[0],flags:new
... Uint8Array(t.subarray(1,4)),timeToSamples:[]},r=i.getUint32(4);for(e=8;r+e
... 8,r--)n.timeToSamples.push({sampleCount:i.getUint32(e),sampleDelta:i.
... getUint32(e+4)});return n},styp:function(t){return
... Au.ftyp(t)},tfdt:function(t){var e={version:t[0],flags:new
... Uint8Array(t.subarray(1,4)),baseMediaDecodeTime:t[4]<<24|t[5]<<16|t[6]<<8|t
... 7]};return
... 1===e.version&&(e.baseMediaDecodeTime*=Math.pow(2,32),e.baseMediaDecodeTime
... =t[8]<<24|t[9]<<16|t[10]<<8|t[11]),e},tfhd:function(t){var e,i=new
... DataView(t.buffer,t.byteOffset,t.byteLength),n={version:t[0],flags:new
... Uint8Array(t.subarray(1,4)),trackId:i.getUint32(4)},r=1&n.flags[2],a=2&n.
... flags[2],s=8&n.flags[2],o=16&n.flags[2],u=32&n.flags[2],l=65536&n.flags[0],
... =131072&n.flags[0];return
... e=8,r&&(e+=4,n.baseDataOffset=i.getUint32(12),e+=4),a&&(n.
... sampleDescriptionIndex=i.getUint32(e),e+=4),s&&(n.defaultSampleDuration=i.
... getUint32(e),e+=4),o&&(n.defaultSampleSize=i.getUint32(e),e+=4),u&&(n.
... defaultSampleFlags=i.getUint32(e)),l&&(n.durationIsEmpty=!0),!r&&c&&(n.
... baseDataOffsetIsMoof=!0),n},tkhd:function(t){var e=new
... DataView(t.buffer,t.byteOffset,t.byteLength),i=4,n={version:e.getUint8(0),
... flags:new Uint8Array(t.subarray(1,4))};return
... 1===n.version?(i+=4,n.creationTime=Cu(e.getUint32(i)),i+=8,n.
... modificationTime=Cu(e.getUint32(i)),i+=4,n.trackId=e.getUint32(i),i+=4,i+=8
... :(n.creationTime=Cu(e.getUint32(i)),i+=4,n.modificationTime=Cu(e.getUint32(
... )),i+=4,n.trackId=e.getUint32(i),i+=4,i+=4),n.duration=e.getUint32(i),i+=4,
... +=8,n.layer=e.getUint16(i),i+=2,n.alternateGroup=e.getUint16(i),i+=2,n.
... volume=e.getUint8(i)+e.getUint8(i+1)/8,i+=2,i+=2,n.matrix=new
... Uint32Array(t.subarray(i,i+36)),i+=36,n.width=e.getUint16(i)+e.getUint16(i+
... )/16,i+=4,n.height=e.getUint16(i)+e.getUint16(i+2)/16,n},traf:function(t){
... return{boxes:Tu(t)}},trak:function(t){return{boxes:Tu(t)}},trex:function(t)
... var e=new
... DataView(t.buffer,t.byteOffset,t.byteLength);return{version:t[0],flags:new
... Uint8Array(t.subarray(1,4)),trackId:e.getUint32(4),
... defaultSampleDescriptionIndex:e.getUint32(8),defaultSampleDuration:e.
... getUint32(12),defaultSampleSize:e.getUint32(16),sampleDependsOn:3&t[20],
... sampleIsDependedOn:(192&t[21])>>6,sampleHasRedundancy:(48&t[21])>>4,
... samplePaddingValue:(14&t[21])>>1,sampleIsDifferenceSample:!!(1&t[21]),
... sampleDegradationPriority:e.getUint16(22)}},trun:function(t){var
... e,i={version:t[0],flags:new Uint8Array(t.subarray(1,4)),samples:[]},n=new
... DataView(t.buffer,t.byteOffset,t.byteLength),r=1&i.flags[2],a=4&i.flags[2],
... =1&i.flags[1],o=2&i.flags[1],u=4&i.flags[1],l=8&i.flags[1],c=n.getUint32(4)
```

```

12... h=8;for(r&&(i.dataOffset=n.getInt32(h),h+=4),a&&c&&(e={flags:Eu(t.subarray(
... ,h+4)}),h+=4),s&&(e.duration=n.getUint32(h),h+=4),o&&(e.size=n.getUint32(h),
... +=4),l&&(e.compositionTimeOffset=n.getUint32(h),h+=4),i.samples.push(e),c--
... ;c--;)e={},s&&(e.duration=n.getUint32(h),h+=4),o&&(e.size=n.getUint32(h),h+
... 4),u&&(e.flags=Eu(t.subarray(h,h+4)),h+=4),l&&(e.compositionTimeOffset=n.
... getUint32(h),h+=4),i.samples.push(e);return i},"url
... ":function(t){return{version:t[0],flags:new
... Uint8Array(t.subarray(1,4))}},vmhd:function(t){var e=new
... DataView(t.buffer,t.byteOffset,t.byteLength);return{version:t[0],flags:new
... Uint8Array(t.subarray(1,4)),graphicsmode:e.getUint16(4),opcolor:new
... Uint16Array([e.getUint16(6),e.getUint16(8),e.getUint16(10)])}},Lu={inspect
... Tu=function(t){for(var e,i,n,r,a,s=0,o=[],u=new ArrayBuffer(t.length),l=new
... Uint8Array(u),c=0;c<t.length;++c)l[c]=t[c];for(e=new
... DataView(u);s<t.byteLength;)i=e.getUint32(s),n=wu(t.subarray(s+4,s+8)),r=1<
... ?s+i:t.byteLength,(a=(Au[n]||function(t){return{data:t}})(t.subarray(s+8,r)
... ).size=i,a.type=n,o.push(a),s=r;return o),textify:Su=function(t,e){var
... a;return e=e||0,a=new Array(2*e+1).join(" "),t.map(function(r,t){return
... a+r.type+"\n"+Object.keys(r).filter(function(t){return"type"!==t&&"boxes"!=
... t}).map(function(t){var e=a+" "+t+": ",i=r[t];if(i instanceof Uint8Array||
... instanceof Uint32Array){var n=Array.prototype.slice.call(new
... Uint8Array(i.buffer,i.byteOffset,i.byteLength)).map(function(t){return"
... "+("00"+t.toString(16)).slice(-2)}}).join("").match(/.{1,24}/g);return
... n?1===n.length?e+"<"+n.join("").slice(1)+">":e+"<\n"+n.map(function(t){
... return a+" "+t}).join("\n")+"\n"+a+" >":e+"<>"}return
... e+JSON.stringify(i,null,2).split("\n").map(function(t,e){return 0===e?t:a+"
... "+t}).join("\n"))).join("\n")+((r.boxes?"\n"+Su(r.boxes,e+1):""))).join("\n"
... },parseTfdt:Au.tfdt,parseHdlr:Au.hdlr,parseTfhd:Au.tfhd,parseTrun:Au.trun},
... Ou=fo,Pu=So.CaptionStream,Uu=function(t,e){for(var
... i=t,n=0;n<e.length;n++){var r=e[n];if(i<r.size)return r;i-=r.size}return
... null},xu=function(t,y){var
... n=Qs.findBox(t,["moof","traf"]),e=Qs.findBox(t,["mdat"]),v={},r=[];return
... e.forEach(function(t,e){var
... i=n[e];r.push({mdat:t,traf:i})}),r.forEach(function(t){var
... e,i,n,r,a,s,o,u,l=t.mdat,c=t.traf,h=Qs.findBox(c,["tfhd"]),d=Lu.parseTfhd(h
... 0]),p=d.trackId,f=Qs.findBox(c,["tfdt"]),m=0<f.length?Lu.parseTfdt(f[0]).
... baseMediaDecodeTime:0,g=Qs.findBox(c,["trun"]);y===p&&0<g.length&&(i=g,r=m,
... =(n=d).defaultSampleDuration||0,s=n.defaultSampleSize||0,o=n.trackId,u=[],i
... forEach(function(t){var e=Lu.parseTrun(t).samples;e.forEach(function(t){voi
... 0===t.duration&&(t.duration=a),void
... 0===t.size&&(t.size=s),t.trackId=o,t.dts=r,void
... 0===t.compositionTimeOffset&&(t.compositionTimeOffset=0),t.pts=r+t.
... compositionTimeOffset,r+=t.duration}),u=u.concat(e)),e=function(t,e,i){var
... n,r,a,s,o=new
... DataView(t.buffer,t.byteOffset,t.byteLength),u=[];for(r=0;r+4<t.length;r+=a
... if(a=o.getUint32(r),r+=4,(a<=0))switch(31&t[r]){case 6:var
... l=t.subarray(r+1,r+1+a),c=Uu(r,e);n={nalUnitType:"sei_rbsp",size:a,data:l,
... escapedRBSP:Ou(l),trackId:i},c?(n.pts=c.pts,n.dts=c.dts,s=c):(n.pts=s.pts,n
... dts=s.dts),u.push(n)}return

```

```

12... u}(1,u,p),v[p]||(v[p]=[]),v[p]=v[p].concat(e)),v},Iu={generator:Zs,probe:
... Qs,Transmuxer:ku.Transmuxer,AudioSegmentStream:ku.AudioSegmentStream,
... VideoSegmentStream:ku.VideoSegmentStream,CaptionParser:function(){var
... e,u,l,c,h,t=!1;this.isInitialized=function(){return
... t},this.init=function(){e=new
... Pu,t=!0,e.on("data",function(t){t.startTime=t.startPts/c,t.endTime=t.endPts
... c,h.captions.push(t),h.captionStreams[t.stream]=!0}}),this.isNewInit=
... function(t,e){return!(t&&0===t.length||e&&"object"===typeof
... e&&0===Object.keys(e).length||l===t[0]&&c===e[1])},this.parse=function(t,e,
... ){var n,r,a,s;if(!this.isInitialized())return null;if(!e||!i)return
... null;if(this.isNewInit(e,i))l=e[0],c=i[1];else if(!l||!c)return
... u.push(t),null;for(;0<u.length;){var o=u.shift();this.parse(o,e,i)}return
... r=t,s=c,null!==(n=(a=1)?{seiNals:xu(r,a)[a],timescale:s}:null)&&n.seiNals?(
... this.pushNals(n.seiNals),this.flushStream(),h):null},this.pushNals=function
... t){if(!this.isInitialized()||!t||0===t.length)return
... null;t.forEach(function(t){e.push(t)}),this.flushStream=function(){if(!thi
... .isInitialized())return
... null;e.flush()},this.clearParsedCaptions=function(){h.captions=[],h.
... captionStreams={}},this.resetCaptionStream=function(){if(!this.isInitializ
... e())return
... null;e.reset()},this.clearAllCaptions=function(){this.clearParsedCaptions(
... this.resetCaptionStream()),this.reset=function(){u=[],c=l=null,h?this.
... clearParsedCaptions():h={captions:[],captionStreams:{}},this.
... resetCaptionStream(),this.reset()}.CaptionParser,Du=function(t){var
... e=31&t[1];return
... e<<=8,e|=t[2]},Ru=function(t){return!!(64&t[1])},Mu=function(t){var
... e=0;return 1<(48&t[3])>>>4&&(e+=t[4]+1),e},Bu=function(t){switch(t){case
... 5:return"slice_layer_without_partitioning_rbsp_idr";case
... 6:return"sei_rbsp";case 7:return"seq_parameter_set_rbsp";case
... 8:return"pic_parameter_set_rbsp";case
... 9:return"access_unit_delimiter_rbsp";default:return
... null}},Nu={parseType:function(t,e){var i=Du(t);return
... 0===i?"pat":i===e?"pmt":e?"pes":null},parsePat:function(t){var
... e=Ru(t),i=4+Mu(t);return
... e&&(i+=t[i]+1),(31&t[i+10])<<8|t[i+11]},parsePmt:function(t){var
... e={},i=Ru(t),n=4+Mu(t);if(i&&(n+=t[n]+1),1&t[n+5]){var
... r;r=3+((15&t[n+1])<<8|t[n+2])-4;for(var
... a=12+((15&t[n+10])<<8|t[n+11]);a<r;){var
... s=n+a;e[(31&t[s+1])<<8|t[s+2]]=t[s],a+=5+((15&t[s+3])<<8|t[s+4])}return
... e}},parsePayloadUnitStartIndicator:Ru,parsePesType:function(t,e){switch(e[D
... (t)]){case ko.H264_STREAM_TYPE:return"video";case
... ko.ADTS_STREAM_TYPE:return"audio";case
... ko.METADATA_STREAM_TYPE:return"timed-metadata";default:return
... null}},parsePesTime:function(t){if(!Ru(t))return null;var
... e=4+Mu(t);if(e>=t.byteLength)return null;var i,n=null;return
... 192&(i=t[e+7])&&((n={}).pts=(14&t[e+9])<<27|(255&t[e+10])<<20|(254&t[e+11])
... <12|(255&t[e+12])<<5|(254&t[e+13])>>>3,n.pts*=4,n.pts+=(6&t[e+13])>>>1,n.dt
... =n.pts,64&i&&(n.dts=(14&t[e+14])<<27|(255&t[e+15])<<20|(254&t[e+16])<<12|(

```



```
12... 255&t[e+17])<<5|(254&t[e+18])>>>3,n.dts*=4,n.dts+=(6&t[e+18])>>>1)),n},
... videoPacketContainsKeyFrame:function(t){for(var
... e=4+Mu(t),i=t.subarray(e),n=0,r=0,a=!1;r<i.byteLength-3;r++)if(1===i[r+2]){
... =r+5;break}for(;n<i.byteLength;)switch(i[n]){case
... 0:if(0!==i[n-1]){n+=2;break}if(0!==i[n-2]){n++;break}for(r+3!==n-2&&"
... slice_layer_without_partitioning_rbsp_idr"===Bu(31&i[r+3])&&(a=!0);1!==i[+
... ]&&n<i.length;);r=n-2,n+=3;break;case
... 1:if(0!==i[n-1]||0!==i[n-2]){n+=3;break}"
... slice_layer_without_partitioning_rbsp_idr"===Bu(31&i[r+3])&&(a=!0),r=n-2,n+
... 3;break;default:n+=3}return
... i=i.subarray(r),n-=r,r=0,i&&3<i.byteLength&&"
... slice_layer_without_partitioning_rbsp_idr"===Bu(31&i[r+3])&&(a=!0),a}},ju=[
... 96e3,88200,64e3,48e3,44100,32e3,24e3,22050,16e3,12e3,11025,8e3,7350],Fu=
... function(t){return
... t[0]<<21|t[1]<<14|t[2]<<7|t[3]},Vu={parseId3TagSize:function(t,e){var
... i=t[e+6]<<21|t[e+7]<<14|t[e+8]<<7|t[e+9];return(16&t[e+5])>>4?i+20:i+10},
... parseAdtsSize:function(t,e){var i=(224&t[e+5])>>5,n=t[e+4]<<3;return
... 6144&t[e+3]|n|i},parseType:function(t,e){return
... t[e]=== "I".charCodeAt(0)&&t[e+1]=== "D".charCodeAt(0)&&t[e+2]=== "3".
... charCodeAt(0)? "timed-metadata":!0&t[e]&&240==(240&t[e+1])?"audio":null},
... parseSampleRate:function(t){for(var
... e=0;e+5<t.length;){if(255===t[e]&&240==(246&t[e+1]))return
... ju[(60&t[e+2])>>>2];e++}return null},parseAacTimestamp:function(t){var
... e,i,n;e=10,64&t[5]&&(e+=4,e+=Fu(t.subarray(10,14)));do{if((i=Fu(t.subarray(
... +4,e+8)))<1)return
... null;if("PRIV"===String.fromCharCode(t[e],t[e+1],t[e+2],t[e+3])){n=t.
... subarray(e+10,e+i+10);for(var
... r=0;r<n.byteLength;r++)if(0===n[r]){if("com.apple.streaming.
... transportStreamTimestamp"!==unescape(function(t,e,i){var
... n,r="";for(n=e;n<i;n++)r+="%"+("00"+t[n].toString(16)).slice(-2);return
... r}(n,0,r)))break;var
... a=n.subarray(r+1),s=(1&a[3])<<30|a[4]<<22|a[5]<<14|a[6]<<6|a[7]>>>2;return
... s*=4,s+=3&a[7]}}e+=10,e+=i}while(e<t.byteLength);return
... null}},Hu=Lo,qu={};qu.ts=Nu,qu.aac=Vu;var zu=188,Wu=function(t,e,i){for(var
... n,r,a,s,o=0,u=zu,l=!1;u<t.byteLength;)if(71!==t[o]||71!==t[u])o++,u++;else{
... switch(n=t.subarray(o,u),qu.ts.parseType(n,e.pid)){case"pes":r=qu.ts.
... parsePesType(n,e.table),a=qu.ts.parsePayloadUnitStartIndicator(n),"audio"==
... r&&a&&(s=qu.ts.parsePesTime(n))&&(s.type="audio",i.audio.push(s),l=!0)}if(l
... break;o+=zu,u+=zu}for(o=(u=t.byteLength)-zu,l=!1;0<=o;)if(71!==t[o]||71!==t
... u])o--,u--;else{switch(n=t.subarray(o,u),qu.ts.parseType(n,e.pid)){case"pes
... :r=qu.ts.parsePesType(n,e.table),a=qu.ts.parsePayloadUnitStartIndicator(n),
... audio"===r&&a&&(s=qu.ts.parsePesTime(n))&&(s.type="audio",i.audio.push(s),l
... !0)}if(l)break;o-=zu,u-=zu}},Gu=function(t,e,i){for(var
... n,r,a,s,o,u,l,c=0,h=zu,d=!1,p={data:[],size:0};h<t.byteLength;)if(71!==t[c]
... |71!==t[h])c++,h++;else{switch(n=t.subarray(c,h),qu.ts.parseType(n,e.pid)){
... case"pes":if(r=qu.ts.parsePesType(n,e.table),a=qu.ts.
... parsePayloadUnitStartIndicator(n),"video"===r&&a&&d&&(s=qu.ts.parsePesTim
... (n))&&(s.type="video",i.video.push(s),d=!0),!i.firstKeyFrame){if(a&&0!==p.
```

```
12... size){for(o=new
... Uint8Array(p.size),u=0;p.data.length;)l=p.data.shift(),o.set(l,u),u+=1.
... byteLength;qu.ts.videoPacketContainsKeyFrame(o)&&(i.firstKeyFrame=qu.ts.
... parsePesTime(o),i.firstKeyFrame.type="video"),p.size=0)p.data.push(n),p.siz
... +=n.byteLength}}if(d&&i.firstKeyFrame)break;c+=zu,h+=zu}for(c=(h=t.
... byteLength)-zu,d=!1;0<=c;)if(71!==t[c]||71!==t[h])c--,h--;else{switch(n=t.
... subarray(c,h),qu.ts.parseType(n,e.pid)){case"pes":r=qu.ts.parsePesType(n,e.
... table),a=qu.ts.parsePayloadUnitStartIndicator(n,"video"===r&&a&&(s=qu.ts.
... parsePesTime(n))&&(s.type="video",i.video.push(s),d=!0)}if(d)break;c-=zu,h-
... zu}},Xu=function(t){var e={pid:null,table:null},i={};for(var n in
... function(t,e){for(var
... i,n=0,r=zu;r<t.byteLength;)if(71!==t[n]||71!==t[r])n++,r++;else{switch(i=t.
... subarray(n,r),qu.ts.parseType(i,e.pid)){case"pat":e.pid||(e.pid=qu.ts.
... parsePat(i));break;case"pmt":e.table||(e.table=qu.ts.parsePmt(i))}if(e.pid&
... e.table)return;n+=zu,r+=zu}}(t,e),e.table){if(e.table.hasOwnProperty(n))
... switch(e.table[n]){case
... ko.H264_STREAM_TYPE:i.video=[],Gu(t,e,i),0===i.video.length&&delete
... i.video;break;case
... ko.ADTS_STREAM_TYPE:i.audio=[],Wu(t,e,i),0===i.audio.length&&delete
... i.audio}}return i},Yu=function(t,e){var
... i,n;return(n=(i=t)[0]=== "I".charCodeAt(0)&&i[1]=== "D".charCodeAt(0)&&i[2]===
... "3".charCodeAt(0)?function(t){for(var
... e,i=!1,n=0,r=null,a=null,s=0,o=0;3<=t.length-o;){switch(qu.aac.parseType(t,
... )){case"timed-metadata":if(t.length-o<10){i=!0;break}if((s=qu.aac.
... parseId3TagSize(t,o))>t.length){i=!0;break}null===a&&(e=t.subarray(o,o+s),a
... qu.aac.parseAacTimestamp(e)),o+=s;break;case"audio":if(t.length-o<7){i=!0;
... break}if((s=qu.aac.parseAdtsSize(t,o))>t.length){i=!0;break}null===r&&(e.t.
... subarray(o,o+s),r=qu.aac.parseSampleRate(e)),n++,o+=s;break;default:o++}if(
... )return null}if(null===r||null===a)return null;var
... u=9e4/r;return{audio:[{type:"audio",dts:a,pts:a},{type:"audio",dts:a+1024*n
... u,pts:a+1024*n*u}]}(t):Xu(t))&&(n.audio||n.video)?(function(t,e){if(t.audi
... &&t.audio.length){var i=e;"undefined"===typeof
... i&&(i=t.audio[0].dts),t.audio.forEach(function(t){t.dts=Hu(t.dts,i),t.pts=H
... (t.pts,i),t.dtsTime=t.dts/9e4,t.ptsTime=t.pts/9e4})}if(t.video&&t.video.
... length){var n=e;if("undefined"===typeof
... n&&(n=t.video[0].dts),t.video.forEach(function(t){t.dts=Hu(t.dts,n),t.pts=H
... (t.pts,n),t.dtsTime=t.dts/9e4,t.ptsTime=t.pts/9e4}),t.firstKeyFrame){var
... r=t.firstKeyFrame;r.dts=Hu(r.dts,n),r.pts=Hu(r.pts,n),r.dtsTime=r.dts/9e4,r
... ptsTime=r.dts/9e4}}(n,e),n):null};var $u=function(t,e){if(!(t instanceof
... e))throw new TypeError("Cannot call a class as a
... function")},Ku=function(){function n(t,e){for(var i=0;i<e.length;i++){var
... n=e[i];n.enumerable=n.enumerable||!1,n.configurable=!0,"value"in
... n&&(n.writable=!0),Object.defineProperty(t,n.key,n)}}return
... function(t,e,i){return
... e&&n(t.prototype,e),i&&n(t,i),t}}(),Qu=null,Ju=function(){function
... c(t){$u(this,c),Qu||(Qu=function(){var
... t=[[[]],[[],[]],[[],[]],[[],[]],[[],[]],[[],[]],[[],[]],[[],[]],[[],[]],[
... e=t[0],i=t[1],n=e[4],r=i[4],a=void
... 0,s=void 0,o=void 0,u=[],l=[],c=void 0,h=void 0,d=void 0,p=void 0,f=void
```

```

12... 0;for(a=0;a<256;a++)l[(u[a]=a<<1^283*(a>>7))^a]=a;for(s=0;!n[s];s^=c||1,o
... l[o]||1)for(d=(d=o^o<<1^o<<2^o<<3^o<<4)>>8^255&d^99,f=16843009*u[h=u[c=u[r[
... [s]=d]=s]])^65537*h^257*c^16843008*s,p=257*u[d]^16843008*d,a=0;a<4;a++)e[a]
... s]=p=p<<24^p>>>8,i[a][d]=f=f<<24^f>>>8;for(a=0;a<5;a++)e[a]=e[a].slice(0),i
... a]=i[a].slice(0);return
... t}()),this._tables=[[Qu[0][0].slice(),Qu[0][1].slice(),Qu[0][2].slice(),Qu
... ][3].slice(),Qu[0][4].slice()],[Qu[1][0].slice(),Qu[1][1].slice(),Qu[1][2]
... slice(),Qu[1][3].slice(),Qu[1][4].slice()]];var e=void 0,i=void 0,n=void
... 0,r=void 0,a=void
... 0,s=this._tables[0][4],o=this._tables[1],u=t.length,l=1;if(4!==u&&6!==u&&8!
... =u)throw new Error("Invalid aes key
... size");for(r=t.slice(0),a=[],this._key=[r,a],e=u;e<4*u+28;e++)n=r[e-1],(e%u
... =0||8===u&&e%u==4)&&(n=s[n>>>24]<<24^s[n>>16&255]<<16^s[n>>8&255]<<8^s[255&
... ],e%u==0&&(n=n<<8^n>>>24^1<<24,l=1<<1^283*(l>>7))),r[e]=r[e-u]^n;for(i=0;e;
... ++,e--)n=r[3&i?e:e-4],a[i]=e<=4||i<4?n:o[0][s[n>>>24]]^o[1][s[n>>16&255]]^o
... 2][s[n>>8&255]]^o[3][s[255&n]])return
... c.prototype.decrypt=function(t,e,i,n,r,a){var
... s=this._key[1],o=t^s[0],u=n^s[1],l=i^s[2],c=e^s[3],h=void 0,d=void 0,p=void
... 0,f=s.length/4-2,m=void
... 0,g=4,y=this._tables[1],v=y[0],_y=y[1],b=y[2],T=y[3],S=y[4];for(m=0;m<f;m++)
... =v[o>>>24]^_[u>>16&255]^b[l>>8&255]^T[255&c]^s[g],d=v[u>>>24]^_[l>>16&255]^
... [c>>8&255]^T[255&o]^s[g+1],p=v[l>>>24]^_[c>>16&255]^b[o>>8&255]^T[255&u]^s[
... +2],c=v[c>>>24]^_[o>>16&255]^b[u>>8&255]^T[255&l]^s[g+3],g+=4,o=h,u=d,l=p;
... for(m=0;m<4;m++)r[(3&-m)+a]=S[o>>>24]<<24^S[u>>16&255]<<16^S[l>>8&255]<<8^S
... 255&c]^s[g++],h=o,o=u,u=l,l=c,c=h},c}(),Zu=function(){function
... t(){$u(this,t),this.listeners={}}return
... t.prototype.on=function(t,e){this.listeners[t]||(this.listeners[t]=[]),this
... listeners[t].push(e)},t.prototype.off=function(t,e){if(!this.listeners[t])
... return!1;var i=this.listeners[t].indexOf(e);return
... this.listeners[t].splice(i,1),-1<i},t.prototype.trigger=function(t){var
... e=this.listeners[t];if(e)if(2===arguments.length)for(var
... i=e.length,n=0;n<i;++n)e[n].call(this,arguments[1]);else for(var
... r=Array.prototype.slice.call(arguments,1),a=e.length,s=0;s<a;++s)e[s].apply
... this,r)},t.prototype.dispose=function(){this.listeners={}},t.prototype.pipe
... function(e){this.on("data",function(t){e.push(t)}),t}(),tl=function(e){
... function i(){$u(this,i);var t=function(t,e){if(!t)throw new
... ReferenceError("this hasn't been initialised - super() hasn't been
... called");return!e||"object"!==typeof e&&"function"!==typeof
... e?t:e}(this,e.call(this,Zu));return
... t.jobs=[],t.delay=1,t.timeout_=null,t}return
... function(t,e){if("function"!==typeof e&&null!==e)throw new TypeError("Super
... expression must either be null or a function, not "+typeof
... e);t.prototype=Object.create(e&&e.prototype,{constructor:{value:t,enumerabl
... :!1,writable:!0,configurable:!0}}),e&&(Object.setPrototypeOf?Object.
... setPrototypeOf(t,e):t.__proto__=e)}(i,e),i.prototype.processJob_=function()
... this.jobs.shift()(),this.jobs.length?this.timeout_=setTimeout(this.
... processJob_.bind(this),this.delay):this.timeout_=null,i.prototype.push=
... function(t){this.jobs.push(t),this.timeout_||(this.timeout_=setTimeout(this

```

```

12... processJob_.bind(this),this.delay)),i}(Zu),el=function(t){return
... t<<24|(65280&t)<<8|(16711680&t)>>8|t>>>24},il=function(t,e,i){var n=new
... Int32Array(t.buffer,t.byteOffset,t.byteLength>>2),r=new
... Ju(Array.prototype.slice.call(e)),a=new Uint8Array(t.byteLength),s=new
... Int32Array(a.buffer),o=void 0,u=void 0,l=void 0,c=void 0,h=void 0,d=void
... 0,p=void 0,f=void 0,m=void
... 0;for(o=i[0],u=i[1],l=i[2],c=i[3],m=0;m<n.length;m+=4)h=el(n[m]),d=el(n[m+1
... ],p=el(n[m+2]),f=el(n[m+3]),r.decrypt(h,d,p,f,s,m),s[m]=el(s[m]^o),s[m+1]=e
... (s[m+1]^u),s[m+2]=el(s[m+2]^l),s[m+3]=el(s[m+3]^c),o=h,u=d,l=p,c=f;return
... a},nl=function(){function u(t,e,i,n){$u(this,u);var r=u.STEP,a=new
... Int32Array(t.buffer),s=new
... Uint8Array(t.byteLength),o=0;for(this.asyncStream_=new
... tl,this.asyncStream_.push(this.decryptChunk_(a.subarray(o,o+r),e,i,s)),o=r;
... <a.length;o+=r)i=new
... Uint32Array([el(a[o-4]),el(a[o-3]),el(a[o-2]),el(a[o-1])]),this.asyncStream
... .push(this.decryptChunk_(a.subarray(o,o+r),e,i,s));this.asyncStream_.push(
... function(){var
... t;n(null,(t=s).subarray(0,t.byteLength-t[t.byteLength-1]))}}return
... u.prototype.decryptChunk_=function(e,i,n,r){return function(){var
... t=il(e,i,n);r.set(t,e.byteOffset)}}},Ku(u,null,[{key:"STEP",get:function(){
... return
... 32e3}}]),u},rl=function(t,e){return /^[a-z]+:/i.test(e)?e:(/\//i.test(t)
... |(t=ca.buildAbsoluteURL(v.location.href,t)),ca.buildAbsoluteURL(t,e))},al=
... function(t,e){if(!(t instanceof e))throw new TypeError("Cannot call a class
... as a function")},sl=function(){function n(t,e){for(var
... i=0;i<e.length;i++){var
... n=e[i];n.enumerable=n.enumerable||!1,n.configurable=!0,"value"in
... n&&(n.writable=!0),Object.defineProperty(t,n.key,n)}}return
... function(t,e,i){return
... e&&n(t.prototype,e),i&&n(t,i),t}}(),ol=function(t,e){if("function"!==typeof
... e&&null!==e)throw new TypeError("Super expression must either be null or a
... function, not "+typeof
... e);t.prototype=Object.create(e&&e.prototype,{constructor:{value:t,enumerabl
... :!1,writable:!0,configurable:!0}}),e&&(Object.setPrototypeOf?Object.
... setPrototypeOf(t,e):t.__proto__=e)},ul=function(t,e){if(!t)throw new
... ReferenceError("this hasn't been initialised - super() hasn't been
... called");return!e||"object"!==typeof e&&"function"!==typeof
... e?t:e},ll=function(t,e){if(Array.isArray(t))return t;if(Symbol.iterator in
... Object(t))return function(t,e){var i=[],n=!0,r=!1,a=void 0;try{for(var
... s,o=t[Symbol.iterator]();!(n=(s=o.next()).done)&&(i.push(s.value),!e||i.
... length!==e);n=!0);}catch(t){r=!0,a=t}finally{try{!n&&o.return&&o.return()}
... finally{if(r)throw a}}return i}(t,e);throw new TypeError("Invalid attempt t
... destructure non-iterable
... instance")},cl=oa.mergeOptions,hl=oa.EventTarget,dl=oa.log,pl=function(r,a)
... ["AUDIO","SUBTITLES"].forEach(function(t){for(var e in
... r.mediaGroups[t])for(var i in r.mediaGroups[t][e]){var
... n=r.mediaGroups[t][e][i];a(n,t,e,i)}}},fl=function(t,e){var
... i=cl(t,{}),n=i.playlists[e.uri];if(!n)return

```

```
12... null;if(n.segments&&e.segments&&n.segments.length===e.segments.length&&n.
... mediaSequence===e.mediaSequence)return null;var
... r=cl(n,e);n.segments&&(r.segments=function(t,e,i){var
... n=e.slice();i=i||0;for(var
... r=Math.min(t.length,e.length+i),a=i;a<r;a++)n[a-i]=cl(t[a],n[a-i]);return
... n}(n.segments,e.segments,e.mediaSequence-n.mediaSequence)),r.segments.
... forEach(function(t){var
... e,i;e=t,i=r.resolvedUri,e.resolvedUri||(e.resolvedUri=r1(i,e.uri)),e.key&&!
... .key.resolvedUri&&(e.key.resolvedUri=r1(i,e.key.uri)),e.map&&!e.map.
... resolvedUri&&(e.map.resolvedUri=r1(i,e.map.uri))});for(var
... a=0;a<i.playlists.length;a++)i.playlists[a].uri===e.uri&&(i.playlists[a]=r)
... return i.playlists[e.uri]=r,i},ml=function(t){for(var
... e=t.playlists.length;e--){var
... i=t.playlists[e];(t.playlists[i.uri]=i).resolvedUri=r1(t.uri,i.uri),i.id=e,
... .attributes||(i.attributes={},dl.warn("Invalid playlist STREAM-INF detected
... Missing BANDWIDTH
... attribute."))},gl=function(e){pl(e,function(t){t.uri&&(t.resolvedUri=r1(e.
... uri,t.uri))}),yl=function(t,e){var i=t.segments[t.segments.length-1];return
... e&&i&&i.duration?1e3*i.duration:500*(t.targetDuration||10)},vl=function(t){
... function r(t,e,i){al(this,r);var
... n=ul(this,(r.__proto__||Object.getPrototypeOf(r)).call(this));if(n.srcUrl=t
... n.hls_=e,n.withCredentials=i,!n.srcUrl)throw new Error("A non-empty playlis
... URL is required");return
... n.state="HAVE_NOHING",n.on("mediaupdatetimetype",function(){"HAVE_METADATA"
... ===n.state&&(n.state="HAVE_CURRENT_METADATA",n.request=n.hls_.xhr({uri:r1(n.
... master.uri,n.media().uri),withCredentials:n.withCredentials},function(t,e){
... if(n.request)return
... t?n.playlistRequestError(n.request,n.media().uri,"HAVE_METADATA"):void
... n.haveMetadata(n.request,n.media().uri)}})),n)return
... ol(r,hl),sl(r,[{key:"playlistRequestError",value:function(t,e,i){this.
... request=null,i&&(this.state=i),this.error={playlist:this.master.playlists[e
... ,status:t.status,message:"HLS playlist request error at URL:
... "+e,responseText:t.responseText,code:500<=t.status?4:2},this.trigger("error
... )}},{key:"haveMetadata",value:function(t,e){var
... i=this;this.request=null,this.state="HAVE_METADATA";var n=new
... _a;n.push(t.responseText),n.end(),n.manifest.uri=e,n.manifest.attributes=n.
... manifest.attributes||{};var
... r=fl(this.master,n.manifest);this.targetDuration=n.manifest.targetDuration,
... ?(this.master=r,this.media_=this.master.playlists[n.manifest.uri]):this.
... trigger("playlistunchanged"),this.media().endList||(v.clearTimeout(this.
... mediaUpdateTimeout),this.mediaUpdateTimeout=v.setTimeout(function(){i.
... trigger("mediaupdatetimetype")},yl(this.media(),!!r))),this.trigger("
... loadedplaylist")}},{key:"dispose",value:function(){this.stopRequest(),v.
... clearTimeout(this.mediaUpdateTimeout)},{key:"stopRequest",value:function()
... if(this.request){var
... t=this.request;this.request=null,t.onreadystatechange=null,t.abort()}}},{ke
... : "media",value:function(i){var n=this;if(!i)return
... this.media_;if("HAVE_NOHING"===this.state)throw new Error("Cannot switch
```

```
12... media playlist from "+this.state);var r=this.state;if("string"==typeof
... i){if(!this.master.playlists[i])throw new Error("Unknown playlist URI:
... "+i);i=this.master.playlists[i]}var
... t=!this.media_||i.uri!==this.media_.uri;if(this.master.playlists[i.uri].
... endList)return
... this.request&&(this.request.onreadystatechange=null,this.request.abort(),
... this.request=null),this.state="HAVE_METADATA",this.media_=i,void(t&&(this.
... trigger("mediachanging"),this.trigger("mediachange")));if(t){if(this.state=
... SWITCHING_MEDIA",this.request){if(r1(this.master.uri,i.uri)===this.request.
... url)return;this.request.onreadystatechange=null,this.request.abort(),this.
... request=null}this.media_&&this.trigger("mediachanging"),this.request=this.
... hls_.xhr({uri:r1(this.master.uri,i.uri),withCredentials:this.withCredential
... },function(t,e){if(n.request){if(t)return
... n.playlistRequestError(n.request,i.uri,r);n.haveMetadata(e,i.uri),"
... HAVE_MASTER"===r?n.trigger("loadedmetadata"):n.trigger("mediachange")}})}}
... {key:"pause",value:function(){this.stopRequest(),v.clearTimeout(this.
... mediaUpdateTimeout),"HAVE_NOTHING"===this.state&&(this.started=!1),"
... SWITCHING_MEDIA"===this.state?this.media_?this.state="HAVE_METADATA":this.
... state="HAVE_MASTER":"HAVE_CURRENT_METADATA"===this.state&&(this.state="
... HAVE_METADATA")}},{key:"load",value:function(t){var
... e=this;v.clearTimeout(this.mediaUpdateTimeout);var i=this.media();if(t){var
... n=i?i.targetDuration/2*1e3:5e3;this.mediaUpdateTimeout=v.setTimeout(function
... (){return e.load()},n)}else
... this.started?i&&!i.endList?this.trigger("mediaupdatetimeout"):this.trigger(
... loadedplaylist"):this.start()}},{key:"start",value:function(){var
... n=this;this.started=!0,this.request=this.hls_.xhr({uri:this.srcUrl,
... withCredentials:this.withCredentials},function(t,e){if(n.request){if(n.
... request=null,t)return n.error={status:e.status,message:"HLS playlist reques
... error at URL:
... "+n.srcUrl,responseText:e.responseText,code:2},"HAVE_NOTHING"===n.state&&(n
... started=!1),n.trigger("error");var i=new _a;return
... i.push(e.responseText),i.end(),n.state="HAVE_MASTER",i.manifest.uri=n.srcUr
... ,i.manifest.playlists?(n.master=i.manifest,ml(n.master),gl(n.master),n.
... trigger("loadedplaylist"),void(n.request||n.media(i.manifest.playlists[0]))
... :(n.master={mediaGroups:{AUDIO:{},VIDEO:{},"CLOSED-CAPTIONS":{},SUBTITLES:{
... },uri:v.location.href,playlists:[{uri:n.srcUrl,id:0}]},n.master.playlists[n
... srcUrl]=n.master.playlists[0],n.master.playlists[0].resolvedUri=n.srcUrl,n.
... master.playlists[0].attributes=n.master.playlists[0].attributes||{,n.
... haveMetadata(e,n.srcUrl),n.trigger("loadedmetadata")}})}})}],r}(),_l=oa.
... createTimeRange,bl=function(t,e,i){var n,r;return"undefined"==typeof
... e&&(e=t.mediaSequence+t.segments.length),e<t.mediaSequence?0:(n=function(t,
... ){var i=0,n=e-t.mediaSequence,r=t.segments[n];if(r){if("undefined"!=typeof
... r.start)return{result:r.start,precise:!0};if("undefined"!=typeof
... r.end)return{result:r.end-r.duration,precise:!0}}for(;n--){if("undefined"!
... typeof(r=t.segments[n]).end)return{result:i+r.end,precise:!0};if(i+=r.
... duration,"undefined"!=typeof
... r.start)return{result:i+r.start,precise:!0}}return{result:i,precise:!1}}(t,
... )).precise?n.result:(r=function(t,e){for(var i=0,n=void
```

```
12... 0,r=e-t.mediaSequence;r<t.segments.length;r++){if("undefined"!==typeof(n=t.
... segments[r]).start)return{result:n.start-i,precise:!0};if(i+=n.duration,"
... undefined"!==typeof
... n.end)return{result:n.end-i,precise:!0}}return{result:-1,precise:!1}}(t,e)
... precise?r.result:n.result+i},Tl=function(t,e,i){if(!t)return
... 0;if("number"!==typeof i&&(i=0),"undefined"===typeof
... e){if(t.totalDuration)return t.totalDuration;if(!t.endList)return
... v.Infinity}return bl(t,e,i)},Sl=function(t,e,i){var n=0;if(i<e){var
... r=[i,e];e=r[0],i=r[1]}if(e<0){for(var
... a=e;a<Math.min(0,i);a++)n+=t.targetDuration;e=0}for(var
... s=e;s<i;s++)n+=t.segments[s].duration;return
... n},kl=function(t){if(!t.segments.length)return 0;for(var
... e=t.segments.length-1,i=t.segments[e].duration||t.targetDuration,n=i+2*t.
... targetDuration;e--&&(n<=(i+=t.segments[e].duration)));return
... Math.max(0,e)},wl=function(t,e,i){if(!t||!t.segments)return
... null;if(t.endList)return Tl(t);if(null===e)return null;e=e||0;var
... n=i?kl(t):t.segments.length;return
... bl(t,t.mediaSequence+n,e)},Cl=function(t){return
... t-Math.floor(t)==0},El=function(t,e){if(Cl(e))return e+.1*t;for(var
... i=e.toString().split(".")[1].length,n=1;n<=i;n++){var
... r=Math.pow(10,n),a=e*r;if(Cl(a)||n===i)return(a+t)/r}},Al=El.bind(null,1),L
... =El.bind(null,-1),Ol=function(t){return
... t.excludeUntil&&t.excludeUntil>Date.now()},Pl=function(t){return
... t.excludeUntil&&t.excludeUntil===1/0},Ul=function(t){var
... e=Ol(t);return!t.disabled&&!e},xl=function(t,e){return
... e.attributes&&e.attributes[t]},Il=function(t,e){if(1===t.playlists.length)
... return!0;var i=e.attributes.BANDWIDTH||Number.MAX_VALUE;return
... 0===t.playlists.filter(function(t){return!!Ul(t)&&(t.attributes.BANDWIDTH|
... )<i}).length},Dl={duration:Tl,seekable:function(t,e){var
... i=e||0,n=wl(t,e,!0);return
... null===n?_l():_l(i,n)},safeLiveIndex:kl,getMediaInfoForTime:function(t,e,i,
... ){var r=void 0,a=void
... 0,s=t.segments.length,o=e-n;if(o<0){if(0<i)for(r=i-1;0<=r;r--)if(a=t.
... segments[r],0<(o+=Ll(a.duration))return{mediaIndex:r,startTime:n-Sl(t,i,r)
... };return{mediaIndex:0,startTime:e}}if(i<0){for(r=i;r<0;r++)if((o-=t.
... targetDuration)<0)return{mediaIndex:0,startTime:e};i=0}for(r=i;r<s;r++)if(a
... t.segments[r],(o-=Al(a.duration))<0)return{mediaIndex:r,startTime:n+Sl(t,i,
... )});return{mediaIndex:s-1,startTime:e}},isEnabled:Ul,isDisabled:function(t){
... return
... t.disabled},isBlacklisted:Ol,isIncompatible:Pl,playlistEnd:wl,isAes:functio
... (t){for(var
... e=0;e<t.segments.length;e++)if(t.segments[e].key)return!0;return!1},isFmp4:
... function(t){for(var
... e=0;e<t.segments.length;e++)if(t.segments[e].map)return!0;return!1},
... hasAttribute:xl,estimateSegmentRequestTime:function(t,e,i){var
... n=3<arguments.length&&void 0!==arguments[3]?arguments[3]:0;return
... xl("BANDWIDTH",i)?(t*i.attributes.BANDWIDTH-8*n)/e:NaN},
... isLowestEnabledRendition:Il},Rl=oa.xhr,Ml=oa.mergeOptions,Bl=function(){
```

```
12... return function t(e,n){e=Ml({timeout:45e3},e);var
... i=t.beforeRequest||oa.Hls.xhr.beforeRequest;if(i&&"function"===typeof i){var
... r=i(e);r&&(e=r)}var a=Rl(e,function(t,e){var
... i=a.response;!t&&i&&(a.responseTime=Date.now(),a.roundTripTime=a.
... responseTime-a.requestTime,a.bytesReceived=i.byteLength||i.length,a.
... bandwidth||(a.bandwidth=Math.floor(a.bytesReceived/a.roundTripTime*8*1e3)))
... e.headers&&(a.responseHeaders=e.headers),t&&"ETIMEDOUT"===t.code&&(a.
... timedout=!0),t||a.aborted||200===e.statusCode||206===e.statusCode||0===e.
... statusCode||(t=new Error("XHR Failed with a response of:
... "+(a&&(i||a.responseText))),n(t,a)),s=a.abort;return
... a.abort=function(){return
... a.aborted=!0,s.apply(a,arguments)},a.uri=e.uri,a.requestTime=Date.now(),a}}
... Nl=function(t,e){var
... i=t.toString(16);return"00".substring(0,2-i.length)+i+(e%2?"
... ":"")},jl=function(t){return
... 32<=t&&t<126?String.fromCharCode(t):"."},Fl=function(i){var n={};return
... Object.keys(i).forEach(function(t){var
... e=i[t];ArrayBuffer.isView(e)?n[t]={bytes:e.buffer,byteOffset:e.byteOffset,
... byteLength:e.byteLength}:n[t]=e}),n},Vl=function(t){var
... e=t.byterange||{length:1/0,offset:0};return[e.length,e.offset,t.resolvedUri
... .join(",")],Hl=function(t){for(var
... e=Array.prototype.slice.call(t),i="",n=0;n<e.length/16;n++)i+=e.slice(16*n,
... 16*n+16).map(Nl).join("")+"
... "+e.slice(16*n,16*n+16).map(jl).join("")+"\n";return
... i},ql=Object.freeze({createTransferableMessage:Fl,initSegmentId:Vl,hexDump:
... Hl,tagDump:function(t){var e=t.bytes;return
... Hl(e)},textRanges:function(t){var e,i,n="",r=void
... 0;for(r=0;r<t.length;r++)n+=(i=r,(e=t).start(i)+"-"+e.end(i)+" ");return
... n}},zl=1/30,Wl=function(t,e){var i=[],n=void
... 0;if(t&&t.length)for(n=0;n<t.length;n++)e(t.start(n),t.end(n))&&i.push([t.
... start(n),t.end(n)]);return oa.createTimeRanges(i)},Gl=function(t,i){return
... Wl(t,function(t,e){return t-zl<=i&&i<=e+zl}),Xl=function(t,e){return
... Wl(t,function(t){return e<=t-zl}),Yl=function(t){var
... e=[];if(!t||!t.length)return"";for(var
... i=0;i<t.length;i++)e.push(t.start(i)+" => "+t.end(i));return e.join(",
... ")},$l=function(t){for(var
... e=[],i=0;i<t.length;i++)e.push({start:t.start(i),end:t.end(i)});return
... e},Kl=function(t,e,i){var n=void 0,r=void
... 0;if(i&&i.cues)for(n=i.cues.length;n--;)(r=i.cues[n]).startTime<=e&&r.
... endTime>=t&&i.removeCue(r)},Ql=function(t){return
... isNaN(t)||Math.abs(t)===1/0?Number.MAX_VALUE:t},Jl=function(t,e,i){var
... r=v.WebKitDataCue||v.VTTCue;if(e&&e.forEach(function(t){var
... e=t.stream;this.inbandTextTracks_[e].addCue(new
... r(t.startTime+this.timestampOffset,t.endTime+this.timestampOffset,t.text)))
... t),i){var a=Ql(t.mediaSource_.duration);if(i.forEach(function(t){var
... n=t.cueTime+this.timestampOffset;t.frames.forEach(function(t){var e,i=new
... r(n,n,t.value||t.url||t.data||"");i.frame=t,i.value=t,e=i,Object.
... defineProperties(e.frame,{id:{get:function(){return
```



```
12... oa.log.warn("cue.frame.id is deprecated. Use cue.value.key
... instead."),e.value.key}},value:{get:function(){return
... oa.log.warn("cue.frame.value is deprecated. Use cue.value.data
... instead."),e.value.data}},privateData:{get:function(){return
... oa.log.warn("cue.frame.privateData is deprecated. Use cue.value.data
... instead."),e.value.data}}}),this.metadataTrack_.addCue(i)},this)},t),t.
... metadataTrack_&&t.metadataTrack_.cues&&t.metadataTrack_.cues.length){for(va
... n=t.metadataTrack_.cues,s=[],o=0;o<n.length;o++)n[o]&&s.push(n[o]);var
... u=s.reduce(function(t,e){var i=t[e.startTime]||[];return
... i.push(e),t[e.startTime]=i,t},{}),l=Object.keys(u).sort(function(t,e){return
... Number(t)-Number(e)});l.forEach(function(t,e){var
... i=u[t],n=Number(l[e+1])|a;i.forEach(function(t){t.endTime=n}})}},Zl="
... undefined"!=typeof window?window:{},tc="undefined"==typeof
... Symbol?"__target":Symbol(),ec="application/javascript",ic=Zl.BlobBuilder|Z
... .WebKitBlobBuilder||Zl.MozBlobBuilder||Zl.MSBlobBuilder,nc=Zl.URL||Zl.
... webkitURL||nc&&nc.msURL,rc=Zl.Worker;function ac(r,a){return function(t){va
... e=this;if(!a)return new rc(r);if(rc&&!t){var
... i=lc(a.toString().replace(/^\function.+?$/, "").slice(0,-1));return
... this[tc]=new rc(i),function(t,e){if(!t||!e)return;var
... i=t.terminate;t.objURL=e,t.terminate=function(){t.objURL&&nc.revokeObjectUR
... (t.objURL),i.call(t)}}(this[tc],i),this[tc]}var
... n={postMessage:function(t){e.onmessage&&setTimeout(function(){e.onmessage({
... data:t,target:n}})});a.call(n),this.postMessage=function(t){setTimeout(
... function(){n.onmessage({data:t,target:e}})},this.isThisThread=!0)}if(rc){
... var sc,oc=lc("self.onmessage = function () {}"),uc=new
... Uint8Array(1);try{(sc=new
... rc(oc)).postMessage(uc,[uc.buffer])}catch(t){rc=null}finally{nc.
... revokeObjectURL(oc),sc&&sc.terminate()}}function lc(e){try{return
... nc.createObjectURL(new Blob([e],{type:ec}))}catch(t){var i=new ic;return
... i.append(e),nc.createObjectURL(i.getBlob(type))}}var cc=new
... ac("./transmuxer-worker.worker.js",function(t,e){var Oe=this;!function(){va
... o,e,i,r,a,n,t,s,u,l,c,h,d,p,f,m,g,y,v,_,b,T,S,k,w,C,E,A,L,O,P,U,x,I,D,R,M,B
... N,j,F=Math.pow(2,32)-1;!function(){var
... t;if(T={avc1:[],avcC:[],btrt:[],dinf:[],dref:[],esds:[],ftyp:[],hd1r:[],mda
... :[],mdhd:[],mdia:[],mfhd:[],minf:[],moof:[],moov:[],mp4a:[],mvex:[],mvhd:[]
... sdtP:[],smhd:[],stbl:[],stco:[],stsc:[],stsd:[],stsz:[],stts:[],styp:[],tfd
... :[],tfhd:[],traf:[],trak:[],trun:[],trex:[],tkhd:[],vmhd:[],"undefined"!=
... typeof Uint8Array){for(t in
... T)T.hasOwnProperty(t)&&(T[t]=[t.charCodeAt(0),t.charCodeAt(1),t.charCodeAt(
... ),t.charCodeAt(3)]);S=new
... Uint8Array(["i".charCodeAt(0),"s".charCodeAt(0),"o".charCodeAt(0),"m".
... charCodeAt(0)]),w=new
... Uint8Array(["a".charCodeAt(0),"v".charCodeAt(0),"c".charCodeAt(0),"1".
... charCodeAt(0)]),k=new Uint8Array([0,0,0,1]),C=new
... Uint8Array([0,0,0,0,0,0,0,0,118,105,100,101,0,0,0,0,0,0,0,0,0,0,0,0,86,105,
... 100,101,111,72,97,110,100,108,101,114,0]),E=new
... Uint8Array([0,0,0,0,0,0,0,0,115,111,117,110,0,0,0,0,0,0,0,0,0,0,0,83,111,
... 117,110,100,72,97,110,100,108,101,114,0]),A={video:C,audio:E},P=new
```

```
12... Uint8Array([0,0,0,0,0,0,0,1,0,0,0,12,117,114,108,32,0,0,0,1]),O=new
... Uint8Array([0,0,0,0,0,0,0,0]),U=new Uint8Array([0,0,0,0,0,0,0,0]),x=U,I=new
... Uint8Array([0,0,0,0,0,0,0,0,0,0,0,0]),D=U,L=new
... Uint8Array([0,0,0,1,0,0,0,0,0,0,0,0])}}(),o=function(t){var
... e,i,n=[],r=0;for(e=1;e<arguments.length;e++)n.push(arguments[e]);for(e=n.
... length;e--;)r+=n[e].byteLength;for(i=new Uint8Array(r+8),new
... DataView(i.buffer,i.byteOffset,i.byteLength).setUint32(0,i.byteLength),i.se
... (t,4),e=0,r=8;e<n.length;e++)i.set(n[e],r),r+=n[e].byteLength;return
... i},e=function(){return o(T.dinf,o(T.dref,P))},i=function(t){return
... o(T.esds,new
... Uint8Array([0,0,0,0,3,25,0,0,0,4,17,64,21,0,6,0,0,0,218,192,0,0,218,192,5,2
... t.audioobjecttype<<3|t.samplingfrequencyindex>>>1,t.samplingfrequencyindex<
... 7|t.channelcount<<3,6,1,2]))},f=function(t){return
... o(T.hdlr,A[t])},p=function(t){var e=new
... Uint8Array([0,0,0,0,0,0,0,2,0,0,0,3,0,1,95,144,t.duration>>>24&255,t.
... duration>>>16&255,t.duration>>>8&255,255&t.duration,85,196,0,0]);return
... t.samplerate&&(e[12]=t.samplerate>>>24&255,e[13]=t.samplerate>>>16&255,e[14]
... =t.samplerate>>>8&255,e[15]=255&t.samplerate),o(T.mdhd,e)},d=function(t){
... return o(T.mdia,p(t),f(t.type),n(t))},a=function(t){return o(T.mfhd,new
... Uint8Array([0,0,0,0,(4278190080&t)>>24,(16711680&t)>>16,(65280&t)>>8,255&t
... )}),n=function(t){return
... o(T.minf,"video"===t.type?o(T.vmhd,L):o(T.smhd,0),e(),g(t))},t=function(t,e
... {for(var i=[],n=e.length;n--;)i[n]=v(e[n]);return
... o.apply(null,[T.moof,a(t)].concat(i)),s=function(t){for(var
... e=t.length,i=[];e--;)i[e]=c(t[e]);return
... o.apply(null,[T.moov,l(4294967295)].concat(i).concat(u(t)))},u=function(t){
... for(var e=t.length,i=[];e--;)i[e]=_(t[e]);return
... o.apply(null,[T.mvex].concat(i)),l=function(t){var e=new
... Uint8Array([0,0,0,0,0,0,0,1,0,0,0,2,0,1,95,144,(4278190080&t)>>24,(16711680
... t)>>16,(65280&t)>>8,255&t,0,1,0,0,1,0,0,0,0,0,0,0,0,0,0,0,1,0,0,0,0,0,0,
... 0,0,0,0,0,0,0,1,0,0,0,0,0,0,0,0,0,0,0,0,0,0,64,0,0,0,0,0,0,0,0,0,0,0,
... ,0,0,0,0,0,0,0,0,0,0,0,0,0,0,255,255,255,255]);return
... o(T.mvhd,e)},m=function(t){var e,i,n=t.samples|[][],r=new
... Uint8Array(4+n.length);for(i=0;i<n.length;i++)e=n[i].flags,r[i+4]=e.
... dependsOn<<4|e.isDependedOn<<2|e.hasRedundancy;return
... o(T.sdtp,r)},g=function(t){return
... o(T.stbl,y(t),o(T.stts,D),o(T.stsc,x),o(T.stsz,I),o(T.stco,U))},y=function(
... ){return o(T.stsd,new
... Uint8Array([0,0,0,0,0,0,0,1]),"video"===t.type?R(t):M(t)),R=function(t){va
... e,i=t.sps|[][],n=t.pps|[][],r=[],a=[];for(e=0;e<i.length;e++)r.push((65280&i[
... ].byteLength)>>>8),r.push(255&i[e].byteLength),r=r.concat(Array.prototype.
... slice.call(i[e]));for(e=0;e<n.length;e++)a.push((65280&n[e].byteLength)>>>8
... ,a.push(255&n[e].byteLength),a=a.concat(Array.prototype.slice.call(n[e]));
... return o(T.avc1,new
... Uint8Array([0,0,0,0,0,0,0,1,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,(65280&t.width)
... >8,255&t.width,(65280&t.height)>>8,255&t.height,0,72,0,0,0,72,0,0,0,0,0,0,0
... 1,19,118,105,100,101,111,106,115,45,99,111,110,116,114,105,98,45,104,108,11
... ,0,0,0,0,0,0,0,0,0,0,0,0,0,0,24,17,17]),o(T.avcC,new
```



```
12... e,i=r(),n=s(t);return(e=new
... Uint8Array(i.byteLength+n.byteLength)).set(i),e.set(n,i.byteLength),e}},X=
... function(t){return t>>>0};q=function(t){return
... V(t,["moov","trak"]).reduce(function(t,e){var
... i,n,r,a,s;return(i=V(e,["tkhd"])[0])?(n=i[0],a=X(i[r=0===n?12:20]<<24|i[r+1
... <<16|i[r+2]<<8|i[r+3]),(s=V(e,["mdia","mdhd"])[0])?(r=0===(n=s[0])?12:20,t[
... ]=X(s[r]<<24|s[r+1]<<16|s[r+2]<<8|s[r+3]),t):null):null},{})},z=function(r,
... )){var e,i,n;return
... e=V(t,["moof","traf"]),i=[].concat.apply([],e.map(function(n){return
... V(n,["tfhd"]).map(function(t){var e,i;return
... e=X(t[4]<<24|t[5]<<16|t[6]<<8|t[7]),i=r[e]||9e4,(V(n,["tfdt"]).map(function
... t){var e,i;return
... e=t[0],i=X(t[4]<<24|t[5]<<16|t[6]<<8|t[7]),1===e&&(i*=Math.pow(2,32),i+=X(t
... 8]<<24|t[9]<<16|t[10]<<8|t[11])),i)}[0]||1/0)/i)})),n=Math.min.apply(null,
... ),isFinite(n)?n:0},W=function(t){var e=V(t,["moov","trak"]),o=[];return
... e.forEach(function(t){var
... e=V(t,["mdia","hdlr"]),s=V(t,["tkhd"]);e.forEach(function(t,e){var
... i,n,r=H(t.subarray(8,12)),a=s[e];"vide"===r&&(n=0===(i=new
... DataView(a.buffer,a.byteOffset,a.byteLength)).getUint8(0)?i.getUint32(12):i
... getUint32(20),o.push(n))})),o};var Y={findBox:V=function(t,e){var
... i,n,r,a,s,o=[];if(!e.length)return
... null;for(i=0;i<t.byteLength;n=X(t[i]<<24|t[i+1]<<16|t[i+2]<<8|t[i+3]),r=H(
... .subarray(i+4,i+8)),a=1<n?i+n:t.byteLength,r===e[0]&&(1===e.length?o.push(t
... subarray(i+8,a)):(s=V(t.subarray(i+8,a),e.slice(1))).length&&(o=o.concat(s)
... ),i=a;return o},parseType:H=function(t){var e="";return
... e+=String.fromCharCode(t[0]),e+=String.fromCharCode(t[1]),e+=String.
... fromCharCode(t[2]),e+=String.fromCharCode(t[3])},timescale:q,startTime:z,
... videoTrackIds:W},$=function(){this.init=function(){var
... a={};this.on=function(t,e){a[t]||(a[t]=[]),a[t]=a[t].concat(e)},this.off=
... function(t,e){var
... i;return!!a[t]&&(i=a[t].indexOf(e),a[t]=a[t].slice(),a[t].splice(i,1),-1<i)
... },this.trigger=function(t){var
... e,i,n,r;if(e=a[t])if(2===arguments.length)for(n=e.length,i=0;i<n;++i)e[i].
... call(this,arguments[1]);else{for(r=[],i=arguments.length,i=1;i<arguments.
... length;++i)r.push(arguments[i]);for(n=e.length,i=0;i<n;++i)e[i].apply(this,
... )}},this.dispose=function(){a={}}};$.prototype.pipe=function(e){return
... this.on("data",function(t){e.push(t)}),this.on("done",function(t){e.flush(t
... }),e,$.prototype.push=function(t){this.trigger("data",t)},$.prototype.flus
... =function(t){this.trigger("done",t)};var K=$,Q=function(t){var
... e,i,n=[],r=[];for(e=n.byteLength=0;e<t.length;e++)"
... access_unit_delimiter_rbsp"===t[e].nalUnitType?(n.length&&(n.duration=i
... dts-n.dts,r.push(n)),(n=[i]).byteLength=i.data.byteLength,n.pts=i.pts,n.dts
... i.dts):("slice_layer_without_partitioning_rbsp_idr"===i.nalUnitType&&(n.
... keyFrame=!0),n.duration=i.dts-n.dts,n.byteLength+=i.data.byteLength,n.push(
... ));return
... r.length&&(n.duration||n.duration<=0)&&(n.duration=r[r.length-1].duration)
... r.push(n),r},J=function(t){var
... e,i,n=[],r=[];for(n.byteLength=0,n.nalCount=0,n.duration=0,n.pts=t[0].pts,n
```

```
12... dts=t[0].dts,r.byteLength=0,r.nalCount=0,r.duration=0,r.pts=t[0].pts,r.dts=
... [0].dts,e=0;e<t.length;e++)(i=t[e]).keyFrame?(n.length&&(r.push(n),r.
... byteLength+=n.byteLength,r.nalCount+=n.nalCount,r.duration+=n.duration),(n=
... i]).nalCount=i.length,n.byteLength=i.byteLength,n.pts=i.pts,n.dts=i.dts,n.
... duration=i.duration):(n.duration+=i.duration,n.nalCount+=i.length,n.
... byteLength+=i.byteLength,n.push(i));return
... r.length&&n.duration<=0&&(n.duration=r[r.length-1].duration),r.byteLength+=
... .byteLength,r.nalCount+=n.nalCount,r.duration+=n.duration,r.push(n),r},Z=
... function(t){var
... e;return!t[0][0].keyFrame&&1<t.length&&(e=t.shift(),t.byteLength-=e.
... byteLength,t.nalCount-=e.nalCount,t[0][0].dts=e.dts,t[0][0].pts=e.pts,t[0][
... ].duration+=e.duration),t},tt=function(t,e){var
... i,n,r,a,s,o,u,l=e||0,c=[];for(i=0;i<t.length;i++)for(a=t[i],n=0;n<a.length;
... ++s=a[n],o=s,u=void
... 0,(u={size:0,flags:{isLeading:0,dependsOn:1,isDependedOn:0,hasRedundancy:0,
... degradationPriority:0,isNonSyncSample:1}}).dataOffset=1,u.
... compositionTimeOffset=o.pts-o.dts,u.duration=o.duration,u.size=4*o.length,u
... size+=o.byteLength,o.keyFrame&&(u.flags.dependsOn=2,u.flags.isNonSyncSample
... 0),l+=(r=u).size,c.push(r);return c},et=function(t){var
... e,i,n,r,a,s,o=0,u=t.byteLength,l=t.nalCount,c=new Uint8Array(u+4*1),h=new
... DataView(c.buffer);for(e=0;e<t.length;e++)for(r=t[e],i=0;i<r.length;i++)for
... a=r[i],n=0;n<a.length;n++)s=a[n],h.setUint32(o,s.data.byteLength),o+=4,c.se
... (s.data,o),o+=s.data.byteLength;return c},it=function(t){delete
... t.minSegmentDts,delete t.maxSegmentDts,delete t.minSegmentPts,delete
... t.maxSegmentPts},nt=function(t,e){var i,n=t.minSegmentDts;return
... e||(n-=t.timelineStartInfo.dts),i=t.timelineStartInfo.baseMediaDecodeTime,i
... =n,i=Math.max(0,i),"audio"===t.type&&(i*=t.samplerate/9e4,i=Math.floor(i)),
... },rt=function(t,e){"number"===typeof e.pts&&(void
... 0===t.timelineStartInfo.pts&&(t.timelineStartInfo.pts=e.pts),void
... 0===t.minSegmentPts?t.minSegmentPts=e.pts:t.minSegmentPts=Math.min(t.
... minSegmentPts,e.pts),void
... 0===t.maxSegmentPts?t.maxSegmentPts=e.pts:t.maxSegmentPts=Math.max(t.
... maxSegmentPts,e.pts)),"number"===typeof e.dts&&(void
... 0===t.timelineStartInfo.dts&&(t.timelineStartInfo.dts=e.dts),void
... 0===t.minSegmentDts?t.minSegmentDts=e.dts:t.minSegmentDts=Math.min(t.
... minSegmentDts,e.dts),void
... 0===t.maxSegmentDts?t.maxSegmentDts=e.dts:t.maxSegmentDts=Math.max(t.
... maxSegmentDts,e.dts))},at=function(t){for(var
... e=0,i={payloadType:-1,payloadSize:0},n=0,r=0;e<t.byteLength&&128!==t[e];){
... for(;255===t[e];)n+=255,e++;for(n+=t[e++];255===t[e];)r+=255,e++;if(r+=t[e+
... ],!i.payload&&4===n){i.payloadType=n,i.payloadSize=r,i.payload=t.subarray(e
... e+r);break}e+=r,r=n=0}return i},st=function(t){return
... 181!==t.payload[0]?null:49!=(t.payload[1]<<8|t.payload[2])?null:"GA94"!==
... String.fromCharCode(t.payload[3],t.payload[4],t.payload[5],t.payload[6])?
... null:3!==t.payload[7]?null:t.payload.subarray(8,t.payload.length-1)},ot=
... function(t,e){var i,n,r,a,s=[];if(!(64&e[0]))return
... s;for(n=31&e[0],i=0;i<n;i++)a={type:3&e[2+(r=3*i)],pts:t},4&e[r+2]&&(a.
... ccData=e[r+3]<<8|e[r+4],s.push(a));return s},ut=function(t){for(var
```

```
12... e,i,n=t.byteLength,r=[],a=1;a<n-2;)0===t[a]&&0===t[a+1]&&3===t[a+2]?(r.push
... a+2),a+=2):a++;if(0===r.length)return t;e=n-r.length,i=new Uint8Array(e);va
... s=0;for(a=0;a<e;s++,a++)s===r[0]&&(s++,r.shift()),i[a]=t[s];return
... i},lt=4,ct=function
... t(){t.prototype.init.call(this),this.captionPackets_=[],this.ccStreams_=[ne
... mt(0,0),new mt(0,1),new mt(1,0),new
... mt(1,1)],this.reset(),this.ccStreams_.forEach(function(t){t.on("data",this
... trigger.bind(this,"data")),t.on("done",this.trigger.bind(this,"done"))},thi
... });(ct.prototype=new K).push=function(t){var
... e,i,n;if("sei_rbsp"===t.nalUnitType&&(e=at(t.escapedRBSP)).payloadType===lt
... &(i=st(e)))if(t.dts<this.latestDts_)this.ignoreNextEqualDts_=!0;else{if(t.
... dts===this.latestDts_&&this.ignoreNextEqualDts_)return
... this.numSameDts_--,void(this.numSameDts_||(this.ignoreNextEqualDts_=!1));n=
... ot(t.pts,i),this.captionPackets_=this.captionPackets_.concat(n),this.
... latestDts_!==t.dts&&(this.numSameDts_=0),this.numSameDts_++,this.latestDts_
... t.dts}},ct.prototype.flush=function(){this.captionPackets_.length?(this.
... captionPackets_.forEach(function(t,e){t.presortIndex=e}),this.
... captionPackets_.sort(function(t,e){return
... t.pts===e.pts?t.presortIndex-e.presortIndex:t.pts-e.pts}),this.
... captionPackets_.forEach(function(t){t.type<2&&this.dispatchCea608Packet(t)}
... this),this.captionPackets_.length=0,this.ccStreams_.forEach(function(t){t.
... flush()},this)):this.ccStreams_.forEach(function(t){t.flush()},this)},ct.
... prototype.reset=function(){this.latestDts_=null,this.ignoreNextEqualDts_=!1
... this.numSameDts_=0,this.activeCea608Channel_=[null,null],this.ccStreams_.
... forEach(function(t){t.reset()})},ct.prototype.dispatchCea608Packet=function
... t){this.setsChannel1Active(t)?this.activeCea608Channel_[t.type]=0:this.
... setsChannel2Active(t)&&(this.activeCea608Channel_[t.type]=1),null!==this.
... activeCea608Channel_[t.type]&&this.ccStreams_[t.type<<1+this.
... activeCea608Channel_[t.type]].push(t)},ct.prototype.setsChannel1Active=
... function(t){return
... 4096==(30720&t.ccData)},ct.prototype.setsChannel2Active=function(t){return
... 6144==(30720&t.ccData)};var
... ht={42:225,92:233,94:237,95:243,96:250,123:231,124:247,125:209,126:241,127:
... 9608,304:174,305:176,306:189,307:191,308:8482,309:162,310:163,311:9834,312:
... 224,313:160,314:232,315:226,316:234,317:238,318:244,319:251,544:193,545:201
... 546:211,547:218,548:220,549:252,550:8216,551:161,552:42,553:39,554:8212,555
... 169,556:8480,557:8226,558:8220,559:8221,560:192,561:194,562:199,563:200,564
... 202,565:203,566:235,567:206,568:207,569:239,570:212,571:217,572:249,573:219
... 574:171,575:187,800:195,801:227,802:205,803:204,804:236,805:210,806:242,807
... 213,808:245,809:123,810:125,811:92,812:94,813:95,814:124,815:126,816:196,81
... :228,818:214,819:246,820:223,821:165,822:164,823:9474,824:197,825:229,826:
... 216,827:248,828:9484,829:9488,830:9492,831:9496},dt=function(t){return
... null===t?"":(t=ht[t]||t,String.fromCharCode(t)),pt=[4352,4384,4608,4640,
... 5376,5408,5632,5664,5888,5920,4096,4864,4896,5120,5152],ft=function(){for(
... var t=[],e=15;e--;)t.push("");return t},mt=function
... t(e,i){t.prototype.init.call(this),this.field_=e|0,this.dataChannel_=i|0,
... this.name_="CC"+(1+(this.field_<<1|this.dataChannel_)),this.setConstants(),
... this.reset(),this.push=function(t){var
```

```
12... e,i,n,r,a;if((e=32639&t.ccData)!==this.lastControlCode_{if(4096==(61440&e)
... this.lastControlCode_=e:e!==this.PADDING_&&(this.lastControlCode_=null),n=e
... >>8,r=255&e,e!==this.PADDING_)if(e===this.RESUME_CAPTION_LOADING_)this.mode
... ="popOn";else
... if(e===this.END_OF_CAPTION_)this.mode_"popOn",this.clearFormatting(t.pts),
... this.flushDisplayed(t.pts),i=this.displayed_,this.displayed_=this.
... nonDisplayed_,this.nonDisplayed_=i,this.startPts_=t.pts;else
... if(e===this.ROLL_UP_2_ROWS_)this.rollUpRows_=2,this.setRollUp(t.pts);else
... if(e===this.ROLL_UP_3_ROWS_)this.rollUpRows_=3,this.setRollUp(t.pts);else
... if(e===this.ROLL_UP_4_ROWS_)this.rollUpRows_=4,this.setRollUp(t.pts);else
... if(e===this.CARRIAGE_RETURN_)this.clearFormatting(t.pts),this.flushDisplaye
... (t.pts),this.shiftRowsUp(),this.startPts_=t.pts;else
... if(e===this.BACKSPACE_"popOn"===this.mode_?this.nonDisplayed_[this.row_]=
... this.nonDisplayed_[this.row_].slice(0,-1):this.displayed_[this.row_]=this.
... displayed_[this.row_].slice(0,-1);else
... if(e===this.ERASE_DISPLAYED_MEMORY_)this.flushDisplayed(t.pts),this.
... displayed_=ft();else
... if(e===this.ERASE_NON_DISPLAYED_MEMORY_)this.nonDisplayed_=ft();else
... if(e===this.RESUME_DIRECT_CAPTIONING_"paintOn"!==this.mode_&&(this.
... flushDisplayed(t.pts),this.displayed_=ft()),this.mode_"paintOn",this.
... startPts_=t.pts;else
... if(this.isSpecialCharacter(n,r))a=dt((n=(3&n)<<8)|r),this[this.mode_](t.pts
... a),this.column_++;else
... if(this.isExtCharacter(n,r)"popOn"===this.mode_?this.nonDisplayed_[this.
... row_]=this.nonDisplayed_[this.row_].slice(0,-1):this.displayed_[this.row_]=
... this.displayed_[this.row_].slice(0,-1),a=dt((n=(3&n)<<8)|r),this[this.mode_
... (t.pts,a),this.column_++;else
... if(this.isMidRowCode(n,r))this.clearFormatting(t.pts),this[this.mode_](t.pt
... ,
... "),this.column_++,14==(14&r)&&this.addFormatting(t.pts,["i"]),1==(1&r)&&thi
... .addFormatting(t.pts,["u"]);else
... if(this.isOffsetControlCode(n,r))this.column_+=3&r;else
... if(this.isPAC(n,r)){var
... s=pt.indexOf(7968&e);"rollUp"===this.mode_&&this.setRollUp(t.pts,s),s!==thi
... .row_&&(this.clearFormatting(t.pts),this.row_=s),1&r&&-1===this.formatting_
... indexOf("u")&&this.addFormatting(t.pts,["u"]),16==(16&e)&&(this.column_=4*(
... 14&e)>>1)),this.isColorPAC(r)&&14==(14&r)&&this.addFormatting(t.pts,["i"])}
... else
... this.isNormalChar(n)&&(0===r&&(r=null),a=dt(n),a+=dt(r),this[this.mode_](t.
... pts,a),this.column_+=a.length)}else
... this.lastControlCode_=null}};mt.prototype=new
... K,mt.prototype.flushDisplayed=function(t){var
... e=this.displayed_.map(function(t){return
... t.trim()}).join("\n").replace(/^\n+|\n+$/g,"");e.length&&this.trigger("data
... ,{startPts:this.startPts_,endPts:t,text:e,stream:this.name_}),mt.prototype
... reset=function(){this.mode_"popOn",this.topRow_=0,this.startPts_=0,this.
... displayed_=ft(),this.nonDisplayed_=ft(),this.lastControlCode_=null,this.
... column_=0,this.row_=14,this.rollUpRows_=2,this.formatting_=[]},mt.prototype
```

```
12... setConstants=function(){0===this.dataChannel_(this.BASE_=16,this.EXT_=17,
... this.CONTROL_=(20|this.field_)<<8,this.OFFSET_=23):1===this.dataChannel_&&(
... this.BASE_=24,this.EXT_=25,this.CONTROL_=(28|this.field_)<<8,this.OFFSET_=3
... ),this.PADDING_=0,this.RESUME_CAPTION_LOADING_=32|this.CONTROL_,this.
... END_OF_CAPTION_=47|this.CONTROL_,this.ROLL_UP_2_ROWS_=37|this.CONTROL_,this
... ROLL_UP_3_ROWS_=38|this.CONTROL_,this.ROLL_UP_4_ROWS_=39|this.CONTROL_,this
... CARRIAGE_RETURN_=45|this.CONTROL_,this.RESUME_DIRECT_CAPTIONING_=41|this.
... CONTROL_,this.BACKSPACE_=33|this.CONTROL_,this.ERASE_DISPLAYED_MEMORY_=44|
... this.CONTROL_,this.ERASE_NON_DISPLAYED_MEMORY_=46|this.CONTROL_},mt.
... prototype.isSpecialCharacter=function(t,e){return
... t===this.EXT_&&48<=e&&e<=63},mt.prototype.isExtCharacter=function(t,e){
... return(t===this.EXT_+1||t===this.EXT_+2)&&32<=e&&e<=63},mt.prototype.
... isMidRowCode=function(t,e){return
... t===this.EXT_&&32<=e&&e<=47},mt.prototype.isOffsetControlCode=function(t,e)
... return
... t===this.OFFSET_&&33<=e&&e<=35},mt.prototype.isPAC=function(t,e){return
... t>=this.BASE_&&t<this.BASE_+8&&64<=e&&e<=127},mt.prototype.isColorPAC=
... function(t){return
... 64<=t&&t<=79||96<=t&&t<=127},mt.prototype.isNormalChar=function(t){return
... 32<=t&&t<=127},mt.prototype.setRollUp=function(t,e){if("rollUp"!==this.mode
... &&(this.row_=14,this.mode_="rollUp",this.flushDisplayed(t),this.
... nonDisplayed_=ft(),this.displayed_=ft()),void 0!==e&&e!==this.row_)for(var
... i=0;i<this.rollUpRows_;i++)this.displayed_[e-i]=this.displayed_[this.row_-i
... ,this.displayed_[this.row_-i]="";void
... 0===e&&(e=this.row_),this.topRow_=e-this.rollUpRows_+1},mt.prototype.
... addFormatting=function(t,e){this.formatting_=this.formatting_.concat(e);var
... i=e.reduce(function(t,e){return
... t+"<"+"e+">"},"");this[this.mode_](t,i)},mt.prototype.clearFormatting=
... function(t){if(this.formatting_.length){var
... e=this.formatting_.reverse().reduce(function(t,e){return
... t+"</"+e+">"},"");this.formatting_=[],this[this.mode_](t,e)}}},mt.prototype.
... popOn=function(t,e){var
... i=this.nonDisplayed_[this.row_];i+=e,this.nonDisplayed_[this.row_]=i},mt.
... prototype.rollUp=function(t,e){var
... i=this.displayed_[this.row_];i+=e,this.displayed_[this.row_]=i},mt.prototype.
... .shiftRowsUp=function(){var
... t;for(t=0;t<this.topRow_;t++)this.displayed_[t]="";for(t=this.row_+1;t<15;t
... +)this.displayed_[t]="";for(t=this.topRow_;t<this.row_;t++)this.displayed_[
... ]=this.displayed_[t+1];this.displayed_[this.row_]=""},mt.prototype.paintOn=
... function(t,e){var
... i=this.displayed_[this.row_];i+=e,this.displayed_[this.row_]=i};var
... gt={CaptionStream:ct,Cea608Stream:mt},yt={H264_STREAM_TYPE:27,
... ADTS_STREAM_TYPE:15,METADATA_STREAM_TYPE:21},vt=function(t,e){var
... i=1;for(e<t&&(i=-1);4294967296<Math.abs(e-t);)t+=8589934592*i;return
... t},_t=function t(e){var
... i,n;t.prototype.init.call(this),this.type_=e,this.push=function(t){t.type==
... this.type_&&(void
... 0===n&&(n=t.dts),t.dts=vt(t.dts,n),t.pts=vt(t.pts,n),i=t.dts,this.trigger("
```



```
12... data",t)}},this.flush=function(){n=i,this.trigger("done")},this.
... discontinuity=function(){i=n=void 0}};_t.prototype=new K;var
... bt,Tt=_t,St=function(t,e,i){var
... n,r="";for(n=e;n<i;n++)r+="%"+("00"+t[n].toString(16)).slice(-2);return
... r},kt=function(t,e,i){return
... decodeURIComponent(St(t,e,i))},wt=function(t){return
... t[0]<<21|t[1]<<14|t[2]<<7|t[3]},Ct={TXXX:function(t){var
... e;if(3===t.data[0]){for(e=1;e<t.data.length;e++)if(0===t.data[e]){t.
... description=kt(t.data,1,e),t.value=kt(t.data,e+1,t.data.length).replace(/\0
... $/, "");break}t.data=t.value}},WXXX:function(t){var
... e;if(3===t.data[0])for(e=1;e<t.data.length;e++)if(0===t.data[e]){t.
... description=kt(t.data,1,e),t.url=kt(t.data,e+1,t.data.length);break}},PRIV:
... function(t){var
... e,i;for(e=0;e<t.data.length;e++)if(0===t.data[e]){t.owner=(i=t.data,unescape
... (St(i,0,e)));break}t.privateData=t.data.subarray(e+1),t.data=t.privateData}
... ;(bt=function(t){var
... e,u={debug:!(!t||!t.debug),descriptor:t&& t.descriptor},l=0,c=[],h=0;if(bt.
... prototype.init.call(this),this.dispatchType=yt.METADATA_STREAM_TYPE.toStrin
... (16),u.descriptor)for(e=0;e<u.descriptor.length;e++)this.dispatchType+=("00
... +u.descriptor[e].toString(16)).slice(-2);this.push=function(t){var
... e,i,n,r,a;if("timed-metadata"===t.type)if(t.dataAlignmentIndicator&&(h=0,c.
... length=0),0===c.length&&(t.data.length<10||t.data[0]!="I".charCodeAt(0)||t
... data[1]!="D".charCodeAt(0)||t.data[2]!="3".charCodeAt(0)))u.debug;else
... if(c.push(t),h+=t.data.byteLength,1===c.length&&(l=wt(t.data.subarray(6,10)
... ,l+=10),!(h<l)){for(e={data:new
... Uint8Array(1),frames:[],pts:c[0].pts,dts:c[0].dts},a=0;a<l;)e.data.set(c[0]
... data.subarray(0,l-a),a),a+=c[0].data.byteLength,h-=c[0].data.byteLength,c.
... shift();i=10,64&e.data[5]&&(i+=4,i+=wt(e.data.subarray(10,14)),l-=wt(e.data
... subarray(16,20)));do{if((n=wt(e.data.subarray(i+4,i+8)))<1)return;if((r={id
... String.fromCharCode(e.data[i],e.data[i+1],e.data[i+2],e.data[i+3]),data:e.
... data.subarray(i+10,i+n+10)).key=r.id,Ct[r.id]&&(Ct[r.id](r),"com.apple.
... streaming.transportStreamTimestamp"===r.owner)){var
... s=r.data,o=(1&s[3])<<30|s[4]<<22|s[5]<<14|s[6]<<6|s[7]>>>2;o*=4,o+=3&s[7],r
... timeStamp=o,void 0===e.pts&&void
... 0===e.dts&&(e.pts=r.timeStamp,e.dts=r.timeStamp),this.trigger("timestamp",r
... }e.frames.push(r),i+=10,i+=n}while(i<l);this.trigger("data",e)}}}).prototyp
... =new K;var Et,At,Lt,Ot=bt,Pt=Tt;(Et=function(){var r=new
... Uint8Array(188),a=0;Et.prototype.init.call(this),this.push=function(t){var
... e,i=0,n=188;for(a?((e=new
... Uint8Array(t.byteLength+a)).set(r.subarray(0,a)),e.set(t,a),a=0):e=t;n<e.
... byteLength;)71!==e[i]||71!==e[n]?(i++,n++):(this.trigger("data",e.subarray(
... ,n)),i+=188,n+=188);i<e.byteLength&&(r.set(e.subarray(i),0),a=e.byteLength-
... ),this.flush=function(){188===a&&71===r[0]&&(this.trigger("data",r),a=0),
... this.trigger("done")}}).prototype=new K,(At=function(){var
... n,r,a,s;At.prototype.init.call(this),(s=this).packetsWaitingForPmt=[],this.
... programMapTable=void 0,n=function(t,e){var
... i=0;e.payloadUnitStartIndicator&&(i+=t[i]+1),"pat"===e.type?r(t.subarray(i)
... e):a(t.subarray(i),e)},r=function(t,e){e.section_number=t[7],e.
```

```

12... last_section_number=t[8],s.pmtPid=(31&t[10])<<8|t[11],e.pmtPid=s.pmtPid},a=
... function(t,e){var
... i,n;if(1&t[5]){for(s.programMapTable={video:null,audio:null,"timed-metadata
... :{}}),i=3+((15&t[1])<<8|t[2])-4,n=12+((15&t[10])<<8|t[11]);n<i;){var
... r=t[n],a=(31&t[n+1])<<8|t[n+2];r===yt.H264_STREAM_TYPE&&null===s.
... programMapTable.video?s.programMapTable.video=a:r===yt.ADTS_STREAM_TYPE&&
... null===s.programMapTable.audio?s.programMapTable.audio=a:r===yt.
... METADATA_STREAM_TYPE&&(s.programMapTable["timed-metadata"][a]=r),n+=5+((15&
... [n+3])<<8|t[n+4])}e.programMapTable=s.programMapTable}},this.push=function(
... ){var
... e={},i=4;if(e.payloadUnitStartIndicator=!!(64&t[1]),e.pid=31&t[1],e.pid<=8
... e.pid|=t[2],1<(48&t[3])>>>4&&(i+=t[i]+1),0===e.pid)e.type="pat",n(t.subarra
... (i),e),this.trigger("data",e);else
... if(e.pid===this.pmtPid)for(e.type="pmt",n(t.subarray(i),e),this.trigger("
... data",e);this.packetsWaitingForPmt.length;)this.processPes_.apply(this,this
... packetsWaitingForPmt.shift());else void
... 0===this.programMapTable?this.packetsWaitingForPmt.push([t,i,e]):this.
... processPes_(t,i,e)},this.processPes_=function(t,e,i){i.pid===this.
... programMapTable.video?i.streamType=yt.H264_STREAM_TYPE:i.pid===this.
... programMapTable.audio?i.streamType=yt.ADTS_STREAM_TYPE:i.streamType=this.
... programMapTable["timed-metadata"][i.pid],i.type="pes",i.data=t.subarray(e),
... this.trigger("data",i)}}).prototype=new
... K,At.STREAM_TYPES={h264:27,adts:15},(Lt=function(){var
... d=this,n={data:[],size:0},r={data:[],size:0},a={data:[],size:0},s=function(
... ,e,i){var n,r,a=new
... Uint8Array(t.size),s={type:e},o=0,u=0;if(t.data.length&&!(t.size<9)){for(s.
... trackId=t.data[0].pid,o=0;o<t.data.length;o++)r=t.data[o],a.set(r.data,u),u
... =r.data.byteLength;var
... l,c,h;l=a,(c=s).packetLength=6+(1[4]<<8|1[5]),c.dataAlignmentIndicator=0!=(
... &l[6]),192&(h=1[7])&&(c.pts=(14&l[9])<<27|(255&l[10])<<20|(254&l[11])<<12|(
... 255&l[12])<<5|(254&l[13])>>>3,c.pts*=4,c.pts+=(6&l[13])>>>1,c.dts=c.pts,64&
... &&(c.dts=(14&l[14])<<27|(255&l[15])<<20|(254&l[16])<<12|(255&l[17])<<5|(254
... l[18])>>>3,c.dts*=4,c.dts+=(6&l[18])>>>1),c.data=l.subarray(9+l[8]),n="
... video"===e||s.packetLength<=t.size,(i|n)&&(t.size=0,t.data.length=0),n&&d.
... trigger("data",s)}};Lt.prototype.init.call(this),this.push=function(i){({pa
... :function(){},pes:function(){var t,e;switch(i.streamType){case
... yt.H264_STREAM_TYPE:case yt.H264_STREAM_TYPE:t=n,e="video";break;case
... yt.ADTS_STREAM_TYPE:t=r,e="audio";break;case
... yt.METADATA_STREAM_TYPE:t=a,e="timed-metadata";break;default:return}i.
... payloadUnitStartIndicator&&s(t,e,!0),t.data.push(i),t.size+=i.data.
... byteLength},pmt:function(){var
... t={type:"metadata",tracks:[]},e=i.programMapTable;null!==e.video&&t.tracks.
... push({timelineStartInfo:{baseMediaDecodeTime:0},id:+e.video,codec:"avc",typ
... e:"video"}),null!==e.audio&&t.tracks.push({timelineStartInfo:{
... baseMediaDecodeTime:0},id:+e.audio,codec:"adts",type:"audio"}),d.trigger("
... data",t)}}[i.type]()),this.flush=function(){s(n,"video"),s(r,"audio"),s(a,
... "timed-metadata"),this.trigger("done")}}).prototype=new K;var
... Ut={PAT_PID:0,MP2T_PACKET_LENGTH:188,TransportPacketStream:Et,

```

```
12... TransportParseStream:At,ElementaryStream:Lt,TimeStampRolloverStream:Pt,
... CaptionStream:gt.CaptionStream,Cea608Stream:gt.Cea608Stream,MetadataStream:
... Ot};for(var xt in yt)yt.hasOwnProperty(xt)&&(Ut[xt]=yt[xt]);var
... It,Dt=Ut,Rt=[96e3,88200,64e3,48e3,44100,32e3,24e3,22050,16e3,12e3,11025,8e3
... 7350];(It=function(){var
... l;It.prototype.init.call(this),this.push=function(t){var
... e,i,n,r,a,s,o=0,u=0;if("audio"===t.type)for(l?(r=l,(l=new
... Uint8Array(r.byteLength+t.data.byteLength)).set(r),l.set(t.data,r.byteLength
... )):l=t.data;o+5<l.length;)if(255===l[o]&&240==(246&l[o+1])){if(i=2*(1&~l[o+
... ]),e=(3&l[o+3])<<11|l[o+4]<<3|(224&l[o+5])>>5,s=9e4*(a=1024*(1+(3&l[o+6])))
... Rt[(60&l[o+2])>>>2],n=o+e,l.byteLength<n)return;if(this.trigger("data",{pts
... t.pts+u*s,dts:t.dts+u*s,sampleCount:a,audioObjectType:1+(1[o+2]>>>6&3),
... channelcount:(1&l[o+2])<<2|(192&l[o+3])>>>6,samplerate:Rt[(60&l[o+2])>>>2],
... samplingfrequencyindex:(60&l[o+2])>>>2,samplesize:16,data:l.subarray(o+7+i,
... ))},l.byteLength===n)return void(l=void 0);u++,l=l.subarray(n)}else
... o++},this.flush=function(){this.trigger("done")}).prototype=new K;var
... Mt,Bt,Nt,jt=It,Ft=function(n){var
... r=n.byteLength,a=0,s=0;this.length=function(){return
... 8*r},this.bitsAvailable=function(){return
... 8*r+s},this.loadWord=function(){var t=n.byteLength-r,e=new
... Uint8Array(4),i=Math.min(4,r);if(0===i)throw new Error("no bytes
... available");e.set(n.subarray(t,t+i)),a=new
... DataView(e.buffer).getUint32(0),s=8*i,r-=i},this.skipBits=function(t){var
... e;t<s||(t-=s,t-=8*(e=Math.floor(t/8)),r-=e,this.loadWord()),a<<=t,s-=t},this
... .readBits=function(t){var e=Math.min(s,t),i=a>>>32-e;return
... 0<(s-=e)?a<<=e:0<r&&this.loadWord(),0<(e=t-e)?i<<e|this.readBits(e):i},this
... skipLeadingZeros=function(){var
... t;for(t=0;t<s;++t)if(0!=(a&2147483648>>>t))return a<<=t,s-=t,t;return
... this.loadWord(),t+this.skipLeadingZeros()},this.skipUnsignedExpGolomb=
... function(){this.skipBits(1+this.skipLeadingZeros())},this.skipExpGolomb=
... function(){this.skipBits(1+this.skipLeadingZeros())},this.
... readUnsignedExpGolomb=function(){var t=this.skipLeadingZeros();return
... this.readBits(t+1)-1},this.readExpGolomb=function(){var
... t=this.readUnsignedExpGolomb();return
... 1&t?1+t>>>1:-1*(t>>>1)},this.readBoolean=function(){return
... 1===this.readBits(1)},this.readUnsignedByte=function(){return
... this.readBits(8)},this.loadWord();(Bt=function(){var
... i,n,r=0;Bt.prototype.init.call(this),this.push=function(t){var
... e;for(n=n?((e=new
... Uint8Array(n.byteLength+t.data.byteLength)).set(n),e.set(t.data,n.byteLength
... ),e):t.data;r<n.byteLength-3;r++)if(1===n[r+2]){i=r+5;break}for(;i<n.
... byteLength;)switch(n[i]){case
... 0:if(0!==n[i-1]){i+=2;break}if(0!==n[i-2]){i++;break}for(r+3!==i-2&&this.
... trigger("data",n.subarray(r+3,i-2));1!==n[++i]&&i<n.length;);r=i-2,i+=3;
... break;case
... 1:if(0!==n[i-1]||0!==n[i-2]){i+=3;break}this.trigger("data",n.subarray(r+3,
... -2)),r=i-2,i+=3;break;default:i+=3}n=n.subarray(r),i-=r,r=0},this.flush=
... function(){n&&3<n.byteLength&&this.trigger("data",n.subarray(r+3)),n=null,r
```

```
12... 0,this.trigger("done"))}).prototype=new
... K,Nt={100:!0,110:!0,122:!0,244:!0,44:!0,83:!0,86:!0,118:!0,128:!0,138:!0,13
... :!0,134:!0},(Mt=function(){var i,n,r,a,s,o,_,e=new
... Bt;Mt.prototype.init.call(this),(i=this).push=function(t){"video"===t.type&
... (n=t.trackId,r=t.pts,a=t.dts,e.push(t)),e.on("data",function(t){var
... e={trackId:n,pts:r,dts:a,data:t};switch(31&t[0]){case
... 5:e.nalUnitType="slice_layer_without_partitioning_rbsp_idr";break;case
... 6:e.nalUnitType="sei_rbsp",e.escapedRBSP=s(t.subarray(1));break;case
... 7:e.nalUnitType="seq_parameter_set_rbsp",e.escapedRBSP=s(t.subarray(1)),e.
... config=o(e.escapedRBSP);break;case
... 8:e.nalUnitType="pic_parameter_set_rbsp";break;case
... 9:e.nalUnitType="access_unit_delimiter_rbsp"}i.trigger("data",e)),e.on("
... done",function(){i.trigger("done")}),this.flush=function(){e.flush()},_=
... function(t,e){var
... i,n=8,r=8;for(i=0;i<t;i++)0!==r&&(r=(n+e.readExpGolomb()+256)%256),n=0===r?
... :r},s=function(t){for(var
... e,i,n=t.byteLength,r=[],a=1;a<n-2;)0===t[a]&&0===t[a+1]&&3===t[a+2]?r.push
... a+2),a+=2):a++;if(0===r.length)return t;e=n-r.length,i=new Uint8Array(e);va
... s=0;for(a=0;a<e;s++,a++)s===r[0]&&(s++,r.shift()),i[a]=t[s];return
... i},o=function(t){var
... e,i,n,r,a,s,o,u,l,c,h,d,p,f=0,m=0,g=0,y=0,v=1;if(i=(e=new
... Ft(t)).readUnsignedByte(),r=e.readUnsignedByte(),n=e.readUnsignedByte(),e.
... skipUnsignedExpGolomb(),Nt[i]&&(3===(a=e.readUnsignedExpGolomb()))&&e.
... skipBits(1),e.skipUnsignedExpGolomb(),e.skipUnsignedExpGolomb(),e.skipBits(
... ),e.readBoolean()))for(h=3!==(a?8:12),p=0;p<h;p++)e.readBoolean()&&_(p<6?16:6
... ,e);if(e.skipUnsignedExpGolomb(),0===(s=e.readUnsignedExpGolomb()))e.
... readUnsignedExpGolomb();else
... if(1===s)for(e.skipBits(1),e.skipExpGolomb(),e.skipExpGolomb(),o=e.
... readUnsignedExpGolomb(),p=0;p<o;p++)e.skipExpGolomb();if(e.
... skipUnsignedExpGolomb(),e.skipBits(1),u=e.readUnsignedExpGolomb(),l=e.
... readUnsignedExpGolomb(),0===(c=e.readBits(1))&&e.skipBits(1),e.skipBits(1),
... .readBoolean()&&(f=e.readUnsignedExpGolomb(),m=e.readUnsignedExpGolomb(),g=
... .readUnsignedExpGolomb(),y=e.readUnsignedExpGolomb()),e.readBoolean()&&e.
... readBoolean()){switch(e.readUnsignedByte()){case 1:d=[1,1];break;case
... 2:d=[12,11];break;case 3:d=[10,11];break;case 4:d=[16,11];break;case
... 5:d=[40,33];break;case 6:d=[24,11];break;case 7:d=[20,11];break;case
... 8:d=[32,11];break;case 9:d=[80,33];break;case 10:d=[18,11];break;case
... 11:d=[15,11];break;case 12:d=[64,33];break;case 13:d=[160,99];break;case
... 14:d=[4,3];break;case 15:d=[3,2];break;case 16:d=[2,1];break;case
... 255:d=[e.readUnsignedByte()<<8|e.readUnsignedByte(),e.readUnsignedByte()<<8
... e.readUnsignedByte()]}d&&(v=d[0]/d[1])}return{profileIdc:i,levelIdc:n,
... profileCompatibility:r,width:Math.ceil((16*(u+1)-2*f-2*m)*v),height:(2-c)*(
... +1)*16-2*g-2*y}}).prototype=new K;var
... Vt,Ht={H264Stream:Mt,NalByteStream:Bt};(Vt=function(){var o=new
... Uint8Array,u=0;Vt.prototype.init.call(this),this.setTimestamp=function(t){u
... t},this.parseId3TagSize=function(t,e){var
... i=t[e+6]<<21|t[e+7]<<14|t[e+8]<<7|t[e+9];return(16&t[e+5])>>4?i+20:i+10},
... this.parseAdtsSize=function(t,e){var i=(224&t[e+5])>>5,n=t[e+4]<<3;return
```

```

12... 6144&t[e+3]|n|i},this.push=function(t){var
... e,i,n,r,a=0,s=0;for(o.length?(r=o.length,(o=new
... Uint8Array(t.byteLength+r)).set(o.subarray(0,r)),o.set(t,r)):o=t;3<o.length
... -s;)if(o[s]!="I".charCodeAt(0)||o[s+1]!="D".charCodeAt(0)||o[s+2]!="3".
... charCodeAt(0))if(!0&o[s]&&240==(240&o[s+1])){if(o.length-s<7)break;if((a=
... this.parseAdtsSize(o,s))>o.length)break;n={type:"audio",data:o.subarray(s,s
... a),pts:u,dts:u},this.trigger("data",n),s+=a}else
... s++;else{if(o.length-s<10)break;if((a=this.parseId3TagSize(o,s))>o.length)
... break;i={type:"timed-metadata",data:o.subarray(s,s+a)},this.trigger("data",
... ),s+=a}e=o.length-s,o=0<e?o.subarray(s):new Uint8Array}}).prototype=new
... K;var
... qt,zt,Wt,Gt,Xt,Yt,$t,Kt=Vt,Qt=[33,16,5,32,164,27],Jt=[33,65,108,84,1,2,4,8,
... 168,2,4,8,17,191,252],Zt=function(t){for(var e=[];t--;)e.push(0);return
... e},te={96e3:[Qt,[227,64],Zt(154),[56]],88200:[Qt,[231],Zt(170),[56]],64e3:[
... Qt,[248,192],Zt(240),[56]],48e3:[Qt,[255,192],Zt(268),[55,148,128],Zt(54),[
... 112]],44100:[Qt,[255,192],Zt(268),[55,163,128],Zt(84),[112]],32e3:[Qt,[255,
... 192],Zt(268),[55,234],Zt(226),[112]],24e3:[Qt,[255,192],Zt(268),[55,255,128
... ,Zt(268),[111,112],Zt(126),[224]],16e3:[Qt,[255,192],Zt(268),[55,255,128],Z
... (268),[111,255],Zt(269),[223,108],Zt(195),[1,192]],12e3:[Jt,Zt(268),[3,127,
... 248],Zt(268),[6,255,240],Zt(268),[13,255,224],Zt(268),[27,253,128],Zt(259),
... 56]],11025:[Jt,Zt(268),[3,127,248],Zt(268),[6,255,240],Zt(268),[13,255,224]
... Zt(268),[27,255,192],Zt(268),[55,175,128],Zt(108),[112]],8e3:[Jt,Zt(268),[3
... 121,16],Zt(47),[7]]},ee=(qt=te,Object.keys(qt).reduce(function(t,e){return
... t[e]=new Uint8Array(qt[e].reduce(function(t,e){return
... t.concat(e)},[])),t},{}));Yt=function(t,e){return
... zt(Xt(t,e)),$t=function(t,e){return Wt(Gt(t),e)};zt=function(t){return
... 9e4*t},Wt=function(t,e){return t*e},Gt=function(t){return
... t/9e4},Xt=function(t,e){return t/e};var
... ie,ne,re,ae,se,oe,ue,le=Yt,ce=$t,he=Ht.H264Stream,de=["audioobjecttype","
... channelcount","samplerate","samplingfrequencyindex","samplesize"],pe=["widt
... ","height","profileIdc","levelIdc","profileCompatibility"];se=function(t){
... return
... t[0]=== "I".charCodeAt(0)&&t[1]=== "D".charCodeAt(0)&&t[2]=== "3".charCodeAt(0)
... },oe=function(t,e){var
... i;if(t.length!==e.length)return!1;for(i=0;i<t.length;i++)if(t[i]!==e[i])
... return!1;return!0},ue=function(t){var
... e,i=0;for(e=0;e<t.length;e++)i+=t[e].data.byteLength;return
... i},(ne=function(r,a){var
... s=[],o=0,e=0,l=0,c=1/0;a=a||{};ne.prototype.init.call(this),this.push=
... function(e){rt(r,e),r&&de.forEach(function(t){r[t]=e[t]}),s.push(e)},this.
... setEarliestDts=function(t){e=t-r.timelineStartInfo.baseMediaDecodeTime},thi
... .setVideoBaseMediaDecodeTime=function(t){c=t},this.setAudioAppendStart=
... function(t){l=t},this.flush=function(){var
... t,e,i,n;0!==s.length&&(t=this.trimAdtsFramesByEarliestDts_(s),r.
... baseMediaDecodeTime=nt(r,a.keepOriginalTimestamps),this.prefixWithSilence_(
... ,t),r.samples=this.generateSampleTable_(t),i=G.mdat(this.
... concatenateFrameData_(t)),s=[],e=G.moof(o,[r]),n=new
... Uint8Array(e.byteLength+i.byteLength),o++,n.set(e),n.set(i,e.byteLength),it

```

```
12... r),this.trigger("data",{track:r,boxes:n})),this.trigger("done", "
... AudioSegmentStream"}),this.prefixWithSilence_=function(t,e){var
... i,n,r,a,s=0,o=0,u=0;if(e.length&&(i=le(t.baseMediaDecodeTime,t.samplerate),
... =Math.ceil(9e4/(t.samplerate/1024)),l&&c&&(s=i-Math.max(1,c),u=(o=Math.floo
... (s/n))*n),!(o<1||45e3<u)){for((r=ee[t.samplerate])||(r=e[0].data),a=0;a<o;
... ++e.splice(a,0,{data:r});t.baseMediaDecodeTime-=Math.floor(ce(u,t.
... samplerate))}},this.trimAdtsFramesByEarliestDts_=function(t){return
... r.minSegmentDts>=e?t:(r.minSegmentDts=1/0,t.filter(function(t){return
... t.dts>=e&&(r.minSegmentDts=Math.min(r.minSegmentDts,t.dts),r.minSegmentPts=
... .minSegmentDts,!0)})),this.generateSampleTable_=function(t){var
... e,i,n=[];for(e=0;e<t.length;e++)i=t[e],n.push({size:i.data.byteLength,
... duration:1024});return n},this.concatenateFrameData_=function(t){var
... e,i,n=0,r=new
... Uint8Array(ue(t));for(e=0;e<t.length;e++)i=t[e],r.set(i.data,n),n+=i.data.
... byteLength;return r}).prototype=new K,(ie=function(o,u){var
... e,i,l=0,c=[],h=[];u=u||{},ie.prototype.init.call(this),delete
... o.minPTS,this.gopCache_=[],this.push=function(t){rt(o,t),"
... seq_parameter_set_rbsp"!==t.nalUnitType||e||(e=t.config,o.sps=[t.data],pe.
... forEach(function(t){o[t]=e[t]},this)),"pic_parameter_set_rbsp"!==t.
... nalUnitType||i||(i=t.data,o.pps=[t.data]),c.push(t)},this.flush=function(){
... for(var
... t,e,i,n,r,a;c.length&&"access_unit_delimiter_rbsp"!==c[0].nalUnitType;)c.
... shift();if(0===c.length)return this.resetStream_(),void
... this.trigger("done","VideoSegmentStream");if(t=Q(c),(i=J(t))[0][0].keyFrame
... |((e=this.getGopForFusion_(c[0],o))?(i.unshift(e),i.byteLength+=e.byteLengt
... ,i.nalCount+=e.nalCount,i.pts=e.pts,i.dts=e.dts,i.duration+=e.duration):i=Z
... i)),h.length){var
... s;if(!(s=u.alignGopsAtEnd?this.alignGopsAtEnd_(i):this.alignGopsAtStart_(i)
... )return
... this.gopCache_.unshift({gop:i.pop(),pps:o.pps,sps:o.sps}),this.gopCache_.
... length=Math.min(6,this.gopCache_.length),c=[],this.resetStream_(),void
... this.trigger("done","VideoSegmentStream");it(o),i=s}rt(o,i),o.samples=tt(i)
... r=G.mdat(et(i)),o.baseMediaDecodeTime=nt(o,u.keepOriginalTimestamps),this.
... trigger("processedGopsInfo",i.map(function(t){return{pts:t.pts,dts:t.dts,
... byteLength:t.byteLength}})),this.gopCache_.unshift({gop:i.pop(),pps:o.pps,
... sps:o.sps}),this.gopCache_.length=Math.min(6,this.gopCache_.length),c=[],
... this.trigger("baseMediaDecodeTime",o.baseMediaDecodeTime),this.trigger("
... timelineStartInfo",o.timelineStartInfo),n=G.moof(1,[o]),a=new
... Uint8Array(n.byteLength+r.byteLength),l++,a.set(n),a.set(r,n.byteLength),
... this.trigger("data",{track:o,boxes:a}),this.resetStream_(),this.trigger("
... done","VideoSegmentStream"}),this.resetStream_=function(){it(o),i=e=void
... 0},this.getGopForFusion_=function(t){var
... e,i,n,r,a,s=1/0;for(a=0;a<this.gopCache_.length;a++)n=(r=this.gopCache_[a])
... gop,o.pps&&oe(o.pps[0],r.pps[0])&&o.sps&&oe(o.sps[0],r.sps[0])&&(n.dts<o.
... timelineStartInfo.dts||-1e4<=(e=t.dts-n.dts-n.duration)&&e<=45e3&&(!i||e<s)
... &(i=r,s=e));return i?i.gop:null},this.alignGopsAtStart_=function(t){var
... e,i,n,r,a,s,o,u;for(a=t.byteLength,s=t.nalCount,o=t.duration,e=i=0;e<h.
... length&&i<t.length&&(n=h[e],r=t[i],n.pts!==r.pts);}r.pts>n.pts?e++:(i++,a=
```

```
12... .byteLength,s-=r.nalCount,o-=r.duration);return
... 0===i?t:i===t.length?null:((u=t.slice(i)).byteLength=a,u.duration=o,u.
... nalCount=s,u.pts=u[0].pts,u.dts=u[0].dts,u)},this.alignGopsAtEnd_=function(
... ) {var
... e,i,n,r,a,s,o;for(e=h.length-1,i=t.length-1,a=null,s=!1;0<=e&&0<=i){if(n=h
... e],r=t[i],n.pts===r.pts){s=!0;break}n.pts>r.pts?e--:(e===h.length-1&&(a=i),
... --)}if(!s&&null===a)return null;if(0===(o=s?i:a))return t;var
... u=t.slice(o),l=u.reduce(function(t,e){return
... t.byteLength+=e.byteLength,t.duration+=e.duration,t.nalCount+=e.nalCount,t}
... {byteLength:0,duration:0,nalCount:0});return
... u.byteLength=l.byteLength,u.duration=l.duration,u.nalCount=l.nalCount,u.pts
... u[0].pts,u.dts=u[0].dts,u},this.alignGopsWith=function(t){h=t}).prototype=
... new
... K,(ae=function(t,e){this.numberOfTracks=0,this.metadataStream=e,"undefined"
... =typeof
... t.remux?this.remuxTracks=!t.remux:this.remuxTracks=!0,this.pendingTracks=[
... ,this.videoTrack=null,this.pendingBoxes=[],this.pendingCaptions=[],this.
... pendingMetadata=[],this.pendingBytes=0,this.emittedTracks=0,ae.prototype.
... init.call(this),this.push=function(t){return
... t.text?this.pendingCaptions.push(t):t.frames?this.pendingMetadata.push(t):(
... this.pendingTracks.push(t.track),this.pendingBoxes.push(t.boxes),this.
... pendingBytes+=t.boxes.byteLength,"video"===t.track.type&&(this.videoTrack=t
... track),void("audio"===t.track.type&&(this.audioTrack=t.track)))}).prototyp
... =new K,ae.prototype.flush=function(t){var
... e,i,n,r,a=0,s={captions:[],captionStreams:{},metadata:[],info:{}},o=0;if(
... this.pendingTracks.length<this.numberOfTracks){if("VideoSegmentStream"!==t&
... "AudioSegmentStream"!==t)return;if(this.remuxTracks)return;if(0===this.
... pendingTracks.length)return
... this.emittedTracks++,void(this.emittedTracks>=this.numberOfTracks&&(this.
... trigger("done"),this.emittedTracks=0))}for(this.videoTrack?(o=this.
... videoTrack.timelineStartInfo.pts,pe.forEach(function(t){s.info[t]=this.
... videoTrack[t]},this)):this.audioTrack&&(o=this.audioTrack.timelineStartInfo
... pts,de.forEach(function(t){s.info[t]=this.audioTrack[t]},this)),1===this.
... pendingTracks.length?s.type=this.pendingTracks[0].type:s.type="combined",
... this.emittedTracks+=this.pendingTracks.length,n=G.initSegment(this.
... pendingTracks),s.initSegment=new
... Uint8Array(n.byteLength),s.initSegment.set(n),s.data=new
... Uint8Array(this.pendingBytes),r=0;r<this.pendingBoxes.length;r++)s.data.set
... this.pendingBoxes[r],a+=this.pendingBoxes[r].byteLength;for(r=0;r<this.
... pendingCaptions.length;r++)(e=this.pendingCaptions[r]).startTime=e.startPts
... o,e.startTime/=9e4,e.endTime=e.endPts-o,e.endTime/=9e4,s.captionStreams[e.
... stream]=!0,s.captions.push(e);for(r=0;r<this.pendingMetadata.length;r++)(i=
... this.pendingMetadata[r]).cueTime=i.pts-o,i.cueTime/=9e4,s.metadata.push(i);
... .metadata.dispatchType=this.metadataStream.dispatchType,this.pendingTracks.
... length=0,this.videoTrack=null,this.pendingBoxes.length=0,this.
... pendingCaptions.length=0,this.pendingBytes=0,this.pendingMetadata.length=0,
... this.trigger("data",s),this.emittedTracks>=this.numberOfTracks&&(this.
... trigger("done"),this.emittedTracks=0)},(re=function(n){var
```

```
12... r,a,s=this,i=!0;re.prototype.init.call(this),n=n||{},this.  
... baseMediaDecodeTime=n.baseMediaDecodeTime||0,this.transmuxPipeline_={},this.  
... setupAacPipeline=function(){var  
... e={};(this.transmuxPipeline_=e).type="aac",e.metadataStream=new  
... Dt.MetadataStream,e.aacStream=new Kt,e.audioTimestampRolloverStream=new  
... Dt.TimestampRolloverStream("audio"),e.timedMetadataTimestampRolloverStream=  
... new Dt.TimestampRolloverStream("timed-metadata"),e.adtsStream=new  
... jt,e.coalesceStream=new  
... ae(n,e.metadataStream),e.headOfPipeline=e.aacStream,e.aacStream.pipe(e.  
... audioTimestampRolloverStream).pipe(e.adtsStream),e.aacStream.pipe(e.  
... timedMetadataTimestampRolloverStream).pipe(e.metadataStream).pipe(e.  
... coalesceStream),e.metadataStream.on("timestamp",function(t){e.aacStream.  
... setTimestamp(t.timeStamp)}),e.aacStream.on("data",function(t){"timed-  
... metadata"!==t.type||e.audioSegmentStream||(a=a||{timelineStartInfo:{  
... baseMediaDecodeTime:s.baseMediaDecodeTime},codec:"adts",type:"audio"},e.  
... coalesceStream.numberOfTracks++,e.audioSegmentStream=new  
... ne(a,n),e.adtsStream.pipe(e.audioSegmentStream).pipe(e.coalesceStream)}),e.  
... coalesceStream.on("data",this.trigger.bind(this,"data")),e.coalesceStream.o  
... ("done",this.trigger.bind(this,"done")),this.setupTsPipeline=function(){va  
... i={};(this.transmuxPipeline_=i).type="ts",i.metadataStream=new  
... Dt.MetadataStream,i.packetStream=new  
... Dt.TransportPacketStream,i.parseStream=new  
... Dt.TransportParseStream,i.elementaryStream=new  
... Dt.ElementaryStream,i.videoTimestampRolloverStream=new  
... Dt.TimestampRolloverStream("video"),i.audioTimestampRolloverStream=new  
... Dt.TimestampRolloverStream("audio"),i.timedMetadataTimestampRolloverStream=  
... new Dt.TimestampRolloverStream("timed-metadata"),i.adtsStream=new  
... jt,i.h264Stream=new he,i.captionStream=new  
... Dt.CaptionStream,i.coalesceStream=new  
... ae(n,i.metadataStream),i.headOfPipeline=i.packetStream,i.packetStream.pipe(  
... .parseStream).pipe(i.elementaryStream),i.elementaryStream.pipe(i.  
... videoTimestampRolloverStream).pipe(i.h264Stream),i.elementaryStream.pipe(i.  
... audioTimestampRolloverStream).pipe(i.adtsStream),i.elementaryStream.pipe(i.  
... timedMetadataTimestampRolloverStream).pipe(i.metadataStream).pipe(i.  
... coalesceStream),i.h264Stream.pipe(i.captionStream).pipe(i.coalesceStream),i  
... elementaryStream.on("data",function(t){var  
... e;if("metadata"===t.type){for(e=t.tracks.length;e--;)r||"video"!==t.tracks[  
... ].type?a||"audio"!==t.tracks[e].type||((a=t.tracks[e]).timelineStartInfo.  
... baseMediaDecodeTime=s.baseMediaDecodeTime):(r=t.tracks[e]).timelineStartInf  
... .baseMediaDecodeTime=s.baseMediaDecodeTime;r&&!i.videoSegmentStream&&(i.  
... coalesceStream.numberOfTracks++,i.videoSegmentStream=new  
... ie(r,n),i.videoSegmentStream.on("timelineStartInfo",function(t){a&&(a.  
... timelineStartInfo=t,i.audioSegmentStream.setEarliestDts(t.dts)}),i.  
... videoSegmentStream.on("processedGopsInfo",s.trigger.bind(s,"gopInfo")),i.  
... videoSegmentStream.on("baseMediaDecodeTime",function(t){a&&i.  
... audioSegmentStream.setVideoBaseMediaDecodeTime(t)}),i.h264Stream.pipe(i.  
... videoSegmentStream).pipe(i.coalesceStream),a&&!i.audioSegmentStream&&(i.  
... coalesceStream.numberOfTracks++,i.audioSegmentStream=new
```



```
12... ne(a,n),i.adtsStream.pipe(i.audioSegmentStream).pipe(i.coalesceStream))}},
... .coalesceStream.on("data",this.trigger.bind(this,"data")),i.coalesceStream.
... on("done",this.trigger.bind(this,"done")),this.setBaseMediaDecodeTime=
... function(t){var
... e=this.transmuxPipeline_;this.baseMediaDecodeTime=t,a&&(a.timelineStartInfo
... dts=void 0,a.timelineStartInfo.pts=void
... 0,it(a),a.timelineStartInfo.baseMediaDecodeTime=t,e.
... audioTimestampRolloverStream&&e.audioTimestampRolloverStream.discontinuity(
... ),r&&(e.videoSegmentStream&&(e.videoSegmentStream.gopCache_=[],e.
... videoTimestampRolloverStream.discontinuity()),r.timelineStartInfo.dts=void
... 0,r.timelineStartInfo.pts=void
... 0,it(r),e.captionStream.reset(),r.timelineStartInfo.baseMediaDecodeTime=t),
... .timedMetadataTimestampRolloverStream&&e.
... timedMetadataTimestampRolloverStream.discontinuity()),this.
... setAudioAppendStart=function(t){a&&this.transmuxPipeline_.audioSegmentStream
... .setAudioAppendStart(t)},this.alignGopsWith=function(t){r&&this.
... transmuxPipeline_.videoSegmentStream&&this.transmuxPipeline_.
... videoSegmentStream.alignGopsWith(t)},this.push=function(t){if(i){var
... e=se(t);e&&"aac"!==this.transmuxPipeline_.type?this.setupAacPipeline():e||"
... ts"===this.transmuxPipeline_.type||this.setupTsPipeline(),i=!1}this.
... transmuxPipeline_.headOfPipeline.push(t)},this.flush=function(){i=!0,this.
... transmuxPipeline_.headOfPipeline.flush()},this.resetCaptions=function(){thi
... .transmuxPipeline_.captionStream&&this.transmuxPipeline_.captionStream.reset
... ()}}).prototype=new K;var
... fe,me,ge={Transmuxer:re,VideoSegmentStream:ie,AudioSegmentStream:ne,
... AUDIO_PROPERTIES:de,VIDEO_PROPERTIES:pe},ye=Y.parseType,ve=function(t){
... return new
... Date(1e3*t-20828448e5)},_e=function(t){return{isLeading:(12&t[0])>>>2,
... dependsOn:3&t[0],isDependedOn:(192&t[1])>>>6,hasRedundancy:(48&t[1])>>>4,
... paddingValue:(14&t[1])>>>1,isNonSyncSample:1&t[1],degradationPriority:t[2]<
... 8|t[3]}}},be={avc1:function(t){var e=new
... DataView(t.buffer,t.byteOffset,t.byteLength);return{dataReferenceIndex:e.
... getUint16(6),width:e.getUint16(24),height:e.getUint16(26),horizresolution:e.
... getUint16(28)+e.getUint16(30)/16,vertresolution:e.getUint16(32)+e.getUint16
... 34)/16,frameCount:e.getUint16(40),depth:e.getUint16(74),config:fe(t.subarra
... (78,t.byteLength))}},avcC:function(t){var e,i,n,r,a=new
... DataView(t.buffer,t.byteOffset,t.byteLength),s={configurationVersion:t[0],
... avcProfileIndication:t[1],profileCompatibility:t[2],avcLevelIndication:t[3]
... lengthSizeMinusOne:3&t[4],sps:[],pps:[]},o=31&t[5];for(n=6,r=0;r<o;r++)i=a.
... getUint16(n),n+=2,s.sps.push(new
... Uint8Array(t.subarray(n,n+i))),n+=i;for(e=t[n],n++,r=0;r<e;r++)i=a.getUint1
... (n),n+=2,s.pps.push(new Uint8Array(t.subarray(n,n+i))),n+=i;return
... s},btrt:function(t){var e=new
... DataView(t.buffer,t.byteOffset,t.byteLength);return{bufferSizeDB:e.getUint3
... (0),maxBitrate:e.getUint32(4),avgBitrate:e.getUint32(8)}},esds:function(t){
... return{version:t[0],flags:new
... Uint8Array(t.subarray(1,4)),esId:t[6]<<8|t[7],streamPriority:31&t[8],
... decoderConfig:{objectProfileIndication:t[11],streamType:t[12]>>>2&63,
```

```
12... bufferSize:t[13]<<16|t[14]<<8|t[15],maxBitrate:t[16]<<24|t[17]<<16|t[18]<<8
... t[19],avgBitrate:t[20]<<24|t[21]<<16|t[22]<<8|t[23],decoderConfigDescriptor
... {tag:t[24],length:t[25],audioObjectType:t[26]>>>3&31,samplingFrequencyIndex
... (7&t[26])<<1|t[27]>>>7&1,channelConfiguration:t[27]>>>3&15}}},ftyp:function
... (t){for(var e=new
... DataView(t.buffer,t.byteOffset,t.byteLength),i={majorBrand:ye(t.subarray(0,
... )),minorVersion:e.getUint32(4),compatibleBrands:[],n=8;n<t.byteLength;i.
... compatibleBrands.push(ye(t.subarray(n,n+4))),n+=4;return
... i},dinf:function(t){return{boxes:fe(t)}},dref:function(t){return{version:t[
... ],flags:new
... Uint8Array(t.subarray(1,4)),dataReferences:fe(t.subarray(8))}},hdlr:functio
... (t){var e={version:new
... DataView(t.buffer,t.byteOffset,t.byteLength).getUint8(0),flags:new
... Uint8Array(t.subarray(1,4)),handlerType:ye(t.subarray(8,12)),name:""},i=8;
... for(i=24;i<t.byteLength;i++){if(0===t[i]){i++;break}e.name+=String.
... fromCharCode(t[i])}return
... e.name=decodeURIComponent(escape(e.name)),e},mdat:function(t){return{
... byteLength:t.byteLength,nals:function(t){var e,i,n=new
... DataView(t.buffer,t.byteOffset,t.byteLength),r=[];for(e=0;e+4<t.length;e+=i
... if(i=n.getUint32(e),e+=4,i<=0)r.push("<span style='color:red;'>MALFORMED
... DATA</span>");else switch(31&t[e]){case
... 1:r.push("slice_layer_without_partitioning_rbsp");break;case
... 5:r.push("slice_layer_without_partitioning_rbsp_idr");break;case
... 6:r.push("sei_rbsp");break;case
... 7:r.push("seq_parameter_set_rbsp");break;case
... 8:r.push("pic_parameter_set_rbsp");break;case
... 9:r.push("access_unit_delimiter_rbsp");break;default:r.push("UNKNOWN NAL -
... "+t[e]&31)}return r}(t)}},mdhd:function(t){var e,i=new
... DataView(t.buffer,t.byteOffset,t.byteLength),n=4,r={version:i.getUint8(0),
... flags:new Uint8Array(t.subarray(1,4)),language:""};return
... 1===r.version?(n+=4,r.creationTime=ve(i.getUint32(n)),n+=8,r.
... modificationTime=ve(i.getUint32(n)),n+=4,r.timescale=i.getUint32(n),n+=8):(
... .creationTime=ve(i.getUint32(n)),n+=4,r.modificationTime=ve(i.getUint32(n))
... n+=4,r.timescale=i.getUint32(n),n+=4),r.duration=i.getUint32(n),n+=4,e=i.
... getUint16(n),r.language+=String.fromCharCode(96+(e>>10)),r.language+=String
... fromCharCode(96+((992&e)>>5)),r.language+=String.fromCharCode(96+(31&e)),r}
... mdia:function(t){return{boxes:fe(t)}},mfhd:function(t){return{version:t[0],
... flags:new
... Uint8Array(t.subarray(1,4)),sequenceNumber:t[4]<<24|t[5]<<16|t[6]<<8|t[7]}
... minf:function(t){return{boxes:fe(t)}},mp4a:function(t){var e=new
... DataView(t.buffer,t.byteOffset,t.byteLength),i={dataReferenceIndex:e.
... getUint16(6),channelcount:e.getUint16(16),samplesize:e.getUint16(18),
... samplerate:e.getUint16(24)+e.getUint16(26)/65536};return
... 28<t.byteLength&&(i.streamDescriptor=fe(t.subarray(28))[0]),i},moof:functio
... (t){return{boxes:fe(t)}},moov:function(t){return{boxes:fe(t)}},mvex:functio
... (t){return{boxes:fe(t)}},mvhd:function(t){var e=new
... DataView(t.buffer,t.byteOffset,t.byteLength),i=4,n={version:e.getUint8(0),
... flags:new Uint8Array(t.subarray(1,4))};return
```

```
12... 1===n.version?(i+=4,n.creationTime=ve(e.getUint32(i)),i+=8,n.
... modificationTime=ve(e.getUint32(i)),i+=4,n.timescale=e.getUint32(i),i+=8):(
... .creationTime=ve(e.getUint32(i)),i+=4,n.modificationTime=ve(e.getUint32(i))
... i+=4,n.timescale=e.getUint32(i),i+=4),n.duration=e.getUint32(i),i+=4,n.rate
... e.getUint16(i)+e.getUint16(i+2)/16,i+=4,n.volume=e.getUint8(i)+e.getUint8(i
... 1)/8,i+=2,i+=2,i+=8,n.matrix=new
... Uint32Array(t.subarray(i,i+36)),i+=36,i+=24,n.nextTrackId=e.getUint32(i),n)
... pdin:function(t){var e=new
... DataView(t.buffer,t.byteOffset,t.byteLength);return{version:e.getUint8(0),
... flags:new
... Uint8Array(t.subarray(1,4)),rate:e.getUint32(4),initialDelay:e.getUint32(8)
... },sdtp:function(t){var e,i={version:t[0],flags:new
... Uint8Array(t.subarray(1,4)),samples:[]};for(e=4;e<t.byteLength;e++)i.sample
... .push({dependsOn:(48&t[e]>>4,isDependedOn:(12&t[e]>>2,hasRedundancy:3&t[e
... }));return i},sidx:function(t){var e,i=new
... DataView(t.buffer,t.byteOffset,t.byteLength),n={version:t[0],flags:new
... Uint8Array(t.subarray(1,4)),references:[],referenceId:i.getUint32(4),
... timescale:i.getUint32(8),earliestPresentationTime:i.getUint32(12),
... firstOffset:i.getUint32(16)},r=i.getUint16(22);for(e=24;r;e+=12,r-- )n.
... references.push({referenceType:(128&t[e]>>>7,referencedSize:2147483647&i.
... getUint32(e),subsegmentDuration:i.getUint32(e+4),startsWithSap:!!(128&t[e+8
... ),sapType:(112&t[e+8]>>>4,sapDeltaTime:268435455&i.getUint32(e+8))};return
... n},smhd:function(t){return{version:t[0],flags:new
... Uint8Array(t.subarray(1,4)),balance:t[4]+t[5]/256}},stbl:function(t){return
... boxes:fe(t)},stco:function(t){var e,i=new
... DataView(t.buffer,t.byteOffset,t.byteLength),n={version:t[0],flags:new
... Uint8Array(t.subarray(1,4)),chunkOffsets:[]},r=i.getUint32(4);for(e=8;r;e+=
... ,r-- )n.chunkOffsets.push(i.getUint32(e));return n},stsc:function(t){var
... e,i=new
... DataView(t.buffer,t.byteOffset,t.byteLength),n=i.getUint32(4),r={version:t[
... ],flags:new
... Uint8Array(t.subarray(1,4)),sampleToChunks:[]};for(e=8;n;e+=12,n-- )r.
... sampleToChunks.push({firstChunk:i.getUint32(e),samplesPerChunk:i.getUint32(
... +4),sampleDescriptionIndex:i.getUint32(e+8)});return
... r},stsd:function(t){return{version:t[0],flags:new
... Uint8Array(t.subarray(1,4)),sampleDescriptions:fe(t.subarray(8))}},stsz:
... function(t){var e,i=new
... DataView(t.buffer,t.byteOffset,t.byteLength),n={version:t[0],flags:new
... Uint8Array(t.subarray(1,4)),sampleSize:i.getUint32(4),entries:[]};for(e=12;
... <t.byteLength;e+=4)n.entries.push(i.getUint32(e));return
... n},stts:function(t){var e,i=new
... DataView(t.buffer,t.byteOffset,t.byteLength),n={version:t[0],flags:new
... Uint8Array(t.subarray(1,4)),timeToSamples:[]},r=i.getUint32(4);for(e=8;r;e+
... 8,r-- )n.timeToSamples.push({sampleCount:i.getUint32(e),sampleDelta:i.
... getUint32(e+4)});return n},styp:function(t){return
... be.ftyp(t)},tfdt:function(t){var e={version:t[0],flags:new
... Uint8Array(t.subarray(1,4)),baseMediaDecodeTime:t[4]<<24|t[5]<<16|t[6]<<8|t
... 7}};return
```

```
12... 1===e.version&&(e.baseMediaDecodeTime*=Math.pow(2,32),e.baseMediaDecodeTime
... =t[8]<<24|t[9]<<16|t[10]<<8|t[11]),e},tfhd:function(t){var e,i=new
... DataView(t.buffer,t.byteOffset,t.byteLength),n={version:t[0],flags:new
... Uint8Array(t.subarray(1,4)),trackId:i.getUint32(4)},r=1&n.flags[2],a=2&n.
... flags[2],s=8&n.flags[2],o=16&n.flags[2],u=32&n.flags[2],l=65536&n.flags[0],
... =131072&n.flags[0];return
... e=8,r&&(e+=4,n.baseDataOffset=i.getUint32(12),e+=4),a&&(n.
... sampleDescriptionIndex=i.getUint32(e),e+=4),s&&(n.defaultSampleDuration=i.
... getUint32(e),e+=4),o&&(n.defaultSampleSize=i.getUint32(e),e+=4),u&&(n.
... defaultSampleFlags=i.getUint32(e)),l&&(n.durationIsEmpty=!0),!r&&c&&(n.
... baseDataOffsetIsMoof=!0),n},tkhd:function(t){var e=new
... DataView(t.buffer,t.byteOffset,t.byteLength),i=4,n={version:e.getUint8(0),
... flags:new Uint8Array(t.subarray(1,4))};return
... 1===n.version?(i+=4,n.creationTime=ve(e.getUint32(i)),i+=8,n.
... modificationTime=ve(e.getUint32(i)),i+=4,n.trackId=e.getUint32(i),i+=4,i+=8
... :(n.creationTime=ve(e.getUint32(i)),i+=4,n.modificationTime=ve(e.getUint32(
... )),i+=4,n.trackId=e.getUint32(i),i+=4,i+=4),n.duration=e.getUint32(i),i+=4,
... +=8,n.layer=e.getUint16(i),i+=2,n.alternateGroup=e.getUint16(i),i+=2,n.
... volume=e.getUint8(i)+e.getUint8(i+1)/8,i+=2,i+=2,n.matrix=new
... Uint32Array(t.subarray(i,i+36)),i+=36,n.width=e.getUint16(i)+e.getUint16(i+
... )/16,i+=4,n.height=e.getUint16(i)+e.getUint16(i+2)/16,n},traf:function(t){
... return{boxes:fe(t)}},trak:function(t){return{boxes:fe(t)}},trex:function(t)
... var e=new
... DataView(t.buffer,t.byteOffset,t.byteLength);return{version:t[0],flags:new
... Uint8Array(t.subarray(1,4)),trackId:e.getUint32(4),
... defaultSampleDescriptionIndex:e.getUint32(8),defaultSampleDuration:e.
... getUint32(12),defaultSampleSize:e.getUint32(16),sampleDependsOn:3&t[20],
... sampleIsDependedOn:(192&t[21])>>6,sampleHasRedundancy:(48&t[21])>>4,
... samplePaddingValue:(14&t[21])>>1,sampleIsDifferenceSample:!!(1&t[21]),
... sampleDegradationPriority:e.getUint16(22)}},trun:function(t){var
... e,i={version:t[0],flags:new Uint8Array(t.subarray(1,4)),samples:[]},n=new
... DataView(t.buffer,t.byteOffset,t.byteLength),r=1&i.flags[2],a=4&i.flags[2],
... =1&i.flags[1],o=2&i.flags[1],u=4&i.flags[1],l=8&i.flags[1],c=n.getUint32(4)
... h=8;for(r&&(i.dataOffset=n.getInt32(h),h+=4),a&&c&&(e={flags:_e(t.subarray(
... ,h+4))},h+=4),s&&(e.duration=n.getUint32(h),h+=4),o&&(e.size=n.getUint32(h),
... +=4),l&&(e.compositionTimeOffset=n.getUint32(h),h+=4),i.samples.push(e),c--
... ;c--;)e={},s&&(e.duration=n.getUint32(h),h+=4),o&&(e.size=n.getUint32(h),h+
... 4),u&&(e.flags=_e(t.subarray(h,h+4)),h+=4),l&&(e.compositionTimeOffset=n.
... getUint32(h),h+=4),i.samples.push(e);return i},"url
... ":function(t){return{version:t[0],flags:new
... Uint8Array(t.subarray(1,4))}},vmhd:function(t){var e=new
... DataView(t.buffer,t.byteOffset,t.byteLength);return{version:t[0],flags:new
... Uint8Array(t.subarray(1,4)),graphicsmode:e.getUint16(4),opcolor:new
... Uint16Array([e.getUint16(6),e.getUint16(8),e.getUint16(10)])}}},Te={inspect
... fe=function(t){for(var e,i,n,r,a,s=0,o=[],u=new ArrayBuffer(t.length),l=new
... Uint8Array(u),c=0;c<t.length;++c)l[c]=t[c];for(e=new
... DataView(u);s<t.byteLength;)i=e.getUint32(s),n=ye(t.subarray(s+4,s+8)),r=1<
... ?s+i:t.byteLength,(a=(be[n]||function(t){return{data:t}})(t.subarray(s+8,r)
```

```
12... ).size=i,a.type=n,o.push(a),s=r;return o},textify:me=function(t,e){var
... a;return e=e||0,a=new Array(2*e+1).join(" "),t.map(function(r,t){return
... a+r.type+"\n"+Object.keys(r).filter(function(t){return"type"!==t&&"boxes"!=
... t}).map(function(t){var e=a+" "+t+": ",i=r[t];if(i instanceof Uint8Array||
... instanceof Uint32Array){var n=Array.prototype.slice.call(new
... Uint8Array(i.buffer,i.byteOffset,i.byteLength)).map(function(t){return"
... "+("00"+t.toString(16)).slice(-2)}).join("").match(/.{1,24}/g);return
... n?1===n.length?e+"<"+n.join("").slice(1)+">":e+"\n"+n.map(function(t){
... return a+" "+t}).join("\n")+"\n"+a+" ">":e+"<>"}return
... e+JSON.stringify(i,null,2).split("\n").map(function(t,e){return 0===e?t:a+"
... "+t}).join("\n"))}.join("\n")+("boxes?"+"\n"+me(r.boxes,e+1):""))}.join("\n"
... },parseTfdt:be.tfddt,parseHdlr:be.hdlr,parseTfhd:be.tfhd,parseTrun:be.trun},
... Se=ut,ke=gt.CaptionStream,we=function(t,e){for(var
... i=t,n=0;n<e.length;n++){var r=e[n];if(i<r.size)return r;i-=r.size}return
... null},Ce=function(t,y){var
... n=Y.findBox(t,["moof","traf"]),e=Y.findBox(t,["mdat"]),v={},r=[];return
... e.forEach(function(t,e){var
... i=n[e];r.push({mdat:t,traf:i})}),r.forEach(function(t){var
... e,i,n,r,a,s,o,u,l=t.mdat,c=t.traf,h=Y.findBox(c,["tfhd"]),d=Te.parseTfhd(h[
... ]),p=d.trackId,f=Y.findBox(c,["tfdt"]),m=0<f.length?Te.parseTfdt(f[0]).
... baseMediaDecodeTime:0,g=Y.findBox(c,["trun"]);y===p&&0<g.length&&(i=g,r=m,a
... (n=d).defaultSampleDuration||0,s=n.defaultSampleSize||0,o=n.trackId,u=[],i.
... forEach(function(t){var e=Te.parseTrun(t).samples;e.forEach(function(t){voi
... 0===t.duration&&(t.duration=a),void
... 0===t.size&&(t.size=s),t.trackId=o,t.dts=r,void
... 0===t.compositionTimeOffset&&(t.compositionTimeOffset=0),t.pts=r+t.
... compositionTimeOffset,r+=t.duration}),u=u.concat(e)}),e=function(t,e,i){var
... n,r,a,s,o=new
... DataView(t.buffer,t.byteOffset,t.byteLength),u=[];for(r=0;r+4<t.length;r+=a
... if(a=o.getUint32(r),r+=4,! (a<=0))switch(31&t[r]){case 6:var
... l=t.subarray(r+1,r+1+a),c=we(r,e);n={nalUnitType:"sei_rbsp",size:a,data:l,
... escapedRBSP:Se(l),trackId:i},c?(n.pts=c.pts,n.dts=c.dts,s=c):(n.pts=s.pts,n
... dts=s.dts),u.push(n)}return
... u}(l,u,p),v[p]||(v[p]=[]),v[p]=v[p].concat(e)}),v},Ee={generator:G,probe:Y
... Transmuxer:ge.Transmuxer,AudioSegmentStream:ge.AudioSegmentStream,
... VideoSegmentStream:ge.VideoSegmentStream,CaptionParser:function(){var
... e,u,l,c,h,t=!1;this.isInitialized=function(){return
... t},this.init=function(){e=new
... ke,t=!0,e.on("data",function(t){t.startTime=t.startPts/c,t.endTime=t.endPts
... c,h.captions.push(t),h.captionStreams[t.stream]=!0}),this.isNewInit=
... function(t,e){return!(t&&0===t.length||e&&"object"===typeof
... e&&0===Object.keys(e).length||l===t[0]&&c===e[1])},this.parse=function(t,e,
... ){var n,r,a,s;if(!this.isInitialized())return null;if(!e||!i)return
... null;if(this.isNewInit(e,i))l=e[0],c=i[1];else if(!l||!c)return
... u.push(t),null;for(;0<u.length;){var o=u.shift();this.parse(o,e,i)}return
... r=t,s=c,null!==(n=(a=l)?{seiNals:Ce(r,a)[a],timescale:s}:null)&&n.seiNals?(
... this.pushNals(n.seiNals),this.flushStream(),h):null},this.pushNals=function
... t){if(!this.isInitialized()||!t||0===t.length)return
```

```
12... null;t.forEach(function(t){e.push(t)}),this.flushStream=function(){if(!this
... .isInitialized())return
... null;e.flush()},this.clearParsedCaptions=function(){h.captions=[],h.
... captionStreams={},this.resetCaptionStream=function(){if(!this.isInitializ
... e())return
... null;e.reset()},this.clearAllCaptions=function(){this.clearParsedCaptions()
... this.resetCaptionStream()},this.reset=function(){u=[],c=l=null,h?this.
... clearParsedCaptions():h={captions:[],captionStreams:{}},this.
... resetCaptionStream()},this.reset()}},Ae=function(){function n(t,e){for(var
... i=0;i<e.length;i++){var
... n=e[i];n.enumerable=n.enumerable||!1,n.configurable=!0,"value"in
... n&&(n.writable=!0),Object.defineProperty(t,n.key,n)}}return
... function(t,e,i){return
... e&&n(t.prototype,e),i&&n(t,i),t}}(),Le=function(){function
... i(t,e){!function(t,e){if(!(t instanceof e))throw new TypeError("Cannot call
... a class as a
... function")}(this,i),this.options=e||{},this.self=t,this.init()}return
... Ae(i,[{key:"init",value:function(){var
... n,t;this.transmuxer&&this.transmuxer.dispose(),this.transmuxer=new
... Ee.Transmuxer(this.options),n=this.self,(t=this.transmuxer).on("data",
... function(t){var
... e=t.initSegment;t.initSegment={data:e.buffer,byteOffset:e.byteOffset,
... byteLength:e.byteLength};var
... i=t.data;t.data=i.buffer,n.postMessage({action:"data",segment:t,byteOffset:
... .byteOffset,byteLength:i.byteLength},[t.data])}),t.captionStream&&t.
... captionStream.on("data",function(t){n.postMessage({action:"caption",data:t}
... }),t.on("done",function(t){n.postMessage({action:"done"})}),t.on("gopInfo",
... function(t){n.postMessage({action:"gopInfo",gopInfo:t})}})},{key:"push",
... value:function(t){var e=new
... Uint8Array(t.data,t.byteOffset,t.byteLength);this.transmuxer.push(e)}},{key
... "reset",value:function(){this.init()}},{key:"setTimestampOffset",value:
... function(t){var
... e=t.timestampOffset||0;this.transmuxer.setBaseMediaDecodeTime(Math.round(9e
... *e))},{key:"setAudioAppendStart",value:function(t){this.transmuxer.
... setAudioAppendStart(Math.ceil(9e4*t.appendStart))}},{key:"flush",value:
... function(t){this.transmuxer.flush()}},{key:"resetCaptions",value:function()
... this.transmuxer.resetCaptions()}},{key:"alignGopsWith",value:function(t){
... this.transmuxer.alignGopsWith(t.gopsToAlignWith.slice())}}]),i());new
... function(e){e.onmessage=function(t){"init"===t.data.action&&t.data.options?
... this.messageHandlers=new
... Le(e,t.data.options):(this.messageHandlers||(this.messageHandlers=new
... Le(e)),t.data&&t.data.action&&"init"!==t.data.action&&this.messageHandlers[
... .data.action]&&this.messageHandlers[t.data.action](t.data))}(0e)}()),hc={
... videoCodec:"avc1",videoObjectTypeIndicator:".4d400d",audioProfile:"2"},dc=
... function(t){return t.map(function(t){return
... t.replace(/avc1\.(\d+)\.(\d+)/i,function(t,e,i){return"avc1."+"00"+Number(
... ).toString(16)).slice(-2)+"00"+"00"+Number(i).toString(16)).slice(-2)}})}
... pc=function(){var t,e=0<arguments.length&&void
```

```
12... 0!==arguments[0]?arguments[0]:"",i={codecCount:0};return
... i.codecCount=e.split(",").length,i.codecCount=i.codecCount||2,(t=/^(^|\s|,)+
... avc[13])([^\s
... ,]*)/i.exec(e))&&(i.videoCodec=t[2],i.videoObjectTypeIndicator=t[3]),i.
... audioProfile=/^(^|\s|,)+mp4a.[0-9A-Fa-f]+\.[0-9A-Fa-f]+/i.exec(e),i.
... audioProfile=i.audioProfile&&i.audioProfile[2],i},fc=function(t,e,i){return
... t+"/"+e+'; codecs="'+i.filter(function(t){return!!t}).join(",
... ")+'"},mc=function(t,e){var
... i,n,r=(i=e).segments&&i.segments.length&&i.segments[0].map?"mp4":"mp2t",a=(
... =e.attributes||{}).CODECS?pc(n.CODECS):hc,s=e.attributes||{},o=!0,u=!1;if(!
... )return[];if(t.mediaGroups.AUDIO&&s.AUDIO){var
... l=t.mediaGroups.AUDIO[s.AUDIO];if(l)for(var c in
... o=(u=!0),l)if(!l[c].uri&&!l[c].playlists){o=!0;break}}u&&!a.audioProfile&&
... o||(a.audioProfile=function(t,e){if(!t.mediaGroups.AUDIO||!e)return null;va
... i=t.mediaGroups.AUDIO[e];if(!i)return null;for(var n in i){var
... r=i[n];if(r.default&&r.playlists)return
... pc(r.playlists[0].attributes.CODECS).audioProfile}return
... null}(t,s.AUDIO)),a.audioProfile||(oa.log.warn("Multiple audio tracks
... present but no audio codec string is specified. Attempting to use the
... default audio codec (mp4a.40.2)"),a.audioProfile=hc.audioProfile);var
... h={};a.videoCodec&&(h.video=""+a.videoCodec+a.videoObjectTypeIndicator),a.
... audioProfile&&(h.audio="mp4a.40."+a.audioProfile);var
... d=fc("audio",r,[h.audio]),p=fc("video",r,[h.video]),f=fc("video",r,[h.video
... h.audio]);return
... u?!o&&h.video?[p,d]:o||h.video?[f,d]:[d,d]:h.video?[f]:[d]},gc=function(t){
... return/mp4a\.\d+\.\d+/i.test(t)},yc=function(t){return/avc1\.[\da-f]+/i.test
... t)},vc=function(t){function r(t,e){al(this,r);var
... i=ul(this,(r.__proto__||Object.getPrototypeOf(r)).call(this,oa.EventTarget)
... ;i.timestampOffset_=0,i.pendingBuffers_=[],i.bufferUpdating_=!1,i.
... mediaSource_=t,i.codecs_=e,i.audioCodec_=null,i.videoCodec_=null,i.
... audioDisabled_=!1,i.appendAudioInitSegment_=!0,i.gopBuffer_=[],i.
... timeMapping_=0,i.safeAppend_=11<=oa.browser.IE_VERSION;var
... n={remux:!1,alignGopsAtEnd:i.safeAppend_};return
... i.codecs_.forEach(function(t){gc(t)?i.audioCodec_=t:yc(t)&&(i.videoCodec_=t
... )}),i.transmuxer_=new
... cc,i.transmuxer_.postMessage({action:"init",options:n}),i.transmuxer_.
... onmessage=function(t){return"data"===t.data.action?i.data_(t):"done"===t.
... data.action?i.done_(t):"gopInfo"===t.data.action?i.appendGopInfo_(t):void
... 0},Object.defineProperty(i,"timestampOffset",{get:function(){return
... this.timestampOffset_},set:function(t){"number"===typeof
... t&&0<=t&&(this.timestampOffset_=t,this.appendAudioInitSegment_=!0,this.
... gopBuffer_.length=0,this.timeMapping_=0,this.transmuxer_.postMessage({actio
... n:"setTimestampOffset",timestampOffset:t}})),Object.defineProperty(i,"
... appendWindowStart",{get:function(){return(this.videoBuffer_||this.
... audioBuffer_).appendWindowStart},set:function(t){this.videoBuffer_&&(this.
... videoBuffer_.appendWindowStart=t),this.audioBuffer_&&(this.audioBuffer_.
... appendWindowStart=t)}}),Object.defineProperty(i,"updating",{get:function(){
... return!!(this.bufferUpdating_||!this.audioDisabled_&&this.audioBuffer_&&thi
```

```
12... .audioBuffer_.updating||this.videoBuffer_&&this.videoBuffer_.updating)})),
... Object.defineProperty(i,"buffered",{get:function(){return
... function(t,e,i){var n=null,r=null,a=0,s=[],o=[];if(!t&&!e)return
... oa.createTimeRange();if(!t)return e.buffered;if(!e)return
... t.buffered;if(i)return
... t.buffered;if(0===t.buffered.length&&0===e.buffered.length)return
... oa.createTimeRange();for(var
... u=t.buffered,l=e.buffered,c=u.length;c--;)s.push({time:u.start(c),type:"
... start"}),s.push({time:u.end(c),type:"end"});for(c=l.length;c--;)s.push({tim
... :l.start(c),type:"start"}),s.push({time:l.end(c),type:"end"});for(s.sort(
... function(t,e){return
... t.time-e.time}),c=0;c<s.length;c++)"start"===s[c].type?2===++a&&(n=s[c].time
... :"end"===s[c].type&&1===--a&&(r=s[c].time),null!==n&&null!==r&&(o.push([n,r]
... ,r=n=null);return
... oa.createTimeRanges(o)}(this.videoBuffer_,this.audioBuffer_,this.
... audioDisabled_)}),i)return
... ol(r,oa.EventTarget),sl(r,[{key:"data_",value:function(t){var
... e=t.data.segment;e.data=new
... Uint8Array(e.data,t.data.byteOffset,t.data.byteLength),e.initSegment=new
... Uint8Array(e.initSegment.data,e.initSegment.byteOffset,e.initSegment.
... byteLength),function(t,e,i){var
... n=e.player_;if(i.captions&&i.captions.length)for(var r in
... t.inbandTextTracks_||(t.inbandTextTracks_={}),i.captionStreams)if(!t.
... inbandTextTracks_[r]){n.tech_.trigger({type:"usage",name:"hls-608"});var
... a=n.textTracks().getTrackById(r);t.inbandTextTracks_[r]=a|n.
... addRemoteTextTrack({kind:"captions",id:r,label:r},!1).track}i.metadata&&i.
... metadata.length&&!t.metadataTrack_&&(t.metadataTrack_=n.addRemoteTextTrack(
... kind:"metadata",label:"Timed
... Metadata"},!1).track,t.metadataTrack_.inBandMetadataTrackDispatchType=i.
... metadata.dispatchType)}(this,this.mediaSource_,e),this.pendingBuffers_.push
... e}}),{key:"done_",value:function(t){"closed"!==this.mediaSource_.readyState
... this.processPendingSegments_():this.pendingBuffers_.length=0}},{key:"
... createRealSourceBuffers_",value:function(){var
... n=this,r=["audio","video"];r.forEach(function(e){if(n[e+"Codec_"]&&!n[e+"
... Buffer_"]){var
... i=null;if(n.mediaSource_[e+"Buffer_"])(i=n.mediaSource_[e+"Buffer_"]).
... updating=!1;else{var
... t=e+'/mp4;codecs="'+n[e+"Codec_"]+'";i=function(t,e){var
... i=t.addSourceBuffer(e),n=Object.create(null);n.updating=!1,n.realBuffer_=i;
... var r=function(e){"function"===typeof i[e]?n[e]=function(){return
... i[e].apply(i,arguments)}:"undefined"===typeof
... n[e]&&Object.defineProperty(n,e,{get:function(){return
... i[e]}},set:function(t){return i[e]=t}})};for(var a in i)r(a);return
... n}(n.mediaSource_.nativeMediaSource_,t),n.mediaSource_[e+"Buffer_"]=i)n[e+"
... Buffer_"]=i,["update","updatestart","updateend"].forEach(function(t){i.
... addEventListener(t,function(){if("audio"!==e||!n.audioDisabled_)return"
... updateend"===t&&(n[e+"Buffer_"].updating=!1),r.every(function(t){return!("
... audio"!==t||!n.audioDisabled_)||!(e===t||!n[t+"Buffer_"]||!n[t+"Buffer_"].
```



```
12... updating))?)n.trigger(t):void
... 0}})}}}}}, {key:"appendBuffer",value:function(t){if(this.bufferUpdating_!=0
... this.audioBuffer_&&this.audioBuffer_.buffered.length){var
... e=this.audioBuffer_.buffered;this.transmuxer_.postMessage({action:"
... setAudioAppendStart",appendStart:e.end(e.length-1)}})this.videoBuffer_&&this
... .transmuxer_.postMessage({action:"alignGopsWith",gopsToAlignWith:function(t
... e,i){if("undefined"==typeof e||null===e||!t.length)return[];var
... n=Math.ceil(9e4*(e-i+3)),r=void
... 0;for(r=0;r<t.length&&!(t[r].pts>n);r++);return
... t.slice(r)}(this.gopBuffer_,this.mediaSource_.player_?this.mediaSource_.
... player_.currentTime():null,this.timeMapping_)),this.transmuxer_.postMessag
... ({action:"push",data:t.buffer,byteOffset:t.byteOffset,byteLength:t.
... byteLength},[t.buffer]),this.transmuxer_.postMessage({action:"flush"}});{
... key:"appendGopInfo_",value:function(t){this.gopBuffer_=function(t,e,i){if(!
... .length)return t;if(i)return e.slice();for(var
... n=e[0].pts,r=0;r<t.length&&!(t[r].pts>=n);r++);return
... t.slice(0,r).concat(e)}(this.gopBuffer_,t.data.gopInfo,this.safeAppend_)}}},
... key:"remove",value:function(t,e){if(this.videoBuffer_&&(this.videoBuffer_.
... updating!=0,this.videoBuffer_.remove(t,e),this.gopBuffer_=function(t,e,i,n)
... for(var
... r=Math.ceil(9e4*(e-n)),a=Math.ceil(9e4*(i-n)),s=t.slice(),o=t.length;o--&&
... t[o].pts<=a););if(-1===o)return s;for(var u=o+1;u--&&!(t[u].pts<=r););return
... u=Math.max(u,0),s.splice(u,o-u+1),s}(this.gopBuffer_,t,e,this.timeMapping_
... ,!this.audioDisabled_&&this.audioBuffer_&&(this.audioBuffer_.updating!=0,
... this.audioBuffer_.remove(t,e)),Kl(t,e,this.metadataTrack_),this.
... inbandTextTracks_)for(var i in
... this.inbandTextTracks_)Kl(t,e,this.inbandTextTracks_[i])}}, {key:"
... processPendingSegments_",value:function(){var
... t={video:{segments:[],bytes:0},audio:{segments:[],bytes:0},captions:[],
... metadata:[]};t=this.pendingBuffers_.reduce(function(t,e){var
... i=e.type,n=e.data,r=e.initSegment;return
... t[i].segments.push(n),t[i].bytes+=n.byteLength,t[i].initSegment=r,e.caption
... &&(t.captions=t.captions.concat(e.captions)),e.info&&(t[i].info=e.info),e.
... metadata&&(t.metadata=t.metadata.concat(e.metadata)),t},t),this.videoBuffer
... ||this.audioBuffer_||(0===t.video.bytes&&(this.videoCodec_=null),0===t.audi
... .bytes&&(this.audioCodec_=null),this.createRealSourceBuffers_()),t.audio.
... info&&this.mediaSource_.trigger({type:"audioinfo",info:t.audio.info}),t.
... video.info&&this.mediaSource_.trigger({type:"videoinfo",info:t.video.info})
... this.appendAudioInitSegment_&&(this.audioDisabled_&&this.audioBuffer_&&(t.
... audio.segments.unshift(t.audio.initSegment),t.audio.bytes+=t.audio.
... initSegment.byteLength),this.appendAudioInitSegment_!=1);var
... e=!1;this.videoBuffer_&&t.video.bytes?(t.video.segments.unshift(t.video.
... initSegment),t.video.bytes+=t.video.initSegment.byteLength,this.
... concatAndAppendSegments_(t.video,this.videoBuffer_),Jl(this,t.captions,t.
... metadata)):!this.videoBuffer_|!this.audioDisabled_&&this.audioBuffer_||(e=
... 0),!this.audioDisabled_&&this.audioBuffer_&&this.concatAndAppendSegments_(t
... audio,this.audioBuffer_),this.pendingBuffers_.length=0,e&&this.trigger("
... updateend"),this.bufferUpdating_=!1}}, {key:"concatAndAppendSegments_",value
```

```
12... function(t,e){var i=0,n=void 0;if(t.bytes){n=new
... Uint8Array(t.bytes),t.segments.forEach(function(t){n.set(t,i),i+=t.
... byteLength});try{e.updating=!0,e.appendBuffer(n)}catch(t){this.mediaSource_
... player_&&this.mediaSource_.player_.error({code:-3,type:"APPEND_BUFFER_ERR",
... message:t.message,originalError:t})}}},{key:"abort",value:function(){this.
... videoBuffer_&&this.videoBuffer_.abort(),!this.audioDisabled_&&this.
... audioBuffer_&&this.audioBuffer_.abort(),this.transmuxer_&&this.transmuxer_
... postMessage({action:"reset"}),this.pendingBuffers_.length=0,this.
... bufferUpdating_=!1}}]),r(),_c=function(t){function e(){a1(this,e);var
... a=ul(this,(e.__proto__||Object.getPrototypeOf(e)).call(this)),t=void 0;for(
... in a.nativeMediaSource_=new v.MediaSource,a.nativeMediaSource_)t in
... e.prototype||"function"!=typeof
... a.nativeMediaSource_[t]||(a[t]=a.nativeMediaSource_[t].bind(a.
... nativeMediaSource_));return
... a.duration_=NaN,Object.defineProperty(a,"duration",{get:function(){return
... this.duration_===1/0?this.duration_:this.nativeMediaSource_.duration},set:
... function(t){(this.duration_=t)===1/0||(this.nativeMediaSource_.duration=t)
... },Object.defineProperty(a,"seekable",{get:function(){return
... this.duration_===1/0?oa.createTimeRanges([[0,this.nativeMediaSource_.
... duration]]):this.nativeMediaSource_.seekable}}),Object.defineProperty(a,"
... readyState",{get:function(){return
... this.nativeMediaSource_.readyState}}),Object.defineProperty(a,"
... activeSourceBuffers",{get:function(){return
... this.activeSourceBuffers_}}),a.sourceBuffers=[],a.activeSourceBuffers_=[],a
... updateActiveSourceBuffers_=function(){if(a.activeSourceBuffers_.length=0,1=
... =a.sourceBuffers.length){var t=a.sourceBuffers[0];return
... t.appendAudioInitSegment_!=0,t.audioDisabled_!=t.audioCodec_,void
... a.activeSourceBuffers_.push(t)}for(var
... i=!1,n=!0,e=0;e<a.player_.audioTracks().length;e++){var
... r=a.player_.audioTracks()[e];if(r.enabled&&"main"!==r.kind){n=(i!=0);break
... }a.sourceBuffers.forEach(function(t,e){if(t.appendAudioInitSegment_!=0,t.
... videoCodec_&&t.audioCodec_)t.audioDisabled_=i;else
... if(t.videoCodec_&&!t.audioCodec_)t.audioDisabled_!=0,n=!1;else
... if(!t.videoCodec_&&t.audioCodec_&&(t.audioDisabled_=e?n:!n,t.audioDisabled_
... )return;a.activeSourceBuffers_.push(t)}),a.onPlayerMediachange_=function()
... a.sourceBuffers.forEach(function(t){t.appendAudioInitSegment_!=0})),a.
... onHlsReset_=function(){a.sourceBuffers.forEach(function(t){t.transmuxer_&&t
... transmuxer_.postMessage({action:"resetCaptions"})}}),a.
... onHlsSegmentTimeMapping_=function(e){a.sourceBuffers.forEach(function(t){
... return
... t.timeMapping_=e.mapping}}),["sourceopen","sourceclose","sourceended"].
... forEach(function(t){this.nativeMediaSource_.addEventListener(t,this.trigger
... bind(this))},a),a.on("sourceopen",function(t){var
... e=d.querySelector('[src="'+a.url_+'"]');e&&(a.player_=oa(e.parentNode),a.
... player_.tech_.on("hls-reset",a.onHlsReset_),a.player_.tech_.on("hls-segment
... time-mapping",a.onHlsSegmentTimeMapping_),a.player_.audioTracks&&a.player_.
... audioTracks()&&(a.player_.audioTracks().on("change",a.
... updateActiveSourceBuffers_),a.player_.audioTracks().on("addtrack",a.
```

```
12... updateActiveSourceBuffers_),a.player_.audioTracks().on("removetrack",a.
... updateActiveSourceBuffers_),a.player_.on("mediachange",a.
... onPlayerMediachange_))},a.on("sourceended",function(t){for(var
... e=Ql(a.duration),i=0;i<a.sourceBuffers.length;i++){var
... n=a.sourceBuffers[i],r=n.metadataTrack_&&n.metadataTrack_.cues;r&&r.length&
... (r[r.length-1].endTime=e)}},a.on("sourceclose",function(t){this.
... sourceBuffers.forEach(function(t){t.transmuxer_&&t.transmuxer_.terminate()}
... ,this.sourceBuffers.length=0,this.player_&&(this.player_.audioTracks&&this.
... player_.audioTracks())&&(this.player_.audioTracks().off("change",this.
... updateActiveSourceBuffers_),this.player_.audioTracks().off("addtrack",this.
... updateActiveSourceBuffers_),this.player_.audioTracks().off("removetrack",
... this.updateActiveSourceBuffers_),this.player_.el_&&(this.player_.off("
... mediachange",this.onPlayerMediachange_),this.player_.tech_.off("hls-reset",
... this.onHlsReset_),this.player_.tech_.off("hls-segment-time-mapping",this.
... onHlsSegmentTimeMapping_))}),a}return
... ol(e,oa.EventTarget),sl(e,[{key:"addSeekableRange_",value:function(t,e){var
... i=void 0;if(this.duration!==1/0)throw(i=new
... Error("MediaSource.addSeekableRange() can only be invoked when the duration
... is
... Infinity"))).name="InvalidStateError",i.code=11,i;(e>this.nativeMediaSource_
... duration||isNaN(this.nativeMediaSource_.duration))&&(this.nativeMediaSource
... .duration=e)}},{key:"addSourceBuffer",value:function(t){var r,e,i=void
... 0,n=(r={type:"",parameters:{}},e=t.trim().split(";"),r.type=e.shift().trim(
... ,e.forEach(function(t){var e=t.trim().split("=");if(1<e.length){var
... i=e[0].replace("/"/g,"").trim(),n=e[1].replace("/"/g,"").trim();r.parameters[
... ]=n}}),r);if(/^(video|audio)\mp2t$/i.test(n.type)){var
... a=[];n.parameters&&n.parameters.codecs&&(a=n.parameters.codecs.split(","),a
... (a=dc(a)).filter(function(t){return
... gc(t)||yc(t)})),0===a.length&&(a=["avc1.4d400d","mp4a.40.2"]),i=new
... vc(this,a),0!==this.sourceBuffers.length&&(this.sourceBuffers[0].
... createRealSourceBuffers_(),i.createRealSourceBuffers_(),this.sourceBuffers[
... ].audioDisabled_!=0)}else
... i=this.nativeMediaSource_.addSourceBuffer(t);return
... this.sourceBuffers.push(i),i}}]),e(),bc=0;oa.mediaSources={};var
... Tc=function(t,e){var i=oa.mediaSources[t];if(!i)throw new Error("Media
... Source not found
... (Video.js)");i.trigger({type:"sourceopen",swfId:e}),Sc=function(){return!!
... .MediaSource&&!!v.MediaSource.isTypeSupported&&v.MediaSource.isTypeSupporte
... ('video/mp4;codecs="avc1.4d400d,mp4a.40.2"')},kc=function(){if(this.
... MediaSource={open:Tc,supportsNativeMediaSources:Sc},Sc())return new _c;thro
... new Error("Cannot use create a virtual MediaSource for this
... video");kc.open=Tc,kc.supportsNativeMediaSources=Sc;var
... wc={createObjectURL:function(t){var e=void 0;return t instanceof
... _c?(e=v.URL.createObjectURL(t.nativeMediaSource_),t.url_=e):t instanceof
... _c?(e="blob:vjs-media-source/"+bc,bc++,oa.mediaSources[e]=t,e):(e=v.URL.
... createObjectURL(t),t.url_=e)}};oa.MediaSource=kc,oa.URL=wc;var
... Cc=oa.EventTarget,Ec=oa.mergeOptions,Ac=function(t,e){for(var
... s=Ec(t,{duration:e.duration,minimumUpdatePeriod:e.minimumUpdatePeriod}),i=0
```

```
12... i<e.playlists.length;i++){var n=fl(s,e.playlists[i]);n&&(s=n)}return
... pl(e,function(t,e,i,n){if(t.playlists&& t.playlists.length){var
... r=t.playlists[0].uri,a=fl(s,t.playlists[0]);a&&((s=a).mediaGroups[e][i][n].
... playlists[0]=s.playlists[r])}},s),Lc=function(t){function
... a(t,e,i,n){al(this,a);var
... r=ul(this,(a.__proto__||Object.getPrototypeOf(a)).call(this));if(r.hls_=e,r
... withCredentials=i,!t)throw new Error("A non-empty playlist URL or playlist
... is required");return
... r.on("minimumUpdatePeriod",function(){r.refreshXml_()}),r.on("
... mediaupdatetimeout",function(){r.refreshMedia_()}),"string"===typeof
... t?(r.srcUrl=t,r.state="HAVE_NOTHING",ul(r)):(r.masterPlaylistLoader_=n,r.
... state="HAVE_METADATA",r.started=!0,r.media(t),v.setTimeout(function(){r.
... trigger("loadedmetadata")},0),r)}return
... ol(a,Cc),sl(a,[{key:"dispose",value:function(){this.stopRequest(),v.
... clearTimeout(this.mediaUpdateTimeout)},{key:"stopRequest",value:function()
... if(this.request){var
... t=this.request;this.request=null,t.onreadystatechange=null,t.abort()}}},{ke
... : "media",value:function(t){if(!t)return
... this.media_;if("HAVE_NOTHING"===this.state)throw new Error("Cannot switch
... media playlist from "+this.state);var e=this.state;if("string"===typeof
... t){if(!this.master.playlists[t])throw new Error("Unknown playlist URI:
... "+t);t=this.master.playlists[t]}var
... i=!this.media_|t.uri!==this.media_.uri;this.state="HAVE_METADATA",i&&(this
... media_&&this.trigger("mediachanging"),this.media_=t,this.refreshMedia_(),"
... HAVE_MASTER"!==e&&this.trigger("mediachange"))},{key:"pause",value:functio
... (){this.stopRequest(),"HAVE_NOTHING"===this.state&&(this.started=!1)}},{key
... "load",value:function(){this.started?this.trigger("loadedplaylist"):this.
... start()}},{key:"parseMasterXml",value:function(){var
... a=us(this.masterXml_,{manifestUri:this.srcUrl,clientOffset:this.
... clientOffset_});a.uri=this.srcUrl;for(var t=0;t<a.playlists.length;t++){var
... e="placeholder-uri-"+t;a.playlists[t].uri=e,a.playlists[e]=a.playlists[t]}
... return pl(a,function(t,e,i,n){if(t.playlists&&t.playlists.length){var
... r="placeholder-uri-"+e+"-"+i+"-"+n;t.playlists[0].uri=r,a.playlists[r]=t.
... playlists[0]}},ml(a),gl(a),a)},{key:"start",value:function(){var
... i=this;this.started=!0,this.request=this.hls_.xhr({uri:this.srcUrl,
... withCredentials:this.withCredentials},function(t,e){if(i.request){if(i.
... request=null,t)return i.error={status:e.status,message:"DASH playlist
... request error at URL:
... "+i.srcUrl,responseText:e.responseText,code:2},"HAVE_NOTHING"===i.state&&(i
... started=!1),i.trigger("error");i.masterXml_=e.responseText,e.responseHeader
... &&e.responseHeaders.date?i.masterLoaded_=Date.parse(e.responseHeaders.date)
... i.masterLoaded_=Date.now(),i.syncClientServerClock_(i.
... onClientServerClockSync_.bind(i))}})}, {key:"syncClientServerClock_",value:
... function(n){var r=this,a=ls(this.masterXml_);return
... null===a?(this.clientOffset_=this.masterLoaded_-Date.now(),n()):"DIRECT"===
... .method?(this.clientOffset_=a.value-Date.now(),n()):void(this.request=this.
... hls_.xhr({uri:rl(this.srcUrl,a.value),method:a.method,withCredentials:this.
... withCredentials},function(t,e){if(r.request){if(t)return
```

```
12... r.clientOffset_=r.masterLoaded_-Date.now(),n());var i=void
... 0;i="HEAD"===a.method?e.responseHeaders&&e.responseHeaders.date?Date.parse(
... .responseHeaders.date):r.masterLoaded_:Date.parse(e.responseText),r.
... clientOffset_=i-Date.now(),n()}}))}}},{key:"onClientServerClockSync_",value:
... function(){var
... t=this;this.master=this.parseMasterXml(),this.state="HAVE_MASTER",this.
... trigger("loadedplaylist"),this.media_||this.media(this.master.playlists[0])
... v.setTimeout(function(){t.trigger("loadedmetadata")},0),this.master.
... minimumUpdatePeriod&&v.setTimeout(function(){t.trigger("minimumUpdatePeriod
... )},this.master.minimumUpdatePeriod)}},{key:"refreshXml_",value:function(){
... var
... n=this;this.request=this.hls_.xhr({uri:this.srcUrl,withCredentials:this.
... withCredentials},function(t,e){if(n.request){if(n.request=null,t)return
... n.error={status:e.status,message:"DASH playlist request error at URL:
... "+n.srcUrl,responseText:e.responseText,code:2},"HAVE_NOTHING"===n.state&&(n
... started=!1),n.trigger("error");n.masterXml_=e.responseText;var
... i=n.parseMasterXml();n.master=Ac(n.master,i),v.setTimeout(function(){n.
... trigger("minimumUpdatePeriod")},n.master.minimumUpdatePeriod)}})},{key:"
... refreshMedia_",value:function(){var t=this,e=void 0,i=void
... 0;i=this.masterPlaylistLoader_(e=this.masterPlaylistLoader_.master,this.
... masterPlaylistLoader_.parseMasterXml()):(e=this.master,this.parseMasterXml(
... ));var
... n=Ac(e,i);n?(this.masterPlaylistLoader_?this.masterPlaylistLoader_.master=n
... this.master=n,this.media_=n.playlists[this.media_.uri]):this.trigger("
... playlistunchanged"),this.media().endList||(this.mediaUpdateTimeout=v.
... setTimeout(function(){t.trigger("mediaupdatetimeout")},y1(this.media(),!1n)
... ),this.trigger("loadedplaylist"))}],a}(),Oc=function(t){return
... oa.log.debug?oa.log.debug.bind(oa,"VHS:",t+">"):function(){}};function
... Pc(){}var Uc=function(){function
... r(t,e,i,n){al(this,r),this.callbacks_=[],this.pendingCallback_=null,this.
... timestampOffset_=0,this.mediaSource=t,this.processedAppend_=!1,this.type_=i
... this.mimeType_=e,this.logger_=Oc("SourceUpdater["+i+"]["+e+"]"),"closed"===
... .readyState?t.addEventListener("sourceopen",this.createSourceBuffer_.bind(
... this,e,n)):this.createSourceBuffer_(e,n)}return
... sl(r,[{key:"createSourceBuffer_",value:function(t,e){var
... i=this;this.sourceBuffer_=this.mediaSource.addSourceBuffer(t),this.logger_(
... created
... SourceBuffer"),e&&(e.trigger("sourcebufferadded"),this.mediaSource.
... sourceBuffers.length<2)?e.on("sourcebufferadded",function(){i.start_()}):
... this.start_()}},{key:"start_",value:function(){var
... e=this;this.started_=!0,this.onUpdateendCallback_=function(){var
... t=e.pendingCallback_;e.pendingCallback_=null,e.logger_("buffered
... ["+y1(e.buffered())+"]"),t&&t(),e.runCallback_()},this.sourceBuffer_.
... addEventListener("updateend",this.onUpdateendCallback_),this.runCallback_(
... )},{key:"abort",value:function(t){var
... e=this;this.processedAppend_&&this.queueCallback_(function(){e.sourceBuffer
... .abort()},t)}},{key:"appendBuffer",value:function(t,e){var
... i=this;this.processedAppend_=!0,this.queueCallback_(function(){i.
```

```

12... sourceBuffer_.appendBuffer(t)},e)}}},{key:"buffered",value:function(){return
... this.sourceBuffer_?this.sourceBuffer_.buffered:oa.createTimeRanges()}},{key
... "remove",value:function(t,e){var i=this,n=2<arguments.length&&void
... 0!==arguments[2]?arguments[2]:Pc;this.processedAppend_&&this.queueCallback_
... function(){i.logger_("remove ["+t+" =>
... "+e+"]"),i.sourceBuffer_.remove(t,e)},n)}}},{key:"updating",value:function()
... return!this.sourceBuffer_||this.sourceBuffer_.updating||this.
... pendingCallback_},{key:"timestampOffset",value:function(t){var
... e=this;return"undefined"!==typeof
... t&&(this.queueCallback_(function(){e.sourceBuffer_.timestampOffset=t}),this
... timestampOffset_=t),this.timestampOffset_},{key:"queueCallback_",value:
... function(t,e){this.callbacks_.push([t.bind(this),e]),this.runCallback_()}},
... key:"runCallback_",value:function(){var t=void
... 0;!this.updating()&&this.callbacks_.length&&this.started_&&(t=this.
... callbacks_.shift(),this.pendingCallback_=t[1],t[0]())}}},{key:"dispose",valu
... :function(){this.sourceBuffer_.removeEventListener("updateend",this.
... onUpdateendCallback_),this.sourceBuffer_&&"open"===this.mediaSource.
... readyState&&this.sourceBuffer_.abort()}}]),r}(),xc={GOAL_BUFFER_LENGTH:30,
... MAX_GOAL_BUFFER_LENGTH:60,GOAL_BUFFER_LENGTH_RATE:1,INITIAL_BANDWIDTH:
... 4194304,BANDWIDTH_VARIANCE:1.2,BUFFER_LOW_WATER_LINE:0,
... MAX_BUFFER_LOW_WATER_LINE:30,BUFFER_LOW_WATER_LINE_RATE:1},Ic=2,Dc=-101,Rc=
... 102,Mc=function(t){var e,i,n={};return
... t.byterange&&(n.Range=(e=t.byterange,i=e.offset+e.length-1,"bytes="+e.offse
... t+"-"+i)),n},Bc=function(t){t.forEach(function(t){t.abort()})},Nc=function(t
... e){return e.timedout?{status:e.status,message:"HLS request timed-out at URL
... "+e.uri,code:Dc,xhr:e}:e.aborted?{status:e.status,message:"HLS request
... aborted at URL: "+e.uri,code:Rc,xhr:e}:t?{status:e.status,message:"HLS
... request errored at URL: "+e.uri,code:Ic,xhr:e}:null},jc=function(s,o,u){var
... l=[],c=0;return
... function(t,e){if(t&&(Bc(s),l.push(t)),(c+=1)===s.length){if(e.
... endOfAllRequests=Date.now(),0<l.length){var i=l.reduce(function(t,e){return
... e.code>t.code?e:t});return u(i,e)}return
... e.encryptedBytes?(r=e,a=u,(n=o).addEventListener("message",function
... t(e){if(e.data.source===r.requestId){n.removeEventListener("message",t);var
... i=e.data.decrypted;return r.bytes=new
... Uint8Array(i.bytes,i.byteOffset,i.byteLength),a(null,r)}}),void
... n.postMessage(Fl({source:r.requestId,encrypted:r.encryptedBytes,key:r.key.
... bytes,iv:r.key.iv}),[r.encryptedBytes.buffer,r.key.bytes.buffer])):u(null,e
... )var n,r,a}},Fc=function(r,a){return function(t){var e,i,n;return
... r.stats=oa.mergeOptions(r.stats,(i=(e=t).target,(n={bandwidth:1/0,
... bytesReceived:0,roundTripTime:Date.now()-i.requestTime||0}).bytesReceived=e
... loaded,n.bandwidth=Math.floor(n.bytesReceived/n.roundTripTime*8*1e3),n)),!n
... stats.firstBytesReceivedAt&&r.stats.bytesReceived&&(r.stats.
... firstBytesReceivedAt=Date.now()),a(t,r)}},Vc=function(t,e,i,n,r,a,s){var
... o,u,l,c,h,d=[],p=jc(d,i,s);if(r.key){var
... f=t(oa.mergeOptions(e,{uri:r.key.resolvedUri,responseType:"arraybuffer"})),(
... =r,u=p,function(t,e){var i=e.response,n=Nc(t,e);if(n)return
... u(n,o);if(16!==i.byteLength)return u({status:e.status,message:"Invalid HLS

```

```
12... key at URL: "+e.uri,code:Ic,xhr:e},o);var r=new DataView(i);return
... o.key.bytes=new
... Uint32Array([r.getUint32(0),r.getUint32(4),r.getUint32(8),r.getUint32(12)])
... u(null,o));d.push(f)}if(r.map&&!r.map.bytes){var
... m=t(oa.mergeOptions(e,{uri:r.map.resolvedUri,responseType:"arraybuffer",
... headers:Mc(r.map)}),(l=r,c=n,h=p,function(t,e){var
... i=e.response,n=Nc(t,e);return
... n?h(n,l):0===i.byteLength?h({status:e.status,message:"Empty HLS segment
... content at URL: "+e.uri,code:Ic,xhr:e},l):(l.map.bytes=new
... Uint8Array(e.response),c.isInitialized()||c.init(),l.map.timescales=Qs.
... timescale(l.map.bytes),l.map.videoTrackIds=Qs.videoTrackIds(l.map.bytes),h(
... null,l))));d.push(m)}var
... g,y,v,_=t(oa.mergeOptions(e,{uri:r.resolvedUri,responseType:"arraybuffer",
... headers:Mc(r)}),(g=r,y=n,v=p,function(t,e){var
... i,n=e.response,r=Nc(t,e),a=void 0;return
... r?v(r,g):0===n.byteLength?v({status:e.status,message:"Empty HLS segment
... content at URL:
... "+e.uri,code:Ic,xhr:e},g):(g.stats={bandwidth:(i=e).bandwidth,bytesReceived:
... i.bytesReceived||0,roundTripTime:i.roundTripTime||0},g.key?g.encryptedBytes:
... new Uint8Array(e.response):g.bytes=new
... Uint8Array(e.response),g.map&&g.map.bytes&&(y.isInitialized()||y.init()),(a=
... .parse(g.bytes,g.map.videoTrackIds,g.map.timescales))&&a.captions&&(g.
... captionStreams=a.captionStreams,g.fmp4Captions=a.captions)),v(null,g))));
... return _.addEventListener("progress",Fc(r,a)),d.push(_),function(){return
... Bc(d)}},Hc=function(t,e){var i;return
... t&&(i=v.getComputedStyle(t))?i[e]:""},qc=function(t,n){var
... r=t.slice();t.sort(function(t,e){var i=n(t,e);return
... 0===i?r.indexOf(t)-r.indexOf(e):i}),zc=function(t,e){var i=void 0,n=void
... 0;return
... t.attributes.BANDWIDTH&&(i=t.attributes.BANDWIDTH),i=i||v.Number.MAX_VALUE,
... .attributes.BANDWIDTH&&(n=e.attributes.BANDWIDTH),i-(n=n||v.Number.MAX_VALU
... )},Wc=function(t,e,i){if(!t||!e)return!1;var n=i===t.segments.length;return
... t.endList&&"open"===e.readyState&&n},Gc=function(t){return"number"===typeof
... t&&isFinite(t)},Xc=function(t){function i(t){al(this,i);var
... e=ul(this,(i.__proto__||Object.getPrototypeOf(i)).call(this));if(!t)throw
... new TypeError("Initialization settings are required");if("function"!==typeof
... t.currentTime)throw new TypeError("No currentTime getter
... specified");if(!t.mediaSource)throw new TypeError("No MediaSource
... specified");return
... e.bandwidth=t.bandwidth,e.throughput={rate:0,count:0},e.roundTrip=NaN,e.
... resetStats_(),e.mediaIndex=null,e.hasPlayed_=t.hasPlayed,e.currentTime_=t.
... currentTime,e.seekable_=t.seekable,e.seeking_=t.seeking,e.duration_=t.
... duration,e.mediaSource_=t.mediaSource,e.hls_=t.hls,e.loaderType_=t.
... loaderType,e.startingMedia_=void
... 0,e.segmentMetadataTrack_=t.segmentMetadataTrack,e.goalBufferLength_=t.
... goalBufferLength,e.sourceType_=t.sourceType,e.inbandTextTracks_=t.
... inbandTextTracks,e.state_="INIT",e.checkBufferTimeout_=null,e.error_=void
... 0,e.currentTimeline_=-1,e.pendingSegment_=null,e.mimeType_=null,e.
```

```
12... sourceUpdater_=null,e.xhrOptions_=null,e.activeInitSegmentId_=null,e.  
... initSegments_={},e.captionParser_=new  
... Tu,e.decrypter_=t.decrypter,e.syncController_=t.syncController,e.syncPoint_  
... {segmentIndex:0,time:0},e.syncController_.on("syncinfoupdate",function(){  
... return  
... e.trigger("syncinfoupdate"))},e.mediaSource_.addEventListener("sourceopen",  
... function(){return  
... e.ended_!=1}),e.fetchAtBuffer_!=1,e.logger_=0c("SegmentLoader["+e.  
... loaderType_+"]"),Object.defineProperty(e,"state",{get:function(){return  
... this.state_},set:function(t){t!=this.state_&&(this.logger_(this.state_+" -  
... "+t),this.state_=t)}}),e)return  
... ol(i,oa.EventTarget),sl(i,[{key:"resetStats_",value:function(){this.  
... mediaBytesTransferred=0,this.mediaRequests=0,this.mediaRequestsAborted=0,  
... this.mediaRequestsTimedout=0,this.mediaRequestsErrored=0,this.  
... mediaTransferDuration=0,this.mediaSecondsLoaded=0}},{key:"dispose",value:  
... function(){this.state="DISPOSED",this.pause(),this.abort_(),this.  
... sourceUpdater_&&this.sourceUpdater_.dispose(),this.resetStats_(),this.  
... captionParser_.reset()}},{key:"abort",value:function(){"WAITING"===this.  
... state?(this.abort_(),this.state="READY",this.paused())||this.monitorBuffer_  
... ):this.pendingSegment_&&(this.pendingSegment_=null)}},{key:"abort_",value:  
... function(){this.pendingSegment_&&this.pendingSegment_.abortRequests(),this.  
... pendingSegment_=null}},{key:"error",value:function(t){return"undefined"!=  
... typeof  
... t&&(this.error_=t),this.pendingSegment_=null,this.error_}},{key:"endOfStrea  
... ",value:function(){this.ended_!=0,this.pause(),this.trigger("ended")}},  
... {key:"buffered_",value:function(){return  
... this.sourceUpdater_?this.sourceUpdater_.buffered():oa.createTimeRanges()}},  
... {key:"initSegment",value:function(t){var e=1<arguments.length&&void  
... 0!=arguments[1]&&arguments[1];if(!t)return null;var  
... i=vl(t),n=this.initSegments_[i];return  
... e&&!n&&t.bytes&&(this.initSegments_[i]=n={resolvedUri:t.resolvedUri,  
... byterange:t.byterange,bytes:t.bytes,timescales:t.timescales,videoTrackIds:t  
... videoTrackIds}),n||t}},  
... {key:"couldBeginLoading_",value:function(){return  
... this.playlist_&&(this.sourceUpdater_||this.mimeType_&&"INIT"===this.state)&  
... !this.paused()}},{key:"load",value:function(){if(this.monitorBuffer_  
... playlist_){if(this.syncController_.setDateTimeMapping(this.playlist_),  
... "INIT"===this.state&&this.couldBeginLoading_())return  
... this.init_();!this.couldBeginLoading_()||"READY"!==this.state&&"INIT"!==thi  
... .state||(this.state="READY")}}},{key:"init_",value:function(){return  
... this.state="READY",this.sourceUpdater_=new  
... Uc(this.mediaSource_,this.mimeType_,this.loaderType_,this.  
... sourceBufferEmitter_),this.resetEverything(),this.monitorBuffer_()}},  
... {key:"playlist",value:function(t){var e=1<arguments.length&&void  
... 0!=arguments[1]?arguments[1]:{};if(t){var  
... i=this.playlist_,n=this.pendingSegment_;this.playlist_=t,this.xhrOptions_=e  
... this.hasPlayed_()||(t.syncInfo={mediaSequence:t.mediaSequence,time:0});var  
... r=i?i.id:null;if(this.logger_("playlist update ["+r+" =>  
... "+t.id+"]"),this.trigger("syncinfoupdate"),"INIT"===this.state&&this.
```



```
12... couldBeginLoading_())return this.init_();if(i&&i.uri===t.uri){var
... a=t.mediaSequence-i.mediaSequence;this.logger_("live window shift
... ["+a+"]"),null!==this.mediaIndex&&(this.mediaIndex-=a),n&&(n.mediaIndex-=a,
... <=n.mediaIndex&&(n.segment=t.segments[n.mediaIndex])),this.syncController_.
... saveExpiredSegmentInfo(i,t)}else
... null!==this.mediaIndex&&this.resyncLoader()}}},{key:"pause",value:function(
... {this.checkBufferTimeout_&&(v.clearTimeout(this.checkBufferTimeout_),this.
... checkBufferTimeout_=null)}}},{key:"paused",value:function(){return
... null===this.checkBufferTimeout_}},{key:"mimeType",value:function(t,e){this.
... mimeType_||(this.mimeType_=t,this.sourceBufferEmitter_=e,"INIT"===this.stat
... &&this.couldBeginLoading_()&&this.init_())}},{key:"resetEverything",value:
... function(t){this.ended_=!1,this.resetLoader(),this.remove(0,this.duration_(
... ,t),this.captionParser_.clearAllCaptions(),this.trigger("reseteverything"))
... ,{key:"resetLoader",value:function(){this.fetchAtBuffer_=!1,this.
... resyncLoader()}},{key:"resyncLoader",value:function(){this.mediaIndex=null,
... this.syncPoint_=null,this.abort()}},{key:"remove",value:function(t,e,i){if(
... this.sourceUpdater_&&this.sourceUpdater_.remove(t,e,i),Kl(t,e,this.
... segmentMetadataTrack_),this.inbandTextTracks_)for(var n in
... this.inbandTextTracks_)Kl(t,e,this.inbandTextTracks_[n])}},{key:"
... monitorBuffer_",value:function(){this.checkBufferTimeout_&&v.clearTimeout(
... this.checkBufferTimeout_),this.checkBufferTimeout_=v.setTimeout(this.
... monitorBufferTick_.bind(this),1)}}},{key:"monitorBufferTick_",value:function
... }{"READY"===this.state&&this.fillBuffer_(),this.checkBufferTimeout_&&v.
... clearTimeout(this.checkBufferTimeout_),this.checkBufferTimeout_=v.setTimeou
... (this.monitorBufferTick_.bind(this),500)}}},{key:"fillBuffer_",value:functio
... (){if(!this.sourceUpdater_.updating()){this.syncPoint_||(this.syncPoint_=
... this.syncController_.getSyncPoint(this.playlist_,this.duration_(),this.
... currentTimeline_,this.currentTime_()));var
... t=this.checkBuffer_(this.buffered_(),this.playlist_,this.mediaIndex,this.
... hasPlayed_(),this.currentTime_(),this.syncPoint_);if(t)Wc(this.playlist_,
... this.mediaSource_,t.mediaIndex)?this.endOfStream():(t.mediaIndex!==this.
... playlist_.segments.length-1||"ended"!==this.mediaSource_.readyState||this.
... seeking_())&&(t.timeline!==this.currentTimeline_||null!==t.startOfSegment&
... t.startOfSegment<this.sourceUpdater_.timestampOffset())&&(this.
... syncController_.reset(),t.timestampOffset=t.startOfSegment,this.
... captionParser_.clearAllCaptions()),this.loadSegment_(t))}}},{key:"
... checkBuffer_",value:function(t,e,i,n,r,a){var s=0,o=void
... 0;t.length&&(s=t.end(t.length-1));var
... u=Math.max(0,s-r);if(!e.segments.length)return
... null;if(u>=this.goalBufferLength_())return null;if(!n&&1<=u)return
... null;if(null===a)return
... i=this.getSyncSegmentCandidate_(e),this.generateSegmentInfo_(e,i,null,!0);i
... (null!==i){var l=e.segments[i];return
... o=l&&l.end?l.end:s,this.generateSegmentInfo_(e,i+1,o,!1)}if(this.
... fetchAtBuffer_){var
... c=Dl.getMediaInfoForTime(e,s,a.segmentIndex,a.time);i=c.mediaIndex,o=c.
... startTime}else{var
... h=Dl.getMediaInfoForTime(e,r,a.segmentIndex,a.time);i=h.mediaIndex,o=h.
```

```
12... startTime}return
... this.generateSegmentInfo_(e,i,o,!1)}},{key:"getSyncSegmentCandidate_",value:
... function(t){var e=this;if(-1===this.currentTimeline_)return 0;var
... i=t.segments.map(function(t,e){return{timeline:t.timeline,segmentIndex:e}})
... filter(function(t){return t.timeline===e.currentTimeline_});return
... i.length?i[Math.min(i.length-1,1)].segmentIndex:Math.max(t.segments.length
... ,0)}},{key:"generateSegmentInfo_",value:function(t,e,i,n){if(e<0||e>=t.
... segments.length)return null;var
... r=t.segments[e];return{requestId:"segment-loader-"+Math.random(),uri:r.
... resolvedUri,mediaIndex:e,isSyncRequest:n,startOfSegment:i,playlist:t,bytes:
... null,encryptedBytes:null,timestampOffset:null,timeline:r.timeline,duration:
... .duration,segment:r}}},{key:"abortRequestEarly_",value:function(t){if(this.
... hls_.tech_.paused()||!this.xhrOptions_.timeout||!this.playlist_.attributes.
... BANDWIDTH)return!1;if(Date.now()-(t.firstBytesReceivedAt||Date.now())<1e3)
... return!1;var
... e=this.currentTime_(),i=t.bandwidth,n=this.pendingSegment_.duration,r=Dl.
... estimateSegmentRequestTime(n,i,this.playlist_,t.bytesReceived),a=function(t
... e){var i=2<arguments.length&&void
... 0!==arguments[2]?arguments[2]:1;return((t.length?t.end(t.length-1):0)-e)/i}
... this.buffered_(),e,this.hls_.tech_.playbackRate())-1;if(r<=a)return!1;var
... s=function(t){var
... e=t.master,i=t.currentTime,n=t.bandwidth,r=t.duration,a=t.segmentDuration,s
... t.timeUntilRebuffer,o=t.currentTimeline,u=t.syncController,l=e.playlists.
... filter(function(t){return!Dl.isIncompatible(t)}),c=l.filter(Dl.isEnabled);c
... length||(c=l.filter(function(t){return!Dl.isDisabled(t)}));var
... h=c.filter(Dl.hasAttribute.bind(null,"BANDWIDTH")).map(function(t){var
... e=u.getSyncPoint(t,r,o,i)?1:2;return{playlist:t,rebufferingImpact:Dl.
... estimateSegmentRequestTime(a,n,t)*e-s}},d=h.filter(function(t){return
... t.rebufferingImpact<=0});return qc(d,function(t,e){return
... zc(e.playlist,t.playlist)},d.length?d[0):(qc(h,function(t,e){return
... t.rebufferingImpact-e.rebufferingImpact}),h[0]||null)}({master:this.hls_.
... playlists.master,currentTime:e,bandwidth:i,duration:this.duration_(),
... segmentDuration:n,timeUntilRebuffer:a,currentTimeline:this.currentTimeline_
... syncController:this.syncController_});if(s){var
... o=r-a-s.rebufferingImpact,u=.5;return
... a<=zl&&(u=1),!s.playlist||s.playlist.uri===this.playlist_.uri||o<u?!1:(this
... bandwidth=s.playlist.attributes.BANDWIDTH*xc.BANDWIDTH_VARIANCE+1,this.abon
... (,this.trigger("earlyabort"),!0)}}},{key:"handleProgress_",value:function(
... ,e){this.pendingSegment_&&e.requestId===this.pendingSegment_.requestId&&!
... this.abortRequestEarly_(e.stats)&&this.trigger("progress")},{key:"
... loadSegment_",value:function(t){this.state="WAITING",this.pendingSegment_=t
... this.trimBackBuffer_(t),t.abortRequests=Vc(this.hls_.xhr,this.xhrOptions_,
... this.decrypter_,this.captionParser_,this.createSimplifiedSegmentObj_(t),thi
... .handleProgress_.bind(this),this.segmentRequestFinished_.bind(this))},{key
... "trimBackBuffer_",value:function(t){var
... e,i,n,r,a=(e=this.seekable_(),i=this.currentTime_(),n=this.playlist_.
... targetDuration||10,r=void
... 0,r=e.length&&0<e.start(0)&&e.start(0)<i?e.start(0):i-30,Math.min(r,i-n));0
```

```
12... a&&this.remove(0,a)}},{key:"createSimplifiedSegmentObj_",value:function(t){
... var
... e=t.segment,i={resolvedUri:e.resolvedUri,byterange:e.byterange,requestId:t.
... requestId};if(e.key){var n=e.key.iv||new
... Uint32Array([0,0,0,t.mediaIndex+t.playlist.mediaSequence]);i.key={
... resolvedUri:e.key.resolvedUri,iv:n}}return
... e.map&&(i.map=this.initSegment(e.map)),i},{key:"segmentRequestFinished_",
... value:function(t,e){if(this.mediaRequests+=1,e.stats&&(this.
... mediaBytesTransferred+=e.stats.bytesReceived,this.mediaTransferDuration+=e.
... stats.roundTripTime),this.pendingSegment_){if(e.requestId===this.
... pendingSegment_.requestId){if(t)return
... this.pendingSegment_=null,this.state="READY",t.code===Rc?void(this.
... mediaRequestsAborted+=1):(this.pause(),t.code===Dc?(this.
... mediaRequestsTimedout+=1,this.bandwidth=1,this.roundTrip=NaN,void
... this.trigger("bandwidthupdate")):(this.mediaRequestsErrored+=1,this.error(t
... ,void
... this.trigger("error")));this.bandwidth=e.stats.bandwidth,this.roundTrip=e.
... stats.roundTripTime,e.map&&(e.map=this.initSegment(e.map,!0)),this.
... processSegmentResponse_(e)}}else
... this.mediaRequestsAborted+=1}},{key:"processSegmentResponse_",value:functio
... (t){var
... e=this.pendingSegment_;e.bytes=t.bytes,t.map&&(e.segment.map.bytes=t.map.
... bytes),e.endOfAllRequests=t.endOfAllRequests,t.fmp4Captions&&(!function(t,e
... i){for(var n in i)if(!t[n]){e.trigger({type:"usage",name:"hls-608"});var
... r=e.textTracks().getTrackById(n);t[n]=r||e.addRemoteTextTrack({kind:"
... captions",id:n,label:n,!1).track}}(this.inbandTextTracks_,this.hls_.tech_,
... .captionStreams),function(t){var
... r=t.inbandTextTracks,e=t.captionArray,a=t.timestampOffset;if(e){var
... s=window.WebKitDataCue||window.VTTCue;e.forEach(function(t){var
... e=t.stream,i=t.startTime,n=t.endTime;r[e]&&(i+=a,n+=a,r[e].addCue(new
... s(i,n,t.text))}})}({inbandTextTracks:this.inbandTextTracks_,captionArray:t
... fmp4Captions,timestampOffset:0}),this.captionParser_.clearParsedCaptions())
... this.handleSegment_()}},{key:"handleSegment_",value:function(){var
... t=this;if(this.pendingSegment_){var
... e=this.pendingSegment_,i=e.segment,n=this.syncController_.probeSegmentInfo(
... );"undefined"===typeof
... this.startingMedia_&&(n.containsAudio||n.containsVideo)&&(this.
... startingMedia_={containsAudio:n.containsAudio,containsVideo:n.containsVideo
... });var
... r,a,s,o=(r=this.loaderType_,a=this.startingMedia_,s=n,"main"===r&&a&&s?s.
... containsAudio||s.containsVideo?a.containsVideo&&!s.containsVideo?"Only audi
... found in segment when we expected video. We can't switch to audio only from
... a stream that had video. To get rid of this message, please add codec
... information to the manifest.":!a.containsVideo&&s.containsVideo?"Video found
... in segment when we expected only audio. We can't switch to a stream with
... video from an audio only stream. To get rid of this message, please add
... codec information to the manifest.":null:"Neither audio nor video found in
... segment.":null);if(o)return
```

```
12... this.error({message:o,blacklistDuration:1/0}),void
... this.trigger("error");if(e.isSyncRequest)return
... this.trigger("syncinfoupdate"),this.pendingSegment_=null,void(this.state="
... READY");null!==e.timestampOffset&&e.timestampOffset!==this.sourceUpdater_.
... timestampOffset()&&(this.sourceUpdater_.timestampOffset(e.timestampOffset),
... this.trigger("timestampoffset"));var
... u,l,c,h,d,p,f,m,g,y,v,_=this.syncController_.mappingForTimeline(e.timeline)
... if(null!==_&&this.trigger({type:"segmenttimemapping",mapping:_}),this.state
... "APPENDING",i.map){var
... b=Vl(i.map);if(!this.activeInitSegmentId_||this.activeInitSegmentId_!==b){
... var
... T=this.initSegment(i.map);this.sourceUpdater_.appendBuffer(T.bytes,function
... ){t.activeInitSegmentId_=b}})e.byteLength=e.bytes.byteLength,"number"==
... typeof i.start&&"number"==typeof
... i.end?this.mediaSecondsLoaded+=i.end-i.start:this.mediaSecondsLoaded+=i.
... duration,this.logger_((l=(u=e).segment,c=l.start,h=l.end,d=u.playlist,p=d.
... mediaSequence,f=d.id,m=d.segments,g=void
... 0===m?[]:m,y=u.mediaIndex,v=u.timeline,["appending ["+y+"] of ["+p+",
... "+(p+g.length)+"] from playlist ["+f+"]","["+c+" => "+h+"] in timeline
... ["+v+"]").join("
... "))),this.sourceUpdater_.appendBuffer(e.bytes,this.handleUpdateEnd_.bind(
... this))}else
... this.state="READY"}},{key:"handleUpdateEnd_",value:function(){if(!this.
... pendingSegment_)return
... this.state="READY",void(this.paused()||this.monitorBuffer_());var
... t=this.pendingSegment_,e=t.segment,i=null!==this.mediaIndex;(this.
... pendingSegment_=null,this.recordThroughput_(t),this.addSegmentMetadataCue_(
... ),this.state="READY",this.mediaIndex=t.mediaIndex,this.fetchAtBuffer_!=0,
... this.currentTimeline_=t.timeline,this.trigger("syncinfoupdate"),e.end&&this
... currentTime_()-e.end>3*t.playlist.targetDuration)?this.resetEverything():(i
... &this.trigger("bandwidthupdate"),this.trigger("progress"),Wc(t.playlist,thi
... .mediaSource_,t.mediaIndex+1)&&this.endOfStream(),this.paused()||this.
... monitorBuffer_())},{key:"recordThroughput_",value:function(t){var
... e=this.throughput.rate,i=Date.now()-t.endOfAllRequests+1,n=Math.floor(t.
... byteLength/i*8*1e3);this.throughput.rate+=(n-e)/++this.throughput.count}},{
... key:"addSegmentMetadataCue_",value:function(t){if(this.segmentMetadataTrack
... ){var
... e=t.segment,i=e.start,n=e.end;if(Gc(i)&&Gc(n)){Kl(i,n,this.
... segmentMetadataTrack_);var
... r=v.WebKitDataCue||v.VTTCue,a={bandwidth:t.playlist.attributes.BANDWIDTH,
... resolution:t.playlist.attributes.RESOLUTION,codecs:t.playlist.attributes.
... CODECS,byteLength:t.byteLength,uri:t.uri,timeline:t.timeline,playlist:t.
... playlist.uri,start:i,end:n},s=new
... r(i,n,JSON.stringify(a));s.value=a,this.segmentMetadataTrack_.addCue(s)}}}
... ),i}(),Yc=function(t){return
... decodeURIComponent(escape(String.fromCharCode.apply(null,t)))},$c=new
... Uint8Array("\n\n".split("").map(function(t){return
... t.charCodeAt(0)})),Kc=function(t){function n(t){var
```

```
12... e=1<arguments.length&&void 0!==arguments[1]?arguments[1]:{};al(this,n);var
... i=ul(this,(n.__proto__||Object.getPrototypeOf(n)).call(this,t,e));return
... i.mediaSource_=null,i.subtitlesTrack_=null,i}return
... ol(n,Xc),sl(n,[{key:"buffered_",value:function(){if(!this.subtitlesTrack_|
... this.subtitlesTrack_.cues.length)return oa.createTimeRanges();var
... t=this.subtitlesTrack_.cues,e=t[0].startTime,i=t[t.length-1].startTime;
... return
... oa.createTimeRanges([[e,i]])}},{key:"initSegment",value:function(t){var
... e=1<arguments.length&&void 0!==arguments[1]&&arguments[1];if(!t)return
... null;var i=Vl(t),n=this.initSegments_[i];if(e&&!n&&t.bytes){var
... r=$c.byteLength+t.bytes.byteLength,a=new
... Uint8Array(r);a.set(t.bytes),a.set($c,t.bytes.byteLength),this.initSegments
... [i]=n={resolvedUri:t.resolvedUri,byterange:t.byterange,bytes:a}}return
... n||t}},{key:"couldBeginLoading_",value:function(){return
... this.playlist_&&this.subtitlesTrack_&&!this.paused()}},{key:"init_",value:
... function(){return
... this.state="READY",this.resetEverything(),this.monitorBuffer_()}},{key:"
... track",value:function(t){return"undefined"===typeof
... t||(this.subtitlesTrack_=t,"INIT"===this.state&&this.couldBeginLoading_()&&
... this.init_()),this.subtitlesTrack_}},{key:"remove",value:function(t,e){Kl(t
... e,this.subtitlesTrack_)}},{key:"fillBuffer_",value:function(){var
... t=this;this.syncPoint_|(this.syncPoint_=this.syncController_.getSyncPoint(
... this.playlist_,this.duration_(),this.currentTimeline_,this.currentTime_()))
... var
... e=this.checkBuffer_(this.buffered_(),this.playlist_,this.mediaIndex,this.
... hasPlayed_(),this.currentTime_(),this.syncPoint_);if(e=this.
... skipEmptySegments_(e)){if(null===this.syncController_.
... timestampOffsetForTimeline(e.timeline)){return
... this.syncController_.one("timestampoffset",function(){t.state="READY",t.
... paused()||t.monitorBuffer_()}),void(this.state="WAITING_ON_TIMELINE")}this.
... loadSegment_(e)}},{key:"skipEmptySegments_",value:function(t){for(;t&&t.
... segment.empty;)t=this.generateSegmentInfo_(t.playlist,t.mediaIndex+1,t.
... startOfSegment+t.duration,t.isSyncRequest);return
... t}},{key:"handleSegment_",value:function(){var
... e=this;if(this.pendingSegment_&&this.subtitlesTrack_){this.state="APPENDING
... ;var t=this.pendingSegment_,i=t.segment;if("function"!==typeof
... v.WebVTT&&this.subtitlesTrack_&&this.subtitlesTrack_.tech_){var
... n=function(){e.handleSegment_()};return
... this.state="WAITING_ON_VTTJS",this.subtitlesTrack_.tech_.one("vttjsloaded",
... ),void
... this.subtitlesTrack_.tech_.one("vttjserror",function(){e.subtitlesTrack_.
... tech_.off("vttjsloaded",n),e.error({message:"Error loading
... vtt.js"}),e.state="READY",e.pause(),e.trigger("error")})}i.requested=!0;try
... this.parseVTTcues_(t)}catch(t){return
... this.error({message:t.message}),this.state="READY",this.pause(),this.trigge
... ("error")}if(this.updateTimeMapping_(t,this.syncController_.timelines[t.
... timeline],this.playlist_),t.isSyncRequest)return
... this.trigger("syncinfoupdate"),this.pendingSegment_=null,void(this.state="
```

```

12... READY");t.byteLength=t.bytes.byteLength,this.mediaSecondsLoaded+=i.duration
... t.cues.length&&this.remove(t.cues[0].endTime,t.cues[t.cues.length-1].endTim
... ),t.cues.forEach(function(t){e.subtitlesTrack_.addCue(t)}),this.
... handleUpdateEnd_()}else
... this.state="READY"}},{key:"parseVTTcues_",value:function(e){var t=void
... 0,i=!1;"function"==typeof v.TextDecoder?t=new
... v.TextDecoder("utf8):(t=v.WebVTT.StringDecoder(),i=!0);var n=new
... v.WebVTT.Parser(v,v.vttjs,t);if(e.cues=[],e.timestampmap={MPEGTS:0,LOCAL:0}
... n.oncue=e.cues.push.bind(e.cues),n.ontimestampmap=function(t){return
... e.timestampmap=t},n.onparsingerror=function(t){oa.log.warn("Error
... encountered when parsing cues: "+t.message)},e.segment.map){var
... r=e.segment.map.bytes;i&&(r=Yc(r)),n.parse(r)}var
... a=e.bytes;i&&(a=Yc(a)),n.parse(a),n.flush()}},{key:"updateTimeMapping_",
... value:function(t,e,i){var n=t.segment;if(e)if(t.cues.length){var
... r=t.timestampmap,a=r.MPEGTS/9e4-r.LOCAL+e.mapping;if(t.cues.forEach(function
... (t){t.startTime+=a,t.endTime+=a}),!i.syncInfo){var
... s=t.cues[0].startTime,o=t.cues[t.cues.length-1].startTime;i.syncInfo={
... mediaSequence:i.mediaSequence+t.mediaIndex,time:Math.min(s,o-n.duration)}}}
... else n.empty=!0}}]),n},Qc=function(t,e){for(var
... i=t.cues,n=0;n<i.length;n++){var
... r=i[n];if(e>=r.adStartTime&&e<=r.adEndTime)return r}return
... null},Jc=Yu,Zc=[{name:"VOD",run:function(t,e,i,n,r){if(i===1/0)return
... null;return{time:0,segmentIndex:0}}},{name:"ProgramDateTime",run:function(t
... e,i,n,r){if(!t.datetimeToDisplayTime)return null;var
... a=e.segments||[],s=null,o=null;r=r||0;for(var u=0;u<a.length;u++){var
... l=a[u];if(l.dateTimeObject){var
... c=l.dateTimeObject.getTime()/1e3+t.datetimeToDisplayTime,h=Math.abs(r-c);if
... null!==(o&&o<h)break;o=h,s={time:c,segmentIndex:u}}return
... s}},{name:"Segment",run:function(t,e,i,n,r){var
... a=e.segments||[],s=null,o=null;r=r||0;for(var u=0;u<a.length;u++){var
... l=a[u];if(l.timeline===n&&"undefined"!=typeof l.start){var
... c=Math.abs(r-l.start);if(null!==(o&&o<c)break;(!s||null===o||c<=o)&&(o=c,s={
... time:l.start,segmentIndex:u}})}return
... s}},{name:"Discontinuity",run:function(t,e,i,n,r){var
... a=null;if(r=r||0,e.discontinuityStarts&&e.discontinuityStarts.length)for(va
... s=null,o=0;o<e.discontinuityStarts.length;o++){var
... u=e.discontinuityStarts[o],l=e.discontinuitySequence+o+1,c=t.discontinuitie
... [l];if(c){var
... h=Math.abs(r-c.time);if(null!==(s&&s<h)break;(!a||null===s||h<=s)&&(s=h,a={
... time:c.time,segmentIndex:u}})}return
... a}},{name:"Playlist",run:function(t,e,i,n,r){return
... e.syncInfo?{time:e.syncInfo.time,segmentIndex:e.syncInfo.mediaSequence-e.
... mediaSequence}:null}},th=function(t){function e(){al(this,e);var
... t=ul(this,(e.__proto__||Object.getPrototypeOf(e)).call(this));return
... t.inspectCache_=void
... 0,t.timelines=[],t.discontinuities=[],t.datetimeToDisplayTime=null,t.logger
... =Oc("SyncController"),t}return
... ol(e,oa.EventTarget),sl(e,[{key:"getSyncPoint",value:function(t,e,i,n){var

```

```
12... r=this.runStrategies_(t,e,i,n);return
... r.length?this.selectSyncPoint_(r,{key:"time",value:n}:null}},{key:"
... getExpiredTime",value:function(t,e){if(!t||!t.segments)return null;var
... i=this.runStrategies_(t,e,t.discontinuitySequence,0);if(!i.length)return
... null;var n=this.selectSyncPoint_(i,{key:"segmentIndex",value:0});return
... 0<n.segmentIndex&&(n.time*=-1),Math.abs(n.time+S1(t,n.segmentIndex,0))}},{
... key:"runStrategies_",value:function(t,e,i,n){for(var
... r=[],a=0;a<Zc.length;a++){var
... s=Zc[a],o=s.run(this,t,e,i,n);o&&(o.strategy=s.name,r.push({strategy:s.name
... syncPoint:o}))}return
... r}},{key:"selectSyncPoint_",value:function(t,e){for(var
... i=t[0].syncPoint,n=Math.abs(t[0].syncPoint[e.key]-e.value),r=t[0].strategy,
... =1;a<t.length;a++){var
... s=Math.abs(t[a].syncPoint[e.key]-e.value);s<n&&(n=s,i=t[a].syncPoint,r=t[a]
... strategy)}return this.logger_("syncPoint for ["+e.key+": "+e.value+"] chose
... with strategy ["+r+": [time:"+i.time+",
... segmentIndex:"+i.segmentIndex+"]"),i}},{key:"saveExpiredSegmentInfo",value:
... function(t,e){for(var i=e.mediaSequence-t.mediaSequence-1;0<=i;i--){var
... n=t.segments[i];if(n&&"undefined"!==typeof
... n.start){e.syncInfo={mediaSequence:t.mediaSequence+i,time:n.start},this.
... logger_("playlist refresh sync: [time:"+e.syncInfo.time+", mediaSequence:
... "+e.syncInfo.mediaSequence+"]"),this.trigger("syncinfoupdate");break}}}},{
... key:"setDateTimeMapping",value:function(t){if(!this.datetimeToDisplayTime&&
... .segments&&t.segments.length&&t.segments[0].dateTimeObject){var
... e=t.segments[0].dateTimeObject.getTime()/1e3;this.datetimeToDisplayTime=-e
... },{key:"reset",value:function(){this.inspectCache_=void
... 0}},{key:"probeSegmentInfo",value:function(t){var
... e=t.segment,i=t.playlist,n=void
... 0;return(n=e.map?this.probeMp4Segment_(t):this.probeTsSegment_(t))&&this.
... calculateSegmentTimeMapping_(t,n)&&(this.saveDiscontinuitySyncInfo_(t),i.
... syncInfo||(i.syncInfo={mediaSequence:i.mediaSequence+t.mediaIndex,time:e.
... start})),n)},{key:"probeMp4Segment_",value:function(t){var
... e=t.segment,i=Qs.timescale(e.map.bytes),n=Qs.startTime(i,t.bytes);return
... null!==t.timestampOffset&&(t.timestampOffset-=n),{start:n,end:n+e.duration}
... },{key:"probeTsSegment_",value:function(t){var
... e=Jc(t.bytes,this.inspectCache_),i=void 0,n=void 0;return
... e?(e.video&&2===e.video.length?(this.inspectCache_=e.video[1].dts,i=e.video
... [0].dtsTime,n=e.video[1].dtsTime):e.audio&&2===e.audio.length&&(this.
... inspectCache_=e.audio[1].dts,i=e.audio[0].dtsTime,n=e.audio[1].dtsTime),{
... start:i,end:n,containsVideo:e.video&&2===e.video.length,containsAudio:e.
... audio&&2===e.audio.length}:null}},{key:"timestampOffsetForTimeline",value:
... function(t){return"undefined"===typeof
... this.timelines[t]?null:this.timelines[t].time}},{key:"mappingForTimeline",
... value:function(t){return"undefined"===typeof
... this.timelines[t]?null:this.timelines[t].mapping}},{key:"
... calculateSegmentTimeMapping_",value:function(t,e){var
... i=t.segment,n=this.timelines[t.timeline];if(null!==t.timestampOffset)n={tim
... :t.startOfSegment,mapping:t.startOfSegment-e.start},this.timelines[t.
```

```
12... timeline]=n,this.trigger("timestampoffset"),this.logger_("time mapping for
... timeline "+t.timeline+": [time: "+n.time+"] [mapping:
... "+n.mapping+"]"),i.start=t.startOfSegment,i.end=e.end+n.mapping;else{if(!n)
... return!1;i.start=e.start+n.mapping,i.end=e.end+n.mapping}return!0}},{key:"
... saveDiscontinuitySyncInfo_",value:function(t){var
... e=t.playlist,i=t.segment;if(i.discontinuity)this.discontinuities[i.timeline
... ={time:i.start,accuracy:0};else
... if(e.discontinuityStarts&&e.discontinuityStarts.length)for(var
... n=0;n<e.discontinuityStarts.length;n++){var
... r=e.discontinuityStarts[n],a=e.discontinuitySequence+n+1,s=r-t.mediaIndex,o
... Math.abs(s);if(!this.discontinuities[a]||this.discontinuities[a].accuracy>o
... {var u=void
... 0;u=s<0?i.start-Sl(e,t.mediaIndex,r):i.end+Sl(e,t.mediaIndex+1,r),this.
... discontinuities[a]={time:u,accuracy:o}}}}}),e()),eh=new
... ac("./decrypter-worker.worker.js",function(t,e){var
... h,i,d,g,n,l,y,s,r=this;h=function(t,e){if(!(t instanceof e))throw new
... TypeError("Cannot call a class as a function")},i=function(){function
... n(t,e){for(var i=0;i<e.length;i++){var
... n=e[i];n.enumerable=n.enumerable||!1,n.configurable=!0,"value"in
... n&&(n.writable=!0),Object.defineProperty(t,n.key,n)}}return
... function(t,e,i){return
... e&&n(t.prototype,e),i&&n(t,i),t}}(),d=null,g=function(){function
... c(t){h(this,c),d||(d=function(){var
... t=[[[],[],[],[],[]],[[],[],[],[],[]],e=t[0],i=t[1],n=e[4],r=i[4],a=void
... 0,s=void 0,o=void 0,u=[],l=[],c=void 0,h=void 0,d=void 0,p=void 0,f=void
... 0;for(a=0;a<256;a++)l[(u[a]=a<<1^283*(a>>7))^a]=a;for(s=0;!n[s];s^=c||1,o
... l[o]||1)for(d=(d=o^o<<1^o<<2^o<<3^o<<4)>>8^255&d^99,f=16843009*u[h=u[c=u[r[
... [s]=d]=s]])^65537*h^257*c^16843008*s,p=257*u[d]^16843008*d,a=0;a<4;a++)e[a]
... s]=p=p<<24^p>>>8,i[a][d]=f=f<<24^f>>>8;for(a=0;a<5;a++)e[a]=e[a].slice(0),i
... a]=i[a].slice(0);return
... t}}()),this._tables=[[d[0][0].slice(),d[0][1].slice(),d[0][2].slice(),d[0][3]
... .slice(),d[0][4].slice()),[d[1][0].slice(),d[1][1].slice(),d[1][2].slice(),
... [1][3].slice(),d[1][4].slice()]];var e=void 0,i=void 0,n=void 0,r=void
... 0,a=void
... 0,s=this._tables[0][4],o=this._tables[1],u=t.length,l=1;if(4!==u&&6!==u&&8!
... =u)throw new Error("Invalid aes key
... size");for(r=t.slice(0),a=[],this._key=[r,a],e=u;e<4*u+28;e++)n=r[e-1],(e%u
... =0||8===u&&e%u==4)&&(n=s[n>>24]<<24^s[n>>16&255]<<16^s[n>>8&255]<<8^s[255&
... ],e%u==0&&(n=n<<8^n>>>24^l<<24,l=l<<1^283*(l>>7))),r[e]=r[e-u]^n;for(i=0;e;
... ++,e--)n=r[3&i?e:e-4],a[i]=e<=4||i<4?n:o[0][s[n>>24]]^o[1][s[n>>16&255]]^o
... 2][s[n>>8&255]]^o[3][s[255&n]}}return
... c.prototype.decrypt=function(t,e,i,n,r,a){var
... s=this._key[1],o=t^s[0],u=n^s[1],l=i^s[2],c=e^s[3],h=void 0,d=void 0,p=void
... 0,f=s.length/4-2,m=void
... 0,g=4,y=this._tables[1],v=y[0],_y=y[1],b=y[2],T=y[3],S=y[4];for(m=0;m<f;m++)
... =v[o>>>24]^_[u>>16&255]^b[l>>8&255]^T[255&c]^s[g],d=v[u>>>24]^_[l>>16&255]^
... [c>>8&255]^T[255&o]^s[g+1],p=v[l>>>24]^_[c>>16&255]^b[o>>8&255]^T[255&u]^s[
... +2],c=v[c>>>24]^_[o>>16&255]^b[u>>8&255]^T[255&l]^s[g+3],g+=4,o=h,u=d,l=p;
```



```
12... for(m=0;m<4;m++)r[(3&-m)+a]=S[o>>>24]<<24^S[u>>16&255]<<16^S[l>>8&255]<<8^S
... 255&c]^s[g++],h=o,o=u,u=l,l=c,c=h},c}(),n=function(){function
... t(){h(this,t),this.listeners={}}return
... t.prototype.on=function(t,e){this.listeners[t]||(this.listeners[t]=[]),this
... listeners[t].push(e)},t.prototype.off=function(t,e){if(!this.listeners[t])
... return!1;var i=this.listeners[t].indexOf(e);return
... this.listeners[t].splice(i,1),-1<i},t.prototype.trigger=function(t){var
... e=this.listeners[t];if(e)if(2===arguments.length)for(var
... i=e.length,n=0;n<i;++n)e[n].call(this,arguments[1]);else for(var
... r=Array.prototype.slice.call(arguments,1),a=e.length,s=0;s<a;++s)e[s].apply
... this,r)},t.prototype.dispose=function(){this.listeners={}},t.prototype.pipe
... function(e){this.on("data",function(t){e.push(t)}),t}(),l=function(e){
... function i(){h(this,i);var t=function(t,e){if(!t)throw new
... ReferenceError("this hasn't been initialised - super() hasn't been
... called");return!e||"object"!==typeof e&&"function"!==typeof
... e?t:e}(this,e.call(this,n));return
... t.jobs=[],t.delay=1,t.timeout_=null,t}return
... function(t,e){if("function"!==typeof e&&null!==e)throw new TypeError("Super
... expression must either be null or a function, not "+typeof
... e);t.prototype=Object.create(e&&e.prototype,{constructor:{value:t,enumerabl
... :!1,writable:!0,configurable:!0}}),e&&(Object.setPrototypeOf?Object.
... setPrototypeOf(t,e):t.__proto__=e)}(i,e),i.prototype.processJob_=function()
... this.jobs.shift()(),this.jobs.length?this.timeout_=setTimeout(this.
... processJob_.bind(this),this.delay):this.timeout_=null},i.prototype.push=
... function(t){this.jobs.push(t),this.timeout_||(this.timeout_=setTimeout(this
... processJob_.bind(this),this.delay))},i}(n),y=function(t){return
... t<<24|(65280&t)<<8|(16711680&t)>>8|t>>>24},s=function(){function
... u(t,e,i,n){h(this,u);var r=u.STEP,a=new Int32Array(t.buffer),s=new
... Uint8Array(t.byteLength),o=0;for(this.asyncStream_=new
... l,this.asyncStream_.push(this.decryptChunk_(a.subarray(o,o+r),e,i,s)),o=r;o
... a.length;o+=r)i=new
... Uint32Array([y(a[o-4]),y(a[o-3]),y(a[o-2]),y(a[o-1])]),this.asyncStream_.
... push(this.decryptChunk_(a.subarray(o,o+r),e,i,s));this.asyncStream_.push(
... function(){var
... t;n(null,(t=s).subarray(0,t.byteLength-t[t.byteLength-1]))}})return
... u.prototype.decryptChunk_=function(e,i,n,r){return function(){var
... t=function(t,e,i){var n=new
... Int32Array(t.buffer,t.byteOffset,t.byteLength>>2),r=new
... g(Array.prototype.slice.call(e)),a=new Uint8Array(t.byteLength),s=new
... Int32Array(a.buffer),o=void 0,u=void 0,l=void 0,c=void 0,h=void 0,d=void
... 0,p=void 0,f=void 0,m=void
... 0;for(o=i[0],u=i[1],l=i[2],c=i[3],m=0;m<n.length;m+=4)h=y(n[m]),d=y(n[m+1])
... p=y(n[m+2]),f=y(n[m+3]),r.decrypt(h,d,p,f,s,m),s[m]=y(s[m]^o),s[m+1]=y(s[m+
... ]^u),s[m+2]=y(s[m+2]^l),s[m+3]=y(s[m+3]^c),o=h,u=d,l=p,c=f;return
... a}(e,i,n);r.set(t,e.byteOffset)}},i(u,null,[{key:"STEP",get:function(){
... return 32e3}}]),u}(),new function(a){a.onmessage=function(t){var
... r=t.data,e=new
... Uint8Array(r.encrypted.bytes,r.encrypted.byteOffset,r.encrypted.byteLength)
```

```
12... i=new Uint32Array(r.key.bytes,r.key.byteOffset,r.key.byteLength/4),n=new
... Uint32Array(r.iv.bytes,r.iv.byteOffset,r.iv.byteLength/4);new
... s(e,i,n,function(t,e){var
... i,n;a.postMessage((i={source:r.source,decrypted:e},n={},Object.keys(i).
... forEach(function(t){var
... e=i[t];ArrayBuffer.isView(e)?n[t]={bytes:e.buffer,byteOffset:e.byteOffset,
... byteLength:e.byteLength}:n[t]=e)),n),[e.buffer]))}(r)),ih=function(t,e){
... .abort(),t.pause(),e&&e.activePlaylistLoader&&(e.activePlaylistLoader.pause
... ),e.activePlaylistLoader=null)},nh=function(t,e){(e.activePlaylistLoader=t)
... load()},rh={AUDIO:function(u,l){return function(){var
... t=l.segmentLoaders[u],e=l.mediaTypes[u],i=l.blacklistCurrentPlaylist;ih(t,e
... ;var n=e.activeTrack(),r=e.activeGroup(),a=(r.filter(function(t){return
... t.default})[0]||r[0]).id,s=e.tracks[a];if(n!==s){for(var o in
... oa.log.warn("Problem encountered loading the alternate audio track.Switchin
... back to
... default."),e.tracks)e.tracks[o].enabled=e.tracks[o]===s;e.onTrackChanged()}
... else i({message:"Problem encountered loading the default audio
... track."})}},SUBTITLES:function(n,r){return function(){var
... t=r.segmentLoaders[n],e=r.mediaTypes[n];oa.log.warn("Problem encountered
... loading the subtitle track.Disabling subtitle track."),ih(t,e);var
... i=e.activeTrack();i&&(i.mode="disabled"),e.onTrackChanged()}}},ah={AUDIO:
... function(t,e,i){if(e){var
... n=i.tech,r=i.requestOptions,a=i.segmentLoaders[t];e.on("loadedmetadata",
... function(){var
... t=e.media();a.playlist(t,r),(!n.paused()||t.endList&&"none"!==n.preload())&
... a.load()}),e.on("loadedplaylist",function(){a.playlist(e.media(),r),n.pause
... ()||a.load()}),e.on("error",rh[t](t,i))}},SUBTITLES:function(t,e,i){var
... n=i.tech,r=i.requestOptions,a=i.segmentLoaders[t],s=i.mediaTypes[t];e.on("
... loadedmetadata",function(){var
... t=e.media();a.playlist(t,r),a.track(s.activeTrack()),(!n.paused()||t.endLis
... &&"none"!==n.preload())&&a.load()}),e.on("loadedplaylist",function(){a.
... playlist(e.media(),r),n.paused()||a.load()}),e.on("error",rh[t](t,i))}},sh=
... function(e,i){return function(t){return
... t.attributes[e]===i}},oh=function(e){return function(t){return
... t.resolvedUri===e}},uh={AUDIO:function(t,e){var
... i,n,r=e.hls,a=e.sourceType,s=e.segmentLoaders[t],o=e.requestOptions.
... withCredentials,u=e.master,l=u.mediaGroups,c=u.playlists,h=e.mediaTypes[t],
... =h.groups,p=h.tracks,f=e.masterPlaylistLoader;for(var m in
... l[t]&&!Object.keys(l[t]).length||(l[t]={main:{default:{default:!0}}}),l[
... ]){d[m]||(d[m]=[]);var g=c.filter(sh(t,m));for(var y in l[t][m]){var
... v=l[t][m][y];g.filter(oh(v.resolvedUri)).length&&delete v.resolvedUri;var
... _=void 0;if(_=v.resolvedUri?new
... vl(v.resolvedUri,r,o):v.playlists&&"dash"===a?new
... Lc(v.playlists[0],r,o,f):null,v=oa.mergeOptions({id:y,playlistLoader:_},v),
... ah[t](t,v.playlistLoader,e),d[m].push(v),"undefined"===typeof p[y]){var b=ne
... oa.AudioTrack({id:y,kind:(i=v,n=void
... 0,n=i.default?"main":"alternative",i.characteristics&&0<=i.characteristics.
... indexOf("public.accessibility.describes-video")&&(n="main-desc"),n),enabled
```

```
12... !1,language:v.language,default:v.default,label:y});p[y]=b}}s.on("error",rh[t]
... t](t,e)),SUBTITLES:function(t,e){var
... i=e.tech,n=e.hls,r=e.sourceType,a=e.segmentLoaders[t],s=e.requestOptions.
... withCredentials,o=e.master.mediaGroups,u=e.mediaTypes[t],l=u.groups,c=u.
... tracks,h=e.masterPlaylistLoader;for(var d in o[t])for(var p in
... l[d]||(l[d]=[]),o[t][d])if(!o[t][d][p].forced){var f=o[t][d][p],m=void
... 0;if("hls"===r?m=new vl(f.resolvedUri,n,s):"dash"===r&&(m=new
... Lc(f.playlists[0],n,s,h)),f=oa.mergeOptions({id:p,playlistLoader:m},f),ah[t]
... (t,f.playlistLoader,e),l[d].push(f),"undefined"===typeof c[p]){var
... g=i.addRemoteTextTrack({id:p,kind:"subtitles",default:f.default&&f.
... autoselect,language:f.language,label:p},!1).track;c[p]=g}}a.on("error",rh[t]
... (t,e)), "CLOSED-CAPTIONS":function(t,e){var
... i=e.tech,n=e.master.mediaGroups,r=e.mediaTypes[t],a=r.groups,s=r.tracks;for
... var o in n[t])for(var u in a[o]||(a[o]=[]),n[t][o]){var
... l=n[t][o][u];if(l.instreamId.match(/CC\d/)&&(a[o].push(oa.mergeOptions({id:
... },l)), "undefined"===typeof s[u])){var
... c=i.addRemoteTextTrack({id:l.instreamId,kind:"captions",default:l.default&&
... .autoselect,language:l.language,label:u},!1).track;s[u]=c}}},lh={AUDIO:
... function(i,n){return function(){var t=n.mediaTypes[i].tracks;for(var e in
... t)if(t[e].enabled)return t[e];return null}},SUBTITLES:function(i,n){return
... function(){var t=n.mediaTypes[i].tracks;for(var e in
... t)if("showing"===t[e].mode)return t[e];return
... null}}},ch=function(e){["AUDIO","SUBTITLES","CLOSED-CAPTIONS"].forEach(
... function(t){uh[t](t,e)});var
... i=e.mediaTypes,t=e.masterPlaylistLoader,n=e.tech,r=e.hls;["AUDIO","SUBTITLE
... "].forEach(function(t){var
... a,s,o,u,l,c;i[t].activeGroup=(a=t,s=e,function(e){var
... t=s.masterPlaylistLoader,i=s.mediaTypes[a].groups,n=t.media();if(!n)return
... null;var r=null;return
... n.attributes[a]&&(r=i[n.attributes[a]]),r=r||i.main,"undefined"===typeof
... e?r:null===e?null:r.filter(function(t){return
... t.id===e.id}))[0]||null}),i[t].activeTrack=lh[t](t,e),i[t].onGroupChanged=(o
... t,u=e,function(){var
... t=u.segmentLoaders,e=t[o],i=t.main,n=u.mediaTypes[o],r=n.activeTrack(),a=n.
... activeGroup(r),s=n.activePlaylistLoader;ih(e,n),a&&(a.playlistLoader?(e.
... resyncLoader(),nh(a.playlistLoader,n)):s&&i.resetEverything()}),i[t].
... onTrackChanged=(l=t,c=e,function(){var
... t=c.segmentLoaders,e=t[l],i=t.main,n=c.mediaTypes[l],r=n.activeTrack(),a=n.
... activeGroup(r),s=n.activePlaylistLoader;ih(e,n),a&&(a.playlistLoader?(s!==a
... playlistLoader&&(e.track&&e.track(r),e.resetEverything()),nh(a.
... playlistLoader,n)):i.resetEverything()}))));var
... a=i.AUDIO.activeGroup(),s=(a.filter(function(t){return
... t.default}))[0]||a[0]).id;i.AUDIO.tracks[s].enabled=!0,i.AUDIO.onTrackChange
... (),t.on("mediachange",function(){["AUDIO","SUBTITLES"].forEach(function(t){
... return i[t].onGroupChanged()}));var
... o=function(){i.AUDIO.onTrackChanged(),n.trigger({type:"usage",name:"hls-
... audio-change"})};for(var u in
... n.audioTracks().addEventListener("change",o),n.remoteTextTracks().
```

```
12... addEventListener("change",i.SUBTITLES.onTrackChanged),r.on("dispose",
... function(){n.audioTracks().removeEventListener("change",o),n.
... remoteTextTracks().removeEventListener("change",i.SUBTITLES.onTrackChanged)
... ),n.clearTracks("audio"),i.AUDIO.tracks)n.audioTracks().addTrack(i.AUDIO.
... tracks[u]}},hh=void
... 0,dh=["mediaRequests","mediaRequestsAborted","mediaRequestsTimedout","
... mediaRequestsErrored","mediaTransferDuration","mediaBytesTransferred"],ph=
... function(t){function f(t){al(this,f);var
... e,i=ul(this,(f.__proto__||Object.getPrototypeOf(f)).call(this)),n=t.url,r=t
... withCredentials,a=t.tech,s=t.bandwidth,o=t.externHls,u=t.useCueTags,l=t.
... blacklistDuration,c=t.enableLowInitialPlaylist,h=t.sourceType,d=t.seekTo;if
... !n)throw new Error("A non-empty playlist URL is
... required");hh=o,i.withCredentials=r,i.tech_=a,i.hls_=a.hls,i.seekTo_=d,i.
... sourceType_=h,i.useCueTags_=u,i.blacklistDuration=l,i.
... enableLowInitialPlaylist=c,i.useCueTags_&&(i.cueTagsTrack_=i.tech_.
... addTextTrack("metadata","ad-cues"),i.cueTagsTrack_.
... inBandMetadataTrackDispatchType=""),i.requestOptions_={withCredentials:i.
... withCredentials,timeout:null},i.mediaTypes_=(e={},["AUDIO","SUBTITLES","
... CLOSED-CAPTIONS"].forEach(function(t){e[t]={groups:{},tracks:{},
... activePlaylistLoader:null,activeGroup:Pc,activeTrack:Pc,onGroupChanged:Pc,
... onTrackChanged:Pc}}),e),i.mediaSource=new
... oa.MediaSource,i.mediaSource.addEventListener("sourceopen",i.
... handleSourceOpen_.bind(i)),i.seekable_=oa.createTimeRanges(),i.hasPlayed_=
... function(){return!1},i.syncController_=new
... th(t),i.segmentMetadataTrack_=a.addRemoteTextTrack({kind:"metadata",label:"
... segment-metadata"},!1).track,i.decrypter_=new eh,i.inbandTextTracks_={};var
... p={hls:i.hls_,mediaSource:i.mediaSource,currentTime:i.tech_.currentTime.bin
... (i.tech_),seekable:function(){return i.seekable()},seeking:function(){return
... i.tech_.seeking()},duration:function(){return
... i.mediaSource.duration},hasPlayed:function(){return
... i.hasPlayed_()},goalBufferLength:function(){return
... i.goalBufferLength()},bandwidth:s,syncController:i.syncController_,decrypte
... :i.decrypter_,sourceType:i.sourceType_,inbandTextTracks:i.inbandTextTracks_
... };return i.masterPlaylistLoader_="dash"===i.sourceType_?new
... Lc(n,i.hls_,i.withCredentials):new
... vl(n,i.hls_,i.withCredentials),i.setupMasterPlaylistLoaderListeners_(i.
... mainSegmentLoader_=new
... Xc(oa.mergeOptions(p,{segmentMetadataTrack:i.segmentMetadataTrack_,
... loaderType:"main"}),t),i.audioSegmentLoader_=new
... Xc(oa.mergeOptions(p,{loaderType:"audio"}),t),i.subtitleSegmentLoader_=new
... Kc(oa.mergeOptions(p,{loaderType:"vtt"}),t),i.setupSegmentLoaderListeners_(
... ,dh.forEach(function(t){i[t+"_"]=function(t){return
... this.audioSegmentLoader_[t]+this.mainSegmentLoader_[t]}).bind(i,t)}),i.
... logger_=Oc("MPC"),i.masterPlaylistLoader_.load(),i)return
... ol(f,oa.EventTarget),sl(f,[{key:"setupMasterPlaylistLoaderListeners_",value
... function(){var
... n=this;this.masterPlaylistLoader_.on("loadedmetadata",function(){var
... t=n.masterPlaylistLoader_.media(),e=1.5*n.masterPlaylistLoader_.
```

```
12... targetDuration*1e3;ll(n.masterPlaylistLoader_.master,n.masterPlaylistLoader
... .media())?n.requestOptions_.timeout=0:n.requestOptions_.timeout=e,t.endList
... &"none"!==n.tech_.preload()&&(n.mainSegmentLoader_.playlist(t,n.
... requestOptions_),n.mainSegmentLoader_.load()),ch({sourceType:n.sourceType_,
... segmentLoaders:{AUDIO:n.audioSegmentLoader_,SUBTITLES:n.
... subtitleSegmentLoader_,main:n.mainSegmentLoader_},tech:n.tech_,
... requestOptions:n.requestOptions_,masterPlaylistLoader:n.
... masterPlaylistLoader_,hls:n.hls_,master:n.master(),mediaTypes:n.mediaTypes_
... blacklistCurrentPlaylist:n.blacklistCurrentPlaylist.bind(n)}),n.
... triggerPresenceUsage_(n.master(),t);try{n.setupSourceBuffers_()}catch(t){
... return oa.log.warn("Failed to create
... SourceBuffers",t),n.mediaSource.endOfStream("decode")}n.setupFirstPlay(),n.
... trigger("selectedinitialmedia"))},this.masterPlaylistLoader_.on("
... loadedplaylist",function(){var
... t=n.masterPlaylistLoader_.media();if(!t){n.excludeUnsupportedVariants_();va
... e=void 0;return
... n.enableLowInitialPlaylist&&(e=n.selectInitialPlaylist()),e||(e=n.
... selectPlaylist()),n.initialMedia_=e,void
... n.masterPlaylistLoader_.media(n.initialMedia_)}if(n.useCueTags_&&n.
... updateAdCues_(t),n.mainSegmentLoader_.playlist(t,n.requestOptions_),n.
... updateDuration(),n.tech_.paused()||(n.mainSegmentLoader_.load(),n.
... audioSegmentLoader_&&n.audioSegmentLoader_.load()),!t.endList){var
... i=function(){var
... t=n.seekable();0!==t.length&&n.mediaSource.addSeekableRange_(t.start(0),t.
... end(0));if(n.duration()!==1/0){n.tech_.one("durationchange",function
... t(){n.duration()===1/0?i():n.tech_.one("durationchange",t)}})else
... i()}}),this.masterPlaylistLoader_.on("error",function(){n.
... blacklistCurrentPlaylist(n.masterPlaylistLoader_.error)}),this.
... masterPlaylistLoader_.on("mediachanging",function(){n.mainSegmentLoader_.
... abort(),n.mainSegmentLoader_.pause()}),this.masterPlaylistLoader_.on("
... mediachange",function(){var
... t=n.masterPlaylistLoader_.media(),e=1.5*n.masterPlaylistLoader_.
... targetDuration*1e3;ll(n.masterPlaylistLoader_.master,n.masterPlaylistLoader
... .media())?n.requestOptions_.timeout=0:n.requestOptions_.timeout=e,n.
... mainSegmentLoader_.playlist(t,n.requestOptions_),n.mainSegmentLoader_.load(
... ,n.tech_.trigger({type:"mediachange",bubbles:!0})),this.
... masterPlaylistLoader_.on("playlistunchanged",function(){var
... t=n.masterPlaylistLoader_.media();n.stuckAtPlaylistEnd_(t)&&(n.
... blacklistCurrentPlaylist({message:"Playlist no longer
... updating."}),n.tech_.trigger("playliststuck"))},this.masterPlaylistLoader_
... on("renditiondisabled",function(){n.tech_.trigger({type:"usage",name:"hls-
... rendition-disabled"})),this.masterPlaylistLoader_.on("renditionenabled",
... function(){n.tech_.trigger({type:"usage",name:"hls-rendition-enabled"}))}}
... {key:"triggerPresenceUsage_",value:function(t,e){var
... i=t.mediaGroups||{},n=!0,r=Object.keys(i.AUDIO);for(var a in i.AUDIO)for(va
... s in
... i.AUDIO[a]){i.AUDIO[a][s].uri||(n=!1)}n&&this.tech_.trigger({type:"usage",
... name:"hls-demuxed"}),Object.keys(i.SUBTITLES).length&&this.tech_.trigger({
```

```
12... type:"usage",name:"hls-webvtt"}),hh.Playlist.isAes(e)&&this.tech_.trigger({
... type:"usage",name:"hls-aes"}),hh.Playlist.isFmp4(e)&&this.tech_.trigger({
... type:"usage",name:"hls-fmp4"}),r.length&&1<Object.keys(i.AUDIO[r[0]]).length
... &&this.tech_.trigger({type:"usage",name:"hls-alternate-audio"}),this.
... useCueTags_&&this.tech_.trigger({type:"usage",name:"hls-playlist-cue-tags"}
... }},{key:"setupSegmentLoaderListeners_",value:function(){var
... a=this;this.mainSegmentLoader_.on("bandwidthupdate",function(){var
... t=a.selectPlaylist(),e=a.masterPlaylistLoader_.media(),i=a.tech_.buffered()
... n=i.length?i.end(i.length-1)-a.tech_.currentTime():0,r=a.bufferLowWaterLine
... );(!e.endList||a.duration()<xc.MAX_BUFFER_LOW_WATER_LINE||t.attributes.
... BANDWIDTH<e.attributes.BANDWIDTH||r<=n)&&a.masterPlaylistLoader_.media(t),a
... tech_.trigger("bandwidthupdate"}),this.mainSegmentLoader_.on("progress",
... function(){a.trigger("progress")}),this.mainSegmentLoader_.on("error",
... function(){a.blacklistCurrentPlaylist(a.mainSegmentLoader_.error())}),this.
... mainSegmentLoader_.on("syncinfoupdate",function(){a.onSyncInfoUpdate_()}),
... this.mainSegmentLoader_.on("timestampoffset",function(){a.tech_.trigger({
... type:"usage",name:"hls-timestamp-offset"})}),this.audioSegmentLoader_.on("
... syncinfoupdate",function(){a.onSyncInfoUpdate_()}),this.mainSegmentLoader_.
... on("ended",function(){a.onEndOfStream()}),this.mainSegmentLoader_.on("
... earlyabort",function(){a.blacklistCurrentPlaylist({message:"Aborted early
... because there isn't enough bandwidth to complete the request without
... rebuffering."},120)}),this.mainSegmentLoader_.on("reseteverything",function
... ){a.tech_.trigger("hls-reset")}),this.mainSegmentLoader_.on("
... segmenttimemapping",function(t){a.tech_.trigger({type:"hls-segment-time-
... mapping",mapping:t.mapping})}),this.audioSegmentLoader_.on("ended",function
... ){a.onEndOfStream()}}},{key:"mediaSecondsLoaded_",value:function(){return
... Math.max(this.audioSegmentLoader_.mediaSecondsLoaded+this.mainSegmentLoader
... .mediaSecondsLoaded)},{key:"load",value:function(){this.mainSegmentLoader_
... load(),this.mediaTypes_.AUDIO.activePlaylistLoader&&this.audioSegmentLoader
... .load(),this.mediaTypes_.SUBTITLES.activePlaylistLoader&&this.
... subtitleSegmentLoader_.load()}},{key:"smoothQualityChange_",value:function(
... {var
... t=this.selectPlaylist();t!==this.masterPlaylistLoader_.media()&&(this.
... masterPlaylistLoader_.media(t),this.mainSegmentLoader_.resetLoader())},{ke
... :"fastQualityChange_",value:function(){var
... t=this,e=this.selectPlaylist();e!==this.masterPlaylistLoader_.media()&&(thi
... .masterPlaylistLoader_.media(e),this.mainSegmentLoader_.resetEverything(
... function(){oa.browser.IE_VERSION||oa.browser.IS_EDGE?t.tech_.setCurrentTime
... t.tech_.currentTime()+.04):t.tech_.setCurrentTime(t.tech_.currentTime())}
... )},{key:"play",value:function(){if(!this.setupFirstPlay()){this.tech_.ended(
... &&this.seekTo_(0),this.hasPlayed_())&&this.load();var
... t=this.tech_.seekable();return
... this.tech_.duration()===1/0&&this.tech_.currentTime()<t.start(0)?this.
... seekTo_(t.end(t.length-1)):void
... 0}}},{key:"setupFirstPlay",value:function(){var
... t=this,e=this.masterPlaylistLoader_.media();if(!e||this.tech_.paused()||thi
... .hasPlayed_())return!1;if(!e.endList){var
... i=this.seekable();if(!i.length)return!1;if(oa.browser.IE_VERSION&&0===this.
```

```
12... tech_.readyState())return
... this.tech_.one("loadedmetadata",function(){t.trigger("firstplay"),t.seekTo_
... i.end(0)),t.hasPlayed_=function(){return!0}},!1;this.trigger("firstplay"),
... this.seekTo_(i.end(0))}return
... this.hasPlayed_=function(){return!0},this.load(),!0}},{key:"
... handleSourceOpen_",value:function(){try{this.setupSourceBuffers_()}catch(t)
... return oa.log.warn("Failed to create Source
... Buffers",t),this.mediaSource.endOfStream("decode")}if(this.tech_.autoplay()
... {var t=this.tech_.play();"undefined"!==typeof t&&"function"===typeof
... t.then&&t.then(null,function(t){})}this.trigger("sourceopen")}},{key:"
... onEndOfStream",value:function(){var
... t=this.mainSegmentLoader_.ended_;this.mediaTypes_.AUDIO.activePlaylistLoader
... &&(t=!this.mainSegmentLoader_.startingMedia_||this.mainSegmentLoader_.
... startingMedia_.containsVideo?t&&this.audioSegmentLoader_.ended_:this.
... audioSegmentLoader_.ended_),t&&this.mediaSource.endOfStream()}},{key:"
... stuckAtPlaylistEnd_",value:function(t){if(!this.seekable().length)return!1;
... var
... e=this.syncController_.getExpiredTime(t,this.mediaSource.duration);if(null=
... =e)return!1;var
... i=hh.Playlist.playlistEnd(t,e),n=this.tech_.currentTime(),r=this.tech_.
... buffered();if(!r.length)return i-n<=.1;var a=r.end(r.length-1);return
... a-n<=.1&&i-a<=.1}},{key:"blacklistCurrentPlaylist",value:function(){var
... t,e=0<arguments.length&&void
... 0!==arguments[0]?arguments[0]:{},i=arguments[1],n=void
... 0;if(n=e.playlist||this.masterPlaylistLoader_.media(),i=i||e.
... blacklistDuration||this.blacklistDuration,!n){this.error=e;try{return
... this.mediaSource.endOfStream("network")}catch(t){return
... this.trigger("error")}}var
... r=1===this.masterPlaylistLoader_.master.playlists.filter(U1).length;return
... r?(oa.log.warn("Problem encountered with the current HLS playlist. Trying
... again since it is the final
... playlist."),this.tech_.trigger("retryplaylist"),this.masterPlaylistLoader_.
... load(r):(n.excludeUntil=Date.now()+1e3*i,this.tech_.trigger("
... blacklistplaylist"),this.tech_.trigger({type:"usage",name:"hls-rendition-
... blacklisted"}),t=this.selectPlaylist(),oa.log.warn("Problem encountered wit
... the current HLS playlist."+e.message?" "+e.message:"")+ " Switching to
... another
... playlist."),this.masterPlaylistLoader_.media(t))}},{key:"pauseLoading",valu
... :function(){this.mainSegmentLoader_.pause(),this.mediaTypes_.AUDIO.
... activePlaylistLoader&&this.audioSegmentLoader_.pause(),this.mediaTypes_.
... SUBTITLES.activePlaylistLoader&&this.subtitleSegmentLoader_.pause()}},{key:
... setCurrentTime",value:function(t){var e=G1(this.tech_.buffered(),t);return
... this.masterPlaylistLoader_&&this.masterPlaylistLoader_.media()&&this.
... masterPlaylistLoader_.media().segments?e&&e.length?t:(this.
... mainSegmentLoader_.resetEverything(),this.mainSegmentLoader_.abort(),this.
... mediaTypes_.AUDIO.activePlaylistLoader&&(this.audioSegmentLoader_.
... resetEverything(),this.audioSegmentLoader_.abort()),this.mediaTypes_.
... SUBTITLES.activePlaylistLoader&&(this.subtitleSegmentLoader_.resetEverythin
```

```
12...  ( ),this.subtitleSegmentLoader_.abort()),void
...  this.load():0}},{key:"duration",value:function(){return
...  this.masterPlaylistLoader_?this.mediaSource?this.mediaSource.duration:hh.
...  Playlist.duration(this.masterPlaylistLoader_.media():0}},{key:"seekable",
...  value:function(){return
...  this.seekable_}},{key:"onSyncInfoUpdate_",value:function(){var t=void
...  0,e=void 0;if(this.masterPlaylistLoader_){var
...  i=this.masterPlaylistLoader_.media();if(i){var
...  n=this.syncController_.getExpiredTime(i,this.mediaSource.duration);if(null!
...  =n&&0!==(t=hh.Playlist.seekable(i,n)).length){if(this.mediaTypes_.AUDIO.
...  activePlaylistLoader){if(i=this.mediaTypes_.AUDIO.activePlaylistLoader.medi
...  ( ),null===(n=this.syncController_.getExpiredTime(i,this.mediaSource.duratio
...  ))return;if(0===(e=hh.Playlist.seekable(i,n)).length)return}e?e.start(0)>t
...  end(0)||t.start(0)>e.end(0)?this.seekable_=t:this.seekable_=oa.
...  createTimeRanges([[e.start(0)>t.start(0)?e.start(0):t.start(0),e.end(0)<t.
...  end(0)?e.end(0):t.end(0)]]):this.seekable_=t,this.logger_("seekable updated
...  ["+Yl(this.seekable_)+"]"),this.tech_.trigger("seekablechanged")}}}},{key:
...  updateDuration",value:function(){var
...  e=this,t=this.mediaSource.duration,i=hh.Playlist.duration(this.
...  masterPlaylistLoader_.media()),n=this.tech_.buffered(),r=function
...  t(){e.mediaSource.duration=i,e.tech_.trigger("durationchange"),e.mediaSource
...  .removeEventListener("sourceopen",t)};0<n.length&&(i=Math.max(i,n.end(n.
...  length-1))),t!==i&&("open"!==this.mediaSource.readyState?this.mediaSource.
...  addEventListener("sourceopen",r):r())}},{key:"dispose",value:function(){var
...  n=this;this.decrypter_.terminate(),this.masterPlaylistLoader_.dispose(),thi
...  .mainSegmentLoader_.dispose(),["AUDIO","SUBTITLES"].forEach(function(t){var
...  e=n.mediaTypes_[t].groups;for(var i in
...  e)e[i].forEach(function(t){t.playlistLoader&&t.playlistLoader.dispose()})}
...  this.audioSegmentLoader_.dispose(),this.subtitleSegmentLoader_.dispose()}},
...  key:"master",value:function(){return
...  this.masterPlaylistLoader_.master}},{key:"media",value:function(){return
...  this.masterPlaylistLoader_.media()||this.initialMedia_}},{key:"
...  setupSourceBuffers_",value:function(){var
...  t,e=this.masterPlaylistLoader_.media();if(e&&"open"===this.mediaSource.
...  readyState){if((t=mc(this.masterPlaylistLoader_.master,e)).length<1)return
...  this.error="No compatible SourceBuffer configuration for the variant
...  stream:"+e.resolvedUri,this.mediaSource.endOfStream("decode");this.
...  configureLoaderMimeTypes_(t),this.excludeIncompatibleVariants_(e)}}},{key:"
...  configureLoaderMimeTypes_",value:function(t){var
...  e=1<t.length&&-1===t[0].indexOf(",")&&t[0]!==t[1]?new
...  oa.EventTarget:null;this.mainSegmentLoader_.mimeType(t[0],e),t[1]&&this.
...  audioSegmentLoader_.mimeType(t[1],e)},{key:"excludeUnsupportedVariants_",
...  value:function(){this.master().playlists.forEach(function(t){t.attributes.
...  CODECS&&v.MediaSource&&v.MediaSource.isTypeSupported&&!v.MediaSource.
...  isTypeSupported('video/mp4;
...  codecs="'+t.attributes.CODECS.replace(/avc1\.(\d+)\.(\d+)/i,function(t){
...  return
...  dc([t])[0]})+'"' )&&(t.excludeUntil=1/0)}})},{key:"
```



```
12... excludeIncompatibleVariants_",value:function(t){var i=2,n=null,e=void
... 0;t.attributes.CODECS&&(e=pc(t.attributes.CODECS),n=e.videoCodec,i=e.
... codecCount),this.master().playlists.forEach(function(t){var
... e={codecCount:2,videoCodec:null};t.attributes.CODECS&&(e=pc(t.attributes.
... CODECS)),e.codecCount!==i&&(t.excludeUntil=1/0),e.videoCodec!==n&&(t.
... excludeUntil=1/0)}}},{key:"updateAdCues_",value:function(t){var
... e=0,i=this.seekable();i.length&&(e=i.start(0)),function(t,e){var
... i=2<arguments.length&&void
... 0!==arguments[2]?arguments[2]:0;if(t.segments)for(var n=i,r=void
... 0,a=0;a<t.segments.length;a++){var
... s=t.segments[a];if(r||(r=Qc(e,n+s.duration/2)),r){if("cueIn"in
... s){r.endTime=n,r.adEndTime=n,n+=s.duration,r=null;continue}if(n<r.endTime){
... +=s.duration;continue}r.endTime+=s.duration}else if("cueOut"in s&&((r=new
... v.VTTCue(n,n+s.duration,s.cueOut)).adStartTime=n,r.adEndTime=n+parseFloat(s
... cueOut),e.addCue(r)),"cueOutCont"in s){var
... o,u,l=s.cueOutCont.split("/").map(parseFloat),c=ll(1,2);o=c[0],u=c[1],(r=new
... v.VTTCue(n,n+s.duration,"").adStartTime=n-o,r.adEndTime=r.adStartTime+u,e.
... addCue(r)}n+=s.duration}}(t,this.cueTagsTrack_,e)}},{key:"goalBufferLength"
... value:function(){var
... t=this.tech_.currentTime(),e=xc.GOAL_BUFFER_LENGTH,i=xc.
... GOAL_BUFFER_LENGTH_RATE,n=Math.max(e,xc.MAX_GOAL_BUFFER_LENGTH);return
... Math.min(e+t*i,n)}},{key:"bufferLowWaterLine",value:function(){var
... t=this.tech_.currentTime(),e=xc.BUFFER_LOW_WATER_LINE,i=xc.
... BUFFER_LOW_WATER_LINE_RATE,n=Math.max(e,xc.MAX_BUFFER_LOW_WATER_LINE);return
... Math.min(e+t*i,n)}}],f>(),fh=function t(e,i,n){al(this,t);var
... r,a,s,o=e.masterPlaylistController_,u=o[(e.options_.smoothQualityChange?"
... smooth":"fast")+QualityChange_].bind(o);if(i.attributes.RESOLUTION){var
... l=i.attributes.RESOLUTION;this.width=l.width,this.height=l.height}this.
... bandwidth=i.attributes.BANDWIDTH,this.id=n,this.enabled=(r=e.playlists,a=i.
... uri,s=u,function(t){var
... e=r.master.playlists[a],i=Pl(e),n=Ul(e);return"undefined"===typeof
... t?n:(t?delete
... e.disabled:e.disabled=!0,t===n||i||(s(),t?r.trigger("renditionenabled"):r.
... trigger("renditiondisabled"),t)}),mh=["seeking","seeked","pause","playing
... ,"error"],gh=function(){function s(t){var
... e=this;al(this,s),this.tech_=t.tech,this.seekable=t.seekable,this.seekTo=t.
... seekTo,this.consecutiveUpdates=0,this.lastRecordedTime=null,this.timer_=nul
... ,this.checkCurrentTimeTimeout_=null,this.logger_=Oc("PlaybackWatcher"),this
... logger_("initialize");var i=function(){return
... e.monitorCurrentTime_()},n=function(){return
... e.techWaiting_()},r=function(){return e.cancelTimer_()},a=function(){return
... e.fixesBadSeeks_()};this.tech_.on("seekablechanged",a),this.tech_.on("
... waiting",n),this.tech_.on(mh,r),this.tech_.on("canplay",i),this.dispose=
... function(){e.logger_("dispose"),e.tech_.off("seekablechanged",a),e.tech_.of
... ("waiting",n),e.tech_.off(mh,r),e.tech_.off("canplay",i),e.
... checkCurrentTimeTimeout_&&v.clearTimeout(e.checkCurrentTimeTimeout_),e.
... cancelTimer_()}}return
... sl(s,[{key:"monitorCurrentTime_",value:function(){this.checkCurrentTime_(,}
```

```
12... this.checkCurrentTimeTimeout_&&v.clearTimeout(this.checkCurrentTimeTimeout_
... ,this.checkCurrentTimeTimeout_=v.setTimeout(this.monitorCurrentTime_.bind(
... this),250)}},{key:"checkCurrentTime_",value:function(){if(this.tech_.seekin
... ()&&this.fixesBadSeeks_())return
... this.consecutiveUpdates=0,void(this.lastRecordedTime=this.tech_.currentTime
... ));if(!this.tech_.paused()&&!this.tech_.seeking()){var
... t=this.tech_.currentTime(),e=this.tech_.buffered();if(this.lastRecordedTime
... ==t&&(!e.length||t+.1>=e.end(e.length-1)))return
... this.techWaiting_();5<=this.consecutiveUpdates&&t===this.lastRecordedTime?(
... this.consecutiveUpdates++,this.waiting_()):t===this.lastRecordedTime?this.
... consecutiveUpdates++:(this.consecutiveUpdates=0,this.lastRecordedTime=t)}}}
... {key:"cancelTimer_",value:function(){this.consecutiveUpdates=0,this.timer_&
... (this.logger_("cancelTimer_"),clearTimeout(this.timer_)),this.timer_=null}}
... {key:"fixesBadSeeks_",value:function(){var
... t=this.tech_.seeking(),e=this.seekable(),i=this.tech_.currentTime(),n=void
... 0;t&&this.afterSeekableWindow_(e,i)&&(n=e.end(e.length-1));t&&this.
... beforeSeekableWindow_(e,i)&&(n=e.start(0)+.1);return"undefined"!=typeof
... n&&(this.logger_("Trying to seek outside of seekable at time "+i+" with
... seekable range "+Yl(e)+" Seeking to
... "+n+"."),this.seekTo(n,!0)}},{key:"waiting_",value:function(){if(!this.
... techWaiting_()){var
... t=this.tech_.currentTime(),e=this.tech_.buffered(),i=G1(e,t);return
... i.length&&t+3<=i.end(0)?(this.cancelTimer_(this.seekTo(t),this.logger_("
... Stopped at "+t+" while inside a buffered region ["+i.start(0)+" ->
... "+i.end(0)+"]. Attempting to resume playback by seeking to the current
... time."),void
... this.tech_.trigger({type:"usage",name:"hls-unknown-waiting"})):void
... 0}}},{key:"techWaiting_",value:function(){var
... t=this.seekable(),e=this.tech_.currentTime();if(this.tech_.seeking()&&this.
... fixesBadSeeks_())return!0;if(this.tech_.seeking()||null!==this.timer_)return
... !0;if(this.beforeSeekableWindow_(t,e)){var i=t.end(t.length-1);return
... this.logger_("Fell out of live window at time "+e+" Seeking to live point
... (seekable end
... "+i),this.cancelTimer_(this.seekTo(i),this.tech_.trigger({type:"usage",
... name:"hls-live-resync"})),!0}var
... n=this.tech_.buffered(),r=X1(n,e);if(this.videoUnderflow_(r,n,e))return
... this.cancelTimer_(this.seekTo(e),this.tech_.trigger({type:"usage",name:"
... hls-video-underflow"})),!0;if(0<r.length){var a=r.start(0)-e;return
... this.logger_("Stopped at "+e+", setting timer for "+a+", seeking to
... "+r.start(0)),this.timer_=setTimeout(this.skipTheGap_.bind(this),1e3*a,e),!
... }return!1}},{key:"afterSeekableWindow_",value:function(t,e){return!!t.lengt
... &&e>t.end(t.length-1)+.1}},{key:"beforeSeekableWindow_",value:function(t,e)
... return!!(t.length&&0<t.start(0)&&e<t.start(0)-.1)}},{key:"videoUnderflow_",
... value:function(t,e,i){if(0===t.length){var
... n=this.gapFromVideoUnderflow_(e,i);if(n)return this.logger_("Encountered a
... gap in video from "+n.start+" to "+n.end+" Seeking to current time
... "+i),!0}return!1}},{key:"skipTheGap_",value:function(t){var
... e=this.tech_.buffered(),i=this.tech_.currentTime(),n=X1(e,i);this.
```

```
12... cancelTimer_(),0!==n.length&&i===t&&(this.logger_("skipTheGap_:", "
... currentTime:",i,"scheduled currentTime:",t,"nextRange
... start:",n.start(0)),this.seekTo(n.start(0)+z1),this.tech_.trigger({type:"
... usage",name:"hls-gap-skip"}))}},{key:"gapFromVideoUnderflow_",value:functio
... (t,e){for(var i=function(t){if(t.length<2)return
... oa.createTimeRanges();for(var e=[],i=1;i<t.length;i++){var
... n=t.end(i-1),r=t.start(i);e.push([n,r])}return
... oa.createTimeRanges(e)}(t),n=0;n<i.length;n++){var
... r=i.start(n),a=i.end(n);if(e-r<4&&2<e-r)return{start:r,end:a}}return
... null}}]),s}(),yh={errorInterval:30,getSource:function(t){return
... t(this.tech({IWillNotUseThisInPlugins:!0}).currentSource_)}}},vh=function(t)
... !function e(i,t){var
... n=0,r=0,a=oa.mergeOptions(yh,t);i.ready(function(){i.trigger({type:"usage",
... name:"hls-error-reload-initialized"})});var
... s=function(){r&&i.currentTime(r)},o=function(t){null!=t&&(r=i.duration()!==
... /0&&i.currentTime()||0,i.one("loadedmetadata",s),i.src(t),i.trigger({type:"
... usage",name:"hls-error-reload"}),i.play())},u=function(){if(Date.now()-n<1e
... *a.errorInterval)i.trigger({type:"usage",name:"hls-error-reload-canceled"})
... else{if(a.getSource&&"function"===typeof a.getSource)return
... n=Date.now(),a.getSource.call(i,o);oa.log.error("ERROR: reloadSourceOnError
... - The option getSource must be a function!")}},l=function
... t(){i.off("loadedmetadata",s),i.off("error",u),i.off("dispose",t)};i.on("
... error",u),i.on("dispose",l),i.reloadSourceOnError=function(t){l(),e(i,t)}(
... this,t)};oa.use("*",function(e){return{setSource:function(t,e){e(null,t)},
... setCurrentTime:function(t){return
... e.vhs&&e.currentSource().src===e.vhs.source_.src&&e.vhs.setCurrentTime(t),t
... ,play:function(){e.vhs&&e.currentSource().src===e.vhs.source_.src&&e.vhs.
... setCurrentTime(e.currentTime())}}});var
... _h={PlaylistLoader:v1,Playlist:D1,Decrypter:n1,AsyncStream:t1,decrypt:i1,
... utils:q1,STANDARD_PLAYLIST_SELECTOR:function(){return
... function(t,e,i,n,r){var a=t.playlists.map(function(t){var e,i;return
... e=t.attributes.RESOLUTION&&t.attributes.RESOLUTION.width,i=t.attributes.
... RESOLUTION&&t.attributes.RESOLUTION.height,{bandwidth:t.attributes.BANDWIDT
... ||v.Number.MAX_VALUE,width:e,height:i,playlist:t}});qc(a,function(t,e){
... return t.bandwidth-e.bandwidth});var
... s=(a=a.filter(function(t){return!D1.isIncompatible(t.playlist)})).filter(
... function(t){return
... D1.isEnabled(t.playlist)});s.length||(s=a.filter(function(t){return!D1.
... isDisabled(t.playlist)});var o=s.filter(function(t){return
... t.bandwidth*xc.BANDWIDTH_VARIANCE<e}),u=o[o.length-1],l=o.filter(function(t)
... {return t.bandwidth===u.bandwidth})[0];if(!1===r){var c=1||s[0]||a[0];return
... c?c.playlist:null}var h=o.filter(function(t){return
... t.width&&t.height});qc(h,function(t,e){return t.width-e.width});var
... d=h.filter(function(t){return
... t.width===i&&t.height===n});u=d[d.length-1];var
... p=d.filter(function(t){return t.bandwidth===u.bandwidth})[0],f=void 0,m=voi
... 0,g=void 0;p||m=(f=h.filter(function(t){return
... t.width>i||t.height>n})).filter(function(t){return
```

```
12... t.width===f[0].width&&t.height===f[0].height)),u=m[m.length-1],g=m.filter(
... function(t){return t.bandwidth===u.bandwidth})[0]);var
... y=g||p||l||s[0]||a[0];return
... y?y.playlist:null}(this.playlists.master,this.systemBandwidth,parseInt(Hc(
... this.tech_.el(),"width"),10),parseInt(Hc(this.tech_.el(),"height"),10),this
... limitRenditionByPlayerDimensions)},INITIAL_PLAYLIST_SELECTOR:function(){var
... t=this.playlists.master.playlists.filter(Dl.isEnabled);return
... qc(t,function(t,e){return zc(t,e)},t.filter(function(t){return
... pc(t.attributes.CODECS).videoCodec})[0]||null},comparePlaylistBandwidth:zc,
... comparePlaylistResolution:function(t,e){var i=void 0,n=void 0;return
... t.attributes.RESOLUTION&&t.attributes.RESOLUTION.width&&(i=t.attributes.
... RESOLUTION.width),i=i||v.Number.MAX_VALUE,e.attributes.RESOLUTION&&e.
... attributes.RESOLUTION.width&&(n=e.attributes.RESOLUTION.width),i===(n=n||v.
... Number.MAX_VALUE)&&t.attributes.BANDWIDTH&&e.attributes.BANDWIDTH?t.
... attributes.BANDWIDTH-e.attributes.BANDWIDTH:i-n},xhr:Bl());["
... GOAL_BUFFER_LENGTH","MAX_GOAL_BUFFER_LENGTH","GOAL_BUFFER_LENGTH_RATE","
... BUFFER_LOW_WATER_LINE","MAX_BUFFER_LOW_WATER_LINE","
... BUFFER_LOW_WATER_LINE_RATE","BANDWIDTH_VARIANCE"].forEach(function(e){Objec
... .defineProperty(_h,e,{get:function(){return oa.log.warn("using Hls."+e+" is
... UNSAFE be sure you know what you are
... doing"),xc[e]},set:function(t){oa.log.warn("using Hls."+e+" is UNSAFE be
... sure you know what you are doing"),"number"!==typeof
... t||t<0?oa.log.warn("value of Hls."+e+" must be greater than or equal to
... 0"):xc[e]=t}}));var
... bh=function(t){if(/^(\audio|video|application)\/(x-|vnd\.apple\.)?mpegurl/i.
... test(t))return"hls";return/^application\/dash+xml/i.test(t)?"dash":null},T
... =function(t,e){for(var
... i=e.media(),n=-1,r=0;r<t.length;r++)if(t[r].id===i.uri){n=r;break}t.
... selectedIndex=n,t.trigger({selectedIndex:n,type:"change"})};_h.
... canPlaySource=function(){return oa.log.warn("HLS is no longer a tech. Pleas
... remove it from your player's techOrder.")};var
... Sh=function(t){if("dash"===t.options_.sourceType){var
... e=oa.players[t.tech_.options_.playerId];if(e.eme){var
... i=function(t,e,i){if(!t)return t;var n={};for(var r in
... t)n[r]={audioContentType:'audio/mp4;
... codecs="'+i.attributes.CODECS+'"',videoContentType:'video/mp4;
... codecs="'+e.attributes.CODECS+'"},e.contentProtection&&e.contentProtection
... r]&&e.contentProtection[r].pssh&&(n[r].pssh=e.contentProtection[r].pssh),"
... string"===typeof t[r]&&(n[r].url=t[r]);return
... oa.mergeOptions(t,n)}(t.source_.keySystems,t.playlists.media(),t.
... masterPlaylistController_.mediaTypes_.AUDIO.activePlaylistLoader.media());i
... &(e.currentSource().keySystems=i,e.eme.initializeMediaKeys&&e.eme.
... initializeMediaKeys())}}};_h.supportsNativeHls=function(){var
... e=d.createElement("video");if(!oa.getTech("Html5").isSupported())return!1;
... return["application/vnd.apple.mpegurl","audio/mpegurl","audio/x-mpegurl","
... application/x-mpegurl","video/x-mpegurl","video/mpegurl","application/
... mpegurl"].some(function(t){return/maybe|probably/i.test(e.canPlayType(t))})
... (,)_h.supportsNativeDash=!oa.getTech("Html5").isSupported()&&/maybe|
```

```
12... probably/i.test(d.createElement("video").canPlayType("application/dash+xml"
... ),_h.supportsTypeNatively=function(t){return"hls"===t?_h.supportsNativeHls:
... dash"===t&&_h.supportsNativeDash},_h.isSupported=function(){return
... oa.log.warn("HLS is no longer a tech. Please remove it from your player's
... techOrder.");var kh=oa.getComponent("Component"),wh=function(t){function
... a(t,e,i){al(this,a);var
... n=ul(this,(a.__proto__||Object.getPrototypeOf(a)).call(this,e,i.hls));if(e
... options_&&e.options_.playerId){var
... r=oa(e.options_.playerId);r.hasOwnProperty("hls")||Object.defineProperty(r,
... hls",{get:function(){return oa.log.warn("player.hls is deprecated. Use
... player.tech().hls
... instead."),e.trigger({type:"usage",name:"hls-player-access"},n)},r.vhs=n,
... .dash=n}if(n.tech_=e,n.source_=t,n.stats={},n.setOptions_(n.options_.
... overrideNative&&e.overrideNativeAudioTracks&&e.overrideNativeVideoTracks)e.
... overrideNativeAudioTracks(!0),e.overrideNativeVideoTracks(!0);else
... if(n.options_.overrideNative&&(e.featuresNativeVideoTracks||e.
... featuresNativeAudioTracks))throw new Error("Overriding native HLS requires
... emulated tracks. See https://git.io/vMpjB");return
... n.on(d,["fullscreenchange","webkitfullscreenchange","mozfullscreenchange",
... MSFullscreenChange"],function(t){var
... e=d.fullscreenElement||d.webkitFullscreenElement||d.mozFullScreenElement||d
... msFullscreenElement;e&&e.contains(n.tech_.el())&&n.masterPlaylistController
... .smoothQualityChange_()}),n.on(n.tech_,"seeking",function(){this.tech_.
... seeking()&&0===this.tech_.currentTime()&&this.tech_.player_.loop()&&this.
... setCurrentTime(0)}),n.on(n.tech_,"error",function(){this.
... masterPlaylistController_&&this.masterPlaylistController_.pauseLoading()}),
... .on(n.tech_,"play",n.play),n}return
... ol(a,kh),sl(a,[{key:"setOptions_",value:function(){var
... e=this;this.options_.withCredentials=this.options_.withCredentials||!1,this
... options_.limitRenditionByPlayerDimensions=!1!==this.options_.
... limitRenditionByPlayerDimensions,this.options_.smoothQualityChange=this.
... options_.smoothQualityChange||!1,"number"!==typeof
... this.options_.blacklistDuration&&(this.options_.blacklistDuration=300),"
... number"!==typeof
... this.options_.bandwidth&&(this.options_.bandwidth=xc.INITIAL_BANDWIDTH),thi
... .options_.enableLowInitialPlaylist=this.options_.enableLowInitialPlaylist&&
... this.options_.bandwidth===xc.INITIAL_BANDWIDTH,["withCredentials",
... limitRenditionByPlayerDimensions","bandwidth","smoothQualityChange"].forEac
... (function(t){"undefined"!==typeof
... e.source_[t]&&(e.options_[t]=e.source_[t])}),this.bandwidth=this.options_.
... bandwidth,this.limitRenditionByPlayerDimensions=this.options_.
... limitRenditionByPlayerDimensions},{key:"src",value:function(t,e){var
... n=this;t&&(this.setOptions_(t),this.options_.url=this.source_.src,this.
... options_.tech=this.tech_,this.options_.externHls=_h,this.options_.sourceTyp
... =bh(e),this.options_.seekTo=function(t){n.tech_.setCurrentTime(t),n.
... setCurrentTime(t)},this.masterPlaylistController_=new
... ph(this.options_),this.playbackWatcher_=new
... gh(oa.mergeOptions(this.options_,{seekable:function(){return
```

```
12... n.seekable()))),this.masterPlaylistController_.on("error",function(){oa.
... players[n.tech_.options_.playerId].error(n.masterPlaylistController_.error)
... ),this.masterPlaylistController_.selectPlaylist=this.selectPlaylist?this.
... selectPlaylist.bind(this):_h.STANDARD_PLAYLIST_SELECTOR.bind(this),this.
... masterPlaylistController_.selectInitialPlaylist=_h.INITIAL_PLAYLIST_SELECTOR
... .bind(this),this.playlists=this.masterPlaylistController_.
... masterPlaylistLoader_,this.mediaSource=this.masterPlaylistController_.
... mediaSource,Object.defineProperty(this,{selectPlaylist:{get:function(){
... return
... this.masterPlaylistController_.selectPlaylist},set:function(t){this.
... masterPlaylistController_.selectPlaylist=t.bind(this)}}),throughput:{get:
... function(){return
... this.masterPlaylistController_.mainSegmentLoader_.throughput.rate},set:
... function(t){this.masterPlaylistController_.mainSegmentLoader_.throughput.
... rate=t,this.masterPlaylistController_.mainSegmentLoader_.throughput.count=1
... },bandwidth:{get:function(){return
... this.masterPlaylistController_.mainSegmentLoader_.bandwidth},set:function(t
... {this.masterPlaylistController_.mainSegmentLoader_.bandwidth=t,this.
... masterPlaylistController_.mainSegmentLoader_.throughput={rate:0,count:0}}},
... systemBandwidth:{get:function(){var t=1/(this.bandwidth||1),e=void 0;return
... e=0<this.throughput?1/this.throughput:0,Math.floor(1/(t+e))},set:function()
... oa.log.error('The "systemBandwidth" property is
... read-only')}}),Object.defineProperty(this.stats,{bandwidth:{get:function()
... ){return n.bandwidth||0},enumerable:!0},mediaRequests:{get:function(){return
... n.masterPlaylistController_.mediaRequests_()||0},enumerable:!0},
... mediaRequestsAborted:{get:function(){return
... n.masterPlaylistController_.mediaRequestsAborted_()||0},enumerable:!0},
... mediaRequestsTimedout:{get:function(){return
... n.masterPlaylistController_.mediaRequestsTimedout_()||0},enumerable:!0},
... mediaRequestsErrored:{get:function(){return
... n.masterPlaylistController_.mediaRequestsErrored_()||0},enumerable:!0},
... mediaTransferDuration:{get:function(){return
... n.masterPlaylistController_.mediaTransferDuration_()||0},enumerable:!0},
... mediaBytesTransferred:{get:function(){return
... n.masterPlaylistController_.mediaBytesTransferred_()||0},enumerable:!0},
... mediaSecondsLoaded:{get:function(){return
... n.masterPlaylistController_.mediaSecondsLoaded_()||0},enumerable:!0},
... buffered:{get:function(){return
... $l(n.tech_.buffered())},enumerable:!0},currentTime:{get:function(){return
... n.tech_.currentTime()},enumerable:!0},currentSource:{get:function(){return
... n.tech_.currentSource_},enumerable:!0},currentTech:{get:function(){return
... n.tech_.name_},enumerable:!0},duration:{get:function(){return
... n.tech_.duration()},enumerable:!0},master:{get:function(){return
... n.playlists.master},enumerable:!0},playerDimensions:{get:function(){return
... n.tech_.currentDimensions()},enumerable:!0},seekable:{get:function(){return
... $l(n.tech_.seekable())},enumerable:!0},timestamp:{get:function(){return
... Date.now()},enumerable:!0},videoPlaybackQuality:{get:function(){return
... n.tech_.getVideoPlaybackQuality()},enumerable:!0}}),this.tech_.one("canplay
```

```
12... ,this.masterPlaylistController_.setupFirstPlay.bind(this.  
... masterPlaylistController_),this.masterPlaylistController_.on("  
... selectedinitialmedia",function(){var  
... i,t;t=(i=n).playlists,i.representations=function(){return  
... t.master.playlists.filter(function(t){return!Pl(t)}).map(function(t,e){  
... return new  
... fh(i,t,t.uri)}}),Sh(n)),this.on(this.masterPlaylistController_,"progress",  
... function(){this.tech_.trigger("progress")}),this.tech_.ready(function(){  
... return  
... n.setupQualityLevels_()}),this.tech_.el()&&this.tech_.src(oa.URL.  
... createObjectURL(this.masterPlaylistController_.mediaSource))),{key:"  
... setupQualityLevels_",value:function(){var  
... i=this,t=oa.players[this.tech_.options_.playerId];t&&t.qualityLevels&&(this  
... qualityLevels_=t.qualityLevels(),this.masterPlaylistController_.on("  
... selectedinitialmedia",function(){var  
... e,t;e=i.qualityLevels_,(t=i).representations().forEach(function(t){e.  
... addQualityLevel(t)}),Th(e,t.playlists)}),this.playlists.on("mediachange",  
... function(){Th(i.qualityLevels_,i.playlists)}))}},{key:"play",value:func  
... tion(){this.masterPlaylistController_.play()}},{key:"setCurrentTime",value:  
... function(t){this.masterPlaylistController_.setCurrentTime(t)}},{key:"  
... duration",value:function(){return  
... this.masterPlaylistController_.duration()}},{key:"seekable",value:func  
... tion(){return  
... this.masterPlaylistController_.seekable()}},{key:"dispose",value:func  
... tion(){this.playbackWatcher_&&this.playbackWatcher_.dispose(),this.  
... masterPlaylistController_&&this.masterPlaylistController_.dispose(),this.  
... qualityLevels_&&this.qualityLevels_.dispose(),function  
... t(e,i,n){null===e&&(e=Function.prototype);var  
... r=Object.getOwnPropertyDescriptor(e,i);if(void 0===r){var  
... a=Object.getPrototypeOf(e);return null===a?void 0:t(a,i,n)}if("value"i  
... n)return r.value;var s=r.get;return void 0!==s?s.call(n):void  
... 0}(a.prototype.__proto__||Object.getPrototypeOf(a.prototype),"dispose",this  
... .call(this))}],a},Ch={name:"videojs-http-streaming",VERSION:"1.4.1",  
... canHandleSource:function(t){var e=1<arguments.length&&void  
... 0!==arguments[1]?arguments[1]:{},i=oa.mergeOptions(oa.options,e);return  
... Ch.canPlayType(t.type,i)},handleSource:function(t,e){var  
... i=2<arguments.length&&void  
... 0!==arguments[2]?arguments[2]:{},n=oa.mergeOptions(oa.options,i);return  
... e.hls=new  
... wh(t,e,n),e.hls.xhr=Bl(),e.hls.src(t.src,t.type),e.hls},canPlayType:func  
... tion(t){var e=1<arguments.length&&void  
... 0!==arguments[1]?arguments[1]:{},i=oa.mergeOptions(oa.options,e).hls.  
... overrideNative,n=bh(t);return  
... n&&(!_h.supportsTypeNatively(n)||i)?"maybe":""}};return"undefined"!==typeof  
... oa.MediaSource&&"undefined"!==typeof  
... oa.URL||(oa.MediaSource=kc,oa.URL=wc),kc.supportsNativeMediaSources()&&oa.  
... getTech("Html5").registerSourceHandler(Ch,0),oa.HlsHandler=wh,oa.  
... HlsSourceHandler=Ch,oa.Hls=_h,oa.use||oa.registerComponent("Hls",_h),oa.
```

```
12... options.hls=oa.options.hls||{},{oa.registerPlugin?oa.registerPlugin("
... reloadSourceOnError",vh):oa.plugin("reloadSourceOnError",vh),oa});
13 !function(){!function(a){var
... b=a&&a.videojs;b&&(b.CDN_VERSION="7.3.0")}(window)}();
```